

**Water Quality Data of Polluted River
stretches in Mizoram
(OA - No. 673 of 2018)**

**DECEMBER
2022**



MIZORAM STATE POLLUTION CONTROL BOARD

DETAILS OF POLLUTED LOCATIONS & RESULTS OF FIELD PARAMETERS FOR THE MONTH OF DECEMBER 2022

Sl. No.	Station Code	Name of Station	Location	Co-Ordinates			A. STATIONS DETAILS												
							Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream (irrigation, industrial, domestic, drinking water source, organised water source, cultivation, fishing, bathing ghat, others)	Weather	Depth of Water Body (m)	Human activities (Bathing, Washing, Cultivation, Fishing, Boating, Gardening, Tourist spot, cattle wedding, others)	Floating matter	Colour	Odour	Flow (m/s)
							1	2	3	4	5	6	7	8	9	10	11	12	13
				Longitude	Latitude	Elevation													
1	3718	Chite River	Near Mini Sports Complex, Armed Veng, Aizawl, Mizoram	92.770386	24.437574	680m	05-12-2022	12:00		Domestic		Small Cultivation	Clear	0.2	Cleaning Purpose		Clear	Odourless	0.3
2	3721	Lawibual Stream	Lawibual village Aizawl District, Mizoram	92.748333	23.716306	860m	06-12-2022	11:15		Domestic		Cultivation	Clear	0.1	Cultivation	Algae	Clear	Odourless	0.5
3	4115	Tuikual Stream	(US) Near New Secretariat Complex, Dinthar, Aizawl	92.707341	23.725482	812m	12-12-2022	01:10		Domestic		Irrigation, small cultivation	Clear	0.2	Cultivation		Brown	Pungent	0.3

**WATER QUALITY DATA OF POLLUTED RIVER STRETCHES
FOR THE MONTH OF DECEMBER, 2022**

Sl.No	Station Code	B. CORE PARAMETERS								C. GENERAL PARAMETERS											
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrite (N- No ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	K (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
1	3718	24	6.4	8.06	533	1.2	0.271	64	2400	4.4	198	110.7	0.209	140	52	2.4	24		340	10	0.186
2	3721	21	3.6	7.9	670	3.6	0.285	34	2400	5.3	270.6	108.6	0.22	170	52.8	9.1	27		410	20	0.065
3	4115	21	1.5	7.7	682	10.3	0.006	210	2400	23.5	349	96.7	3.469	158	56	4.3	25.5		500	180	1.64