

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM

MONTH : NOVEMBER, YEAR : 2022

Station Code	Name of monitoring Station	Area class	City	State Name	Sampling Date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
450	Khatla	Residential	Aizawl	Mizoram	7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	40	30	35	10	68	77	57	67	clear		
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	40	32	37	10	73	77	60	70	clear	
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	38	32	35	9	68	73	59	67	clear	
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	40	33	37	10	70	75	63	34	clear	
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	43	33	39	9	73	81	63	72	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	43	33	38	10	72	81	63	72	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	43	35	39	10	77	81	68	75	clear
					30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	43	33	38	10	73	83	65	74	p.clear
451	Laituitlang	Residential	Aizawl	Mizoram	7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	21	11	16	**	24	38	15	26	clear			
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	34	21	28	**	47	55	34	45	clear	
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	28	17	26	**	53	43	23	40	clear	
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	21	9	21	**	49	30	13	31	clear	
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	19	15	22	**	47	40	26	38	clear	
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	32	19	27	**	45	42	28	38	clear	
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	17	13	17	**	33	24	17	25	clear
					30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	26	25	24	**	33	41	38	37	clear
452	Bawngkawn	Commercial	Aizawl	Mizoram	7.11.22	2	2	2	2	2	2	2.0	16.7	12	12.7	14	10	4.6	11.6	104	89	80	91	15	161	136	116	136	clear				
					9.11.22	2	2	2	2	2	2	2.0	22.1	16.7	12.7	18.1	11.4	4.5	14.3	170	112	87	123	10	259	178	129	189	clear				
					14.11.22	2	2	2	2	2	2	2.0	22.8	12.7	10	14	8.7	4	12.0	102	55	47	68	15	163	93	74	110	clear				
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	157	108	47	104	13	235	175	76	162	clear		
					21.11.22	2	2	2	2	2	2	2.0	22.8	14	12	13.4	9.3	4.5	12.4	97	55	80	77	14	159	95	133	129	clear				
					23.11.22	2	2	2	2	2	2	2.0	24.8	14.7	12	20.7	10	4.6	14.4	148	111	71	110	19	226	187	113	175	clear				
					28.11.22	2	2	2	2	2	2	2.0	25.4	16	14	20.1	12	6	15.5	108	102	85	99	20	182	170	121	158	clear				
					30.11.22	2	2	2	2	2	2	2.0	17.4	10	8.7	15.5	12	4.6	11.3	82	73	89	81	29	142	127	132	134	clear				

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - NOVEMBER, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
731	Champhai Kahrawt	Residential	Champhai	Mizoram	2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	24	10	16	7	36	54	28	39	clear		
					7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	26	10	17	7	35	54	26	38	clear	
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	28	10	20	7	49	54	23	42	clear	
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	20	10	17	7	49	48	26	41	clear
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	26	13	20	7	47	55	29	43	clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	21	14	19	6	57	50	24	41	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	24	9	17	6	48	51	21	33	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	24	10	18	6	44	53	21	39	clear
					30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	20	6	14	6	37	43	15	31	clear
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	44	26	34	19	76	94	56	75	clear		
					7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	46	24	35	19	74	98	52	74	clear	
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	41	24	32	17	70	88	54	70	clear	
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	48	24	36	17	48	100	54	80	clear
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	48	24	35	18	74	102	54	76	clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	48	24	36	18	78	102	56	78	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	48	24	35	17	82	106	56	81	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	48	24	36	16	78	106	56	80	clear
					30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	46	26	36	16	82	102	58	80	clear
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	14	8	14	7	45	37	21	35	clear		
					4.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	16	11	17	7	51	39	25	39	clear	
					7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	8	16	6	47	41	21	37	clear	
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	19	8	16	6	47	43	21	38	clear
					11.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	17	11	17	6	51	42	27	40	clear
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	17	13	17	6	48	42	32	40	clear
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	11	17	7	53	47	27	43	clear
					18.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	21	9	17	6	53	47	24	41	clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	21	13	19	7	51	46	30	42	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	23	11	20	7	54	48	28	43	clear
					25.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	21	13	20	7	58	48	30	45	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	13	19	6	53	50	30	44	clear
30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	21	13	20	6	57	48	32	46	p.clear					

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - NOVEMBER, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
734	Kolasib Diakawn	Commercial	Kolasib	Mizoram	2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	21	25	20	10	28	45	53	42	clear			
					5.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	21	23	21	10	40	45	48	44	clear	
					7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	26	17	21	11	45	54	36	45	clear	
					12.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	21	27	24	11	49	45	55	50	clear
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	28	17	19	10	28	57	36	40	clear
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	25	21	21	11	36	53	44	44	clear
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	15	19	10	49	41	32	41	clear
					19.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	25	15	21	9	449	53	33	45	clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	19	17	20	10	51	41	36	43	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	28	19	24	11	53	57	40	50	clear
					25.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	15	21	21	11	57	32	44	44	clear
					26.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	15	21	21	11	57	32	44	44	clear
28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	23	17	22	11	53	49	36	46	clear					
30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	19	22	10	45	53	40	46	p.clear					
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	11	5	9	4	17	18	8	14	clear			
					7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	14	11	13	**	24	23	16	21	clear		
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	11	8	11	**	25	19	12	19	clear	
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	23	6	14	4	25	34	10	23	clear	
					18.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	7	7	13	5	26	27	11	11	clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	11	5	10	**	24	17	10	17	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	15	7	13	4	28	24	11	21	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	15	7	13	4	28	32	10	23	clear
30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	12	8	12	5	25	21	12	19	clear					
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	20	9	15	**	27	32	14	24	clear			
					7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	21	11	19	**	40	35	19	31	clear	
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	22	12	18	**	36	34	20	30	clear	
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	22	15	18	**	28	35	24	29	clear
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	26	12	20	**	34	40	19	31	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	11	19	**	32	39	18	30	clear
					25.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	21	10	16	**	32	35	16	28	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	24	10	19	**	36	37	15	29	clear
					30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	16	8	14	**	31	27	13	24	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - NOVEMBER, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
737	Dawrpui	Commercial	Aizawl	Mizoram	7.11.22	2	2	2	2	2	2	2.0	13.4	22.2	24.1	18.9	16.8	10.7	17.7	36	38	16	30	17	49	63	33	48	clear			
					9.11.22	2	2	2	2	2	2	2.0	10.1	14.8	18.8	14.9	10.7	7.2	12.7	35	30	17	27	9	59	60	38	52	clear			
					14.11.22	2	2	2	2	2	2	2.0	12.1	16.8	20.2	13.4	17.5	8	14.7	67	77	35	60	4	117	143	64	108	clear			
					16.11.22	2	2	2	2	2	2	2.0	9.4	18.8	22.2	16.2	13.3	9.4	14.9	56	43	38	47	9	102	85	70	86	clear			
					21.11.22	2	2	2	2	2	2	2.0	12.1	18.2	20.2	23.5	13.5	10.1	16.3	55	49	40	48	9	92	81	72	82	clear			
					23.11.22	2	2	2	2	2	2	2.0	14.7	24.3	22.9	16.8	20.2	8.0	17.8	74	84	34	64	5	127	148	63	112	clear			
					28.11.22	2	2	2	2	2	2	2.0	10.7	16.2	22.2	12.1	16.1	13.4	15.1	68	51	50	56	17	127	96	117	114	clear			
					30.11.22	2	2	2	2	2	2	2.0	9.4	8.1	12.1	18.8	13.4	8.1	11.6	56	73	82	70	18	104	131	144	126	p.clear			
738	Lengpui	Residential	Aizawl	Mizoram	2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	23	19	18	9	39	39	32	37	clear		
					7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	22	19	19	9	30	36	32	33	clear	
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	14	16	14	8	17	20	20	19	clear	
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	11	10	12	8	21	19	16	19	clear
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	17	12	17	8	33	31	24	29	clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	20	22	16	43	39	35	39	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	22	21	23	16	46	41	37	41	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	19	19	12	29	27	25	27
30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	18	16	18	13	25	24	19	22	p.clear				
1014	New Siaha	Commercial	Siaha	Mizoram	9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	34	16	25		58	81	40	60	clear		
					10.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	36	15	25		64	68	43	65	clear	
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	31	8	20		50	73	27	50	clear	
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	33	15	24		56	77	34	56	clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	46	37	40		140	131	76	115	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	48	15	36		100	123	55	93	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	33	13	23		64	93	32	63	p.clear
30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	55	15	33		71	128	42	80	clear					
1015	ECM Vaith	Residential	Siaha	Mizoram	1.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	21	2	22		99	56	13	56	clear		
					2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	39	10	20		47	50	17	38	clear	
					3.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	86	45	32	54		145	97	73	105	clear	
					7.11.11	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	25	18	20		35	69	47	50	clear
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	52	22	38		91	95	34	72	clear
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	56	12	35		85	107	39	77	clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	39	47	27	38		88	93	50	77	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	9	23	18		95	52	68	68	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	85	48	23	52		146	104	58	103	cloudy
30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	19	17	17		57	46	48	50	clear					

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - NOVEMBER, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
1016	Bazar Veng	Commercial	Mamit	Mizoram	2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	29	23	24	46	60	50	52	clear			
					7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	23	25	26	56	48	46	50	clear	
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	25	22	44	42	52	46	clear	
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	31	27	27	48	56	56	53	clear
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	23	25	26	56	48	46	50	clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	25	23	27	60	52	48	53	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	29	23	24	46	60	50	52	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	33	21	27	56	65	44	55	clear
					30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	27	25	25	50	56	52	53	clear
1017	Lungsir Veng	Residential	Mamit	Mizoram	1.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	15	18	40	36	29	35	clear		
					2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	22	17	21	45	44	31	40	clear	
					7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	22	19	22	48	44	41	44	clear	
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	19	17	21	45	36	29	37	clear
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	22	17	22	45	39	31	38	clear
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	22	17	21	40	36	27	35	clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	25	17	23	45	44	27	39	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	22	17	21	40	36	27	35	clear
					30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	22	17	22	48	44	35	42	rainy
1018	Bazar Veng	Commercial	Serchhip	Mizoram	2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	8	10	9	19	17	19	18	clear		
					7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	8	13	10	15	17	23	18	clear	
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	13	10	10	19	21	19	19	clear	
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	8	15	12	25	21	27	24	clear
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	8	27	15	29	17	48	31	clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	8	17	13	38	15	25	26	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	8	19	14	25	19	33	26	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	15	21	17	23	25	35	28	clear
					30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	10	17	15	33	19	31	28	clear
1019	P & E Veng	Residential	Serchhip	Mizoram	2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	17	8	12	35	44	27	35	clear		
					7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	15	13	12	31	40	40	37	clear	
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	8	17	13	40	42	40	40	clear	
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	23	15	19	40	50	35	42	clear
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	21	19	20	37	48	42	42	clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	23	17	20	44	44	44	44	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	23	17	20	44	44	44	44	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	19	21	18	35	35	46	39	clear
					30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	13	19	16	35	40	42	39	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - NOVEMBER, 2022


Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition					
1020	L-IV, Chandmary	Commercial	Lawngtlai	Mizoram	2.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	27	31	26	40	56	54	50	clear				
					7.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	29	27	26	50	54	44	49	clear		
					9.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	21	29	22	35	48	52	45	clear		
					12.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	35	23	30	68	62	44	58	p.clear	
					14.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	23	25	22	40	52	56	49	clear	
					16.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	33	40	33	44	65	50	53	p.clear
					21.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	40	42	37	50	71	81	67	clear
					23.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	41	38	36	63	72	64	67	clear
					28.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	48	38	35	54	68	56	60	clear
30.11.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	49	42	43	65	82	61	69	clear					
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram	Monitoring not done due to machine failure																												

* = Monitoring not yet started.

** = No Monitoring due to Machine Failure.

Analysts :

Scientist -in-charge :



Member Secretary :




Source: Mizoram Pollution Control Board

