

Ambient Air Quality Data NAMP Stations in Mizoram March 2021

MONTH: MARCH

YEAR: 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	
450	Khatla	Residential	Aizawl	Mizoram	1.3.21	2.4	3.6	1.6	2	0.8	2	2.0	8	10.7	6.7	4	2.7	4.5	4.5	30	35	22	29	54	62	40	52	clear	
					3.3.21	1.6	3.6	2.4	0.8	2	2	2.0	6.7	8.7	7.4	5.4	2	0.7	0.7	4.5	35	38	32	35	63	71	54	63	clear
					8.3.21	2.4	3.6	3.6	1.2	2	2	2.0	6.7	14.7	4.7	2.7	1.3	4.5	4.5	35	38	30	34	62	70	50	61	p.clear	
					10.3.21	3.2	5.2	4.4	2	0.8	2	2.0	6.7	8	9.4	4.7	2	4.5	4.5	35	42	27	35	55	70	44	56	clear	
					15.3.21	2.4	4	3.2	1.2	2	2	2.0	5.4	9.4	7.4	4	2	4.5	4.5	35	40	28	34	65	73	48	62	clear	
					17.3.21	2	3.6	4	1.2	0.8	2	2.0	7.4	8.7	10.1	5.4	2.7	1.3	1.3	4.5	35	57	25	39	57	85	43	62	clear
					22.3.21	3.2	5.2	2	0.8	2	2	2.0	8.7	10.7	12.7	6.7	4	2.7	2.7	4.5	37	42	25	35	65	75	43	61	clear
					24.3.21	2.8	4	4.3	1.6	0.8	2	2.0	6	9.4	9.4	4	2.7	3	3	4.5	35	40	30	35	63	72	50	62	clear
					29.3.21	0.8	3.2	4.7	2	0.4	2	2.0	8.7	10.7	11.4	6.7	2.7	1.3	1.3	4.5	43	51	33	42	76	89	58	74	clear
					31.3.21	2.3	3.9	1.6	0.4	2	2	2.0	8.7	10.7	6.7	4	2.7	1.3	1.3	4.5	32	37	22	30	55	64	40	53	p.clear
451	Laipuitlang	Residential	Aizawl	Mizoram	1.3.21	2	2	2	2	2	2	2.0	2.01	4.69	6.03	4.02	1.34	1.34	4.5	32	39	24	32	47	59	36	47	clear	
					3.3.21	2	2	2	2	2	2	2.0	2.89	4	4.09	4	2.01	2.01	4.5	29	34	18	27	44	53	25	41	clear	
					8.3.21	2	2	2	2	2	2	2.0	1.34	3.35	4.69	4	2.01	2.01	4.5	31	36	15	27	50	60	22	44	clear	
					10.3.21	2	2	2	2	2	2	2.0	2.68	4	5.36	4.69	2.01	2.01	4.5	36	41	26	34	56	66	36	53	clear	
					15.3.21	2	2	2	2	2	2	2.0	4.02	6.4	6.7	8	2.68	2.68	4.5	37	43	24	35	52	62	33	49	clear	
					17.3.21	2	2	2	2	2	2	2.0	3.35	4.69	4.02	6.4	2.01	2.94	4.5	37	44	25	35	56	69	36	54	clear	
					22.3.21	2	2	2	2	2	2	2.0	2.01	4.02	4.69	3.35	2.64	2.01	4.5	31	43	17	30	48	68	29	48	clear	
					24.3.21	2	2	2	2	2	2	2.0	2.94	4.02	6.7	6.03	2.94	2.01	4.5	34	44	22	33	53	66	32	50	clear	
					29.3.21	2	2	2	2	2	2	2.0	2.01	6.26	6.03	6.7	3.35	3.25	4.5	37	43	32	37	58	65	43	55	clear	
					31.3.21	2	2	2	2	2	2	2.0	1.82	3.57	4.47	2	1.78	1.34	4.5	28	35	20	28	51	58	34	48	p.clear	
452	Bawngkawn	Residential	Aizawl	Mizoram	1.3.21	2	2	2	2	2	2	2.0	16.7	18.1	21.4	19.4	12	12	16.6	108	113	90	103	252	335	140	242	clear	
					3.3.21	2	2	2	2	2	2	2.0	22.8	20.7	18.7	16.7	12.7	12.7	17.3	192	96	60	116	292	190	142	206	clear	
					8.3.21	2	2	2	2	2	2	2.0	16.7	14	18.7	17.4	12	12	15.1	113	121	65	99	219	237	152	203	clear	
					10.3.21	2	2	2	2	2	2	2.0	14.7	16	18.1	16.7	11.4	11.4	14.7	90	116	67	90	171	208	108	162	clear	
					15.3.21	2	2	2	2	2	2	2.0	15.4	14	18.1	16.7	10.7	10.7	14.2	56	115	52	74	117	179	108	135	clear	
					17.3.21	2	2	2	2	2	2	2.0	10.7	12	14.7	13.4	8	8	11.1	85	110	60	85	192	223	96	170	clear	
					22.3.21	2	2	2	2	2	2	2.0	14.7	15.4	16.7	16	5.3	6	12.3	69	131	83	94	154	225	148	176	clear	
					24.3.21	2	2	2	2	2	2	2.0	15.4	14.7	16.7	18.1	12	12	14.8	110	119	152	127	177	171	245	198	clear	
					29.3.21	2	2	2	2	2	2	2.0	16.7	18.1	15.4	14	16	16	16.0	133	96	190	140	219	175	292	228	p.clear	

Ambient Air Quality Data NAMP Stations in Mizoram March 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
731	Champhai Kahrawt	Residential	Champhai	Mizoram	1.3.21	2	0.79	1.18	0.83	2	2	2.0	4.5	2.04	3.35	1.39	4.5	0.67	4.5	21	27	17	21	46	60	36	47	clear
					3.3.21	2	0.79	1.58	1.18	2	2	2.0	4.5	2.68	3.35	2.01	1.39	4.5	4.5	19	25	15	19	42	53	34	43	clear
					8.3.21	2	1.01	1.62	1.21	2	2	2.0	4.5	1.76	2.03	1.37	1.47	4.5	4.5	20	26	17	21	45	54	38	45	clear
					10.3.21	2	2.18	2.12	1.51	1.22	1.29	2.0	4.5	2.47	2.89	2.57	4.5	4.5	4.5	23	28	19	23	56	59	40	51	clear
					15.3.21	2	1.21	2.02	1.59	0.79	2	2.0	4.5	2.06	2.75	2.03	2.04	1.35	4.5	24	25	12	20	53	54	28	45	clear
					17.3.21	2	1.18	1.65	1.23	1.25	2	2.0	4.5	1.33	2.11	2.79	1.42	4.5	4.5	20	23	10	17	44	55	25	41	clear
					22.3.21	1.21	0.8	1.62	1.23	0.46	0.92	2.0	0.69	2.06	2.07	2.79	1.59	1.57	4.5	26	30	23	26	54	64	48	55	clear
					24.3.21	0.48	1.29	1.34	1.82	1.25	0.83	2.0	4.5	2.25	3.05	2.32	2.13	1.41	4.5	23	30	21	24	51	63	19	44	clear
					29.3.21	0.71	1.5	0.79	1.18	2	0.55	2.0	4.5	2.55	2.08	4.5	4.5	4.5	4.5	30	29	22	27	67	60	61	62	cloudy
31.3.21	2	1.02	1.72	1.06	2	2	2.0	4.5	2.61	2.93	1.8	4.5	4.5	4.5	28	35	24	29	61	72	51	61	p.clear					
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	1.3.21	2	0.8	1.19	0.8	2	2	2.0	4.5	1.37	4.5	2	1.37	4.5	4.5	32	38	22	30	66	80	46	64	clear
					3.3.21	2	1.19	0.8	2	2	2	2.0	4.5	1.37	2	4.5	2	4.5	4.5	34	40	22	32	70	84	46	66	clear
					8.3.21	2	0.8	1.19	2	2	2	2.0	4.5	2	1.37	2	1.37	2	4.5	32	40	22	31	66	84	44	64	clear
					10.3.21	2	1.19	0.8	2	0.8	2	2.0	4.5	1.37	2	4.5	2	4.5	4.5	34	42	20	32	71	86	44	66	clear
					15.3.21	2	0.8	1.19	2	1.19	2	2.0	4.5	3.4	2	4.5	2	4.5	4.5	34	42	24	33	68	86	49	67	clear
					17.3.21	2	1.19	0.8	2	2	2	2.0	4.5	2	3.3	4.5	1.37	4.5	4.5	36	42	24	34	76	86	60	74	clear
					22.3.21	2	0.36	1.19	2	2	2	2.0	4.5	1.37	2	4.5	2	4.5	4.5	36	44	24	34	76	90	60	75	clear
					24.3.21	2	1.19	0.8	0.81	2	2	2.0	4.5	2	1.37	4.5	2.7	4.5	4.5	36	46	28	36	74	96	58	76	clear
					29.3.21	2	1.19	2	0.8	0.8	2	2.0	4.5	1.37	2	4.5	2	4.5	4.5	38	46	30	38	80	96	62	79	p.clear
31.3.21	2	1.19	2	0.8	2	2	2.0	4.5	1.37	4.5	2	2.7	4.5	4.5	38	48	30	38	82	100	64	82	p.clear					
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	10.3.21	2	2	2	2	2	2	2.0	1.98	2.05	2.08	1.41	0.7	0.69	4.5	23	20	12	18	51	45	31	42	clear
					15.3.21	2	2	2	2	2	2	2.0	2.01	2.13	1.37	0.7	4.5	0.68	4.5	21	15	10	15	48	37	23	36	clear
					17.3.21	2	2	2	2	2	2	2.0	2.78	2.75	2.12	1.4	1.38	1.36	4.5	24	20	12	19	54	47	29	44	clear
					22.3.21	2	2	2	2	2	2	2.0	2.78	2.73	2.04	0.69	4.5	4.5	4.5	22	17	10	16	48	40	25	38	clear
					24.3.21	2	2	2	2	2	2	2.0	1.98	2.59	2.05	1.37	0.69	1.35	4.5	24	19	12	18	54	43	37	42	clear
					29.3.21	2	2	2	2	2	2	2.0	2.73	2.81	1.38	0.68	4.5	4.5	4.5	20	15	8	14	46	38	19	34	clear
					31.3.21	2	2	2	2	2	2	2.0	2.06	2.72	2.09	1.38	0.68	1.43	4.5	22	17	8	16	52	40	19	37	sunny
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	1.3.21	2	2	0.72	0.79	0.39	1.08	2.0	1.36	0.68	1.84	1.22	1.28	1.84	4.5	19	31	26	25	40	60	50	50	clear
					3.3.21	2	2	0.49	0.83	0.79	0.75	2.0	1.35	0.67	0.71	1.92	1.34	1.84	4.5	17	27	24	23	37	57	49	48	clear
					8.3.21	2	2	2	0.93	0.79	0.88	2.0	4.5	1.37	0.75	1.35	2.02	1.35	4.5	14	21	27	21	30	43	56	43	clear
					10.3.21	0.76	0.81	0.41	0.88	0.8	1.03	2.0	1.87	1.26	1.35	1.43	2.05	1.48	4.5	20	31	26	25	41	63	51	51	clear
					15.3.21	1.14	0.79	0.88	0.49	0.39	0.79	2.0	1.86	2.46	1.35	2.02	1.34	1.28	4.5	21	26	32	26	39	50	62	51	clear
					17.3.21	2	2	0.79	0.49	1.18	1.08	2.0	1.23	4.5	4.5	1.36	2.02	1.84	4.5	27	26	34	29	56	54	66	58	clear
					22.3.21	2	2	0.88	0.79	1.18	0.79	2.0	0.76	1.42	1.35	1.84	1.34	1.23	4.5	21	31	27	26	40	60	53	51	clear
					24.3.21	0.8	0.85	1.13	0.76	1.18	1.51	2.0	1.95	1.31	2.43	1.96	1.34	1.23	4.5	29	26	32	29	56	50	62	56	clear
					29.3.21	0.88	0.83	0.5	0.4	2	2	2.0	1.51	1.93	1.87	1.36	4.5	4.5	4.5	32	24	23	26	62	47	44	51	p.clear
31.3.21	2	2	2	0.7	0.4	0.47	2.0	4.5	4.5	4.5	1.19	1.37	0.81	4.5	7	6	14	9	16	16	30	21	p.clear					

Ambient Air Quality Data NAMP Stations in Mizoram March 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition			
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	1.3.21	2	0.39	1.57	2	2	2	2.0	4.5	0.67	1.34	1.34	4.5	4.5	4.5	9	14	4	9	21	33	12	22	clear			
					3.3.21	2	2	2	2	2	2	2.0	4.5	4.5	1.34	2.68	4.5	4.5	4.5	4.5	6	14	4	8	12	32	8	17	clear		
					8.3.21	2	2	2	2	2	2	2.0	4.5	2.01	2.68	0.67	4.5	4.5	4.5	4.5	9	18	4	10	21	37	10	23	clear		
					10.3.21	2	2	2	2	2	2	2.0	4.5	3.35	3.35	2.68	4.5	4.5	4.5	4.5	7	19	12	13	15	42	30	29	clear		
					12.3.21	2	2	2	2	2	2	2.0	1.34	2.01	4.5	0.67	4.5	4.5	4.5	4.5	8	18	4	10	16	38	8	21	clear		
					15.3.21	2	2	2	2	2	2	2.0	4.5	0.67	2.01	4.5	4.5	4.5	4.5	4.5	8	18	4	10	18	41	11	23	clear		
					17.3.21	2	2	2	2	2	2	2.0	4.5	2.01	2.68	0.67	4.5	4.5	4.5	4.5	9	19	5	11	25	43	11	26	clear		
					24.3.21	2	1.32	1.81	2	2	2	2.0	1.57	4.29	0.77	4.5	4.5	4.5	4.5	4.5	4.5	94	48	35	59	142	114	64	107	clear	
					26.3.21	2	0.78	1.96	0.4	2	2	2	2	3.35	4.7	2.68	1.37	0.69	0.63	4.5	4.5	4.5	78	65	36	60	159	145	80	128	clear
					29.3.21	0.78	2.6	1.28	0.38	0.39	0.4	2.0	4.5	4.5	6.01	3.29	1.34	1.37	4.5	4.5	4.5	74	75	97	82	157	115	136	135	clear	
31.3.21	2	1.23	1.58	0.39	2	2	2.0	4.5	4.5	2.69	3.37	1.34	2.11	4.5	4.5	4.5	41	54	37	44	89	116	75	93	cloudy						
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	1.3.21	2	1.57	1.18	0.78	2	2	2.0	1.34	2.01	2.01	4.5	4.5	4.5	4.5	11	22	4	12	27	61	8	32	clear			
					3.3.21	2	1.57	0.78	0.78	2	2	2.0	1.34	2.68	2.68	3.35	4.5	4.5	4.5	4.5	13	22	5	13	31	53	13	32	clear		
					8.3.21	2	2	2	2	2	2	2.0	2.68	3.35	3.35	2.01	4.5	4.5	4.5	4.5	13	23	6	14	31	54	10	32	clear		
					10.3.21	2	2	2	2	2	2	2.0	3.14	0.67	2.68	3.35	4.5	4.5	4.5	4.5	10	30	15	18	25	59	31	38	clear		
					12.3.21	2	2	2	2	2	2	2.0	1.34	2.68	2.68	4.5	0.67	0.67	4.5	4.5	4.5	13	23	9	15	30	56	22	36	clear	
					15.3.21	2	0.78	1.57	2	2	2	2.0	4.5	1.34	2.01	3.35	4.5	4.5	4.5	4.5	4.5	13	22	10	15	32	53	24	36	clear	
					17.3.21	2	2	2	2	2	2	2.0	1.34	2.01	2.01	0.67	4.5	4.5	4.5	4.5	4.5	13	28	4	15	31	62	11	35	clear	
					24.3.21	2	1.57	2.16	2	2	2	2.0	5.06	2.01	5.89	6.97	4.5	4.5	4.5	4.5	4.5	72	141	65	93.0	230	304	128	221	clear	
					26.3.21	2	1.24	2.19	3.13	0.51	0.38	2.0	5.32	1.41	5.61	4	1.75	1.31	4.5	4.5	4.5	91	128	134	118	194	248	231	224	clear	
					29.3.21	0.86	3.39	2.31	3.52	1.18	1.18	2.0	6.61	5.78	6.55	2.66	2.01	2.01	4.5	4.5	4.5	151	96	136	127	262	216	243	240	clear	
31.3.21	2	1.58	0.38	1.18	0.79	1.03	2.0	1.86	2.02	4.55	5.37	1.34	1.76	4.5	4.5	4.5	49	94	47	63	139	199	98	145	cloudy						
737	Dawrpui	Commercial	Aizawl	Mizoram	1.3.21	2	2	2	2	2	2	2.0	11.4	21.5	17.4	18.8	13.4	8.0	15.1	115	81	98	98	131	125	121	126	clear			
					3.3.21	2	2	2	2	2	2	2.0	10.1	18.8	22.8	20.1	16.8	8.0	8.0	16.1	98	108	100	102	110	133	121	122	clear		
					8.3.21	2	2	2	2	2	2	2.0	13.4	18.9	20.2	16.8	12.1	4.0	4.0	14.2	92	111	59	87	115	140	71	109	clear		
					10.3.21	2	2	2	2	2	2	2.0	11.4	18.9	22.2	20.1	16.8	8.0	8.0	16.2	79	109	52	80	132	146	80	119	clear		
					15.3.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	74	111	104	96	92	165	134	130	clear	
					17.3.21	2	2	2	2	2	2	2.0	10.7	16.8	22.2	20.1	10.7	8.0	8.0	14.7	142	121	107	123	196	167	150	171	clear		
					22.3.21	2	2	2	2	2	2	2.0	10.7	21.5	16.8	18.8	12.1	8.0	8.0	14.6	125	50	125	100	175	100	150	142	clear		
					24.3.21	2	2	2	2	2	2	2.0	8.0	16.8	14.7	24.1	12.1	5.4	5.4	13.5	146	156	125	142	183	235	169	196	clear		
					29.3.21	2	2	2	2	2	2	2.0	10.7	14.8	23.6	22.1	13.5	3.3	3.3	14.7	167	180	113	153	230	221	175	209	clear		
					31.3.21	2	2	2	2	2	2	2.0	8.1	8.1	10.1	8.1	3.3	2.7	2.7	4.5	55	111	25	64	108	163	46	106	p.clear		

Ambient Air Quality Data NAMP Stations in Mizoram March 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
738	Lengpui	Residential	Aizawl	Mizoram	1.3.21	2	2	2	2	2	2	2.0	14.75	16.09	20.13	12.74	11.4	13.41	12.6	77	59	44	60	97	91	57	82	clear
					3.3.21	2	2	2	2	2	2	2.0	7.37	8.04	9.39	6.03	3.53	3.53	4.5	54	40	36	43	83	46	40	57	clear
					8.3.21	2	2	2	2	2	2	2.0	20.12	21.46	20.12	33.13	20.12	18.78	22.2	68	64	40	57	113	83	52	83	clear
					10.3.21	2	2	2	2	2	2	2.0	16.7	20.1	18.1	14.75	12.07	10.06	15.3	114	96	68	93	140	115	81	112	clear
					15.3.21	2	2	2	2	2	2	2.0	17.43	13.41	12.07	10.06	7.37	6.7	11.1	86	74	65	75	168	151	68	129	clear
					17.3.21	2	2	2	2	2	2	2.0	8.04	12.74	10.06	7.37	6.7	6.7	4.5	76	95	39	70	121	138	81	113	clear
					22.3.21	2	2	2	2	2	2	2.0	44	40	51	102	77	77	65.0	103	93	84	93	158	187	124	157	clear
					24.3.21	2	2	2	2	2	2	2.0	22	23.19	21	18.97	15.13	11.14	18.6	135	87	40	87	164	136	60	120	clear
					29.3.21	2	2	2	2	2	2	2.0	33.53	63.71	13.41	6.7	6.03	7.37	22.6	150	73	38	87	240	244	69	184	p.clear
31.3.21	2	2	2	2	2	2	2.0	1	2.97	4.53	0.13	0.09	0.87	4.5	69	118	53	80	85	153	66	101	rainy					
1014	New Siaha	Commercial	Siaha	Mizoram	1.3.21	2	7.87	15.75	11.81	2	2	6.9	2.68	1.67	1.34	2.01	1	2.01	4.5	63	60	35	53	135	92	52	93	clear
					3.3.21	1.18	2.75	2.36	1.05	0.39	0.39	2.0	1.35	2.01	4.69	1.78	0.67	1.34	4.5	44	31	42	38	92	81	67	80	clear
					8.3.21	2	0.39	1.18	0.44	2	2	2.0	2.01	4.69	7.38	8.94	2.01	0.67	4.5	81	48	94	74	131	114	133	126	clear
					10.3.21	2	0.78	0.78	0.39	2	0.39	2.0	3.35	4.65	7.37	8.71	2.68	1.34	4.5	50	31	29	37	33	19	19	24	clear
					15.3.21	1.05	1.57	3.15	1.57	2	0.39	2.0	3.57	6.26	9.39	8.71	3.35	2.01	4.5	150	50	40	80	239	106	75	140	p.clear
					17.3.21	0.78	1.57	1.18	2	2	0.39	2.0	2.68	4.02	7.37	10.06	2.68	2.01	4.5	71	125	129	108	152	185	169	169	p.clear
					22.3.21	1.18	0.39	2	2	2	2	2.0	2.68	1.34	1.34	2.68	0.67	4.5	4.5	44	50	75	56	102	88	123	104	p.clear
					24.3.21	1.96	2.75	3.54	2.36	1.96	0.78	2.0	3.35	1.34	4.5	4.5	0.67	0.67	4.5	60	90	96	82	96	129	129	118	clear
					29.3.21	1.18	1.57	1.96	1.57	0.78	1.57	2.0	6.03	8.71	20.79	28.61	14.08	19.45	16.3	115	121	90	108	185	202	142	176	cloudy
31.3.21	0.78	1.57	1.69	1.18	0.39	0.95	2.0	1.34	2.01	4.02	5.36	5.36	4.47	4.5	29	44	50	41	90	104	98	97	cloudy					
1015	ECM Vaiah	Residential	Siaha	Mizoram	1.3.21	2	2	2	2	2	2	2.0	4.02	2.68	4.5	4.5	4.5	4.5	4.5	130	75	40	82	210	194	130	178	clear
					3.3.21	2	2	2	2	2	2	2.0	4.5	2.01	3.69	2.13	0.84	1.34	4.5	81	79	83	81	215	180	139	178	clear
					8.3.21	2	2	2	2	2	2	2.0	1.34	4.02	7.38	6.71	2.01	0.67	4.5	110	129	50	97	210	282	131	208	clear
					10.3.21	2	2	0.39	0.39	2	2	2.0	2.68	4.74	7.39	6.47	1.37	0.67	4.5	75	91	48	70	159	209	106	158	clear
					15.3.21	2	2	0.78	0.39	2	2	2.0	2.16	2.92	6.04	5.37	2.01	1.34	4.5	95	167	146	134	101	173	150	108	clear
					17.3.21	0.39	0.79	1.18	0.46	2	2	2.0	2.68	6.04	6.71	4.05	2.01	1.34	4.5	113	150	104	122	202	278	135	205	clear
					22.3.21	0.78	1.18	0.39	2	2	2	2.0	2.68	6.03	8.71	8.04	3.4	2.68	4.5	117	127	115	120	271	304	176	250	clear
					24.3.21	0.39	2	2	2	2	2	2.0	4.02	7.38	10.06	12.74	9.39	6.71	4.5	92	81	73	83	190	135	116	147	clear
					29.3.21	0.79	1.18	1.56	3.28	1.56	1.18	2.0	0.67	4.02	6.04	10.25	5.37	3.35	4.5	123	187	125	145	227	342	217	262	cloudy
31.3.21	2	0.42	1.18	0.81	2	2	2.0	0.75	1.44	3.35	4.16	2.81	0.98	4.5	78	97	59	78	134	176	102	137	cloudy					

Ambient Air Quality Data NAMP Stations in Mizoram March 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition			
1016	Bazar Veng	Commercial	Mamit	Mizoram	1.3.21	0.78	1.18	0.78	1.57	0.39	0.39	2.0	4.69	7.37	5.36	4.02	2.68	2.01	4.5	73	85	77	78	123	158	90	124	clear			
					3.3.21	0.39	1.18	1.57	0.78	0.39	0.39	2.0	3.35	5.36	4.02	2.68	2.01	1.34	4.5	67	77	54	66	110	129	62	101	clear			
					8.3.21	2	0.4	0.78	0.39	2	2	2.0	2.23	4.94	3.35	2.68	1.34	0.67	4.5	44	48	42	45	86	83	46	72	p.clear			
					10.3.21	2	0.39	1.18	0.79	2	2	2.0	4.02	6.03	4.69	3.35	2.01	1.34	4.5	44	73	63	60	92	125	67	94	clear			
					15.3.21	2	0.39	0.39	2	2	2	2.0	6.03	7.37	5.36	4.69	2.68	2.01	4.5	56	81	44	60	98	160	52	103	clear			
					17.3.21	1.57	1.69	0.39	1.18	0.39	2	2.0	4.69	4.69	3.35	4.02	2.01	1.34	4.5	65	60	77	67	137	123	96	119	clear			
					22.3.21	2	2	2	2	2	2	2.0	4.02	6.03	3.35	2.68	1.34	0.67	4.5	67	81	52	67	110	133	60	101	clear			
					24.3.21	0.78	1.18	1.57	0.78	0.39	0.39	2.0	6.7	9.39	8.04	3.35	2.68	2.01	4.5	100	106	77	94	165	158	97	140	clear			
					29.3.21	2	2	0.39	2	2	2	2.0	4.02	4.12	3.35	2.01	0.71	4.5	4.5	115	102	80	99	176	144	84	134	clear			
31.3.21	0.39	2	2	2	0.39	2	2.0	1.34	2.68	4.02	2.01	3.35	0.67	4.5	27	63	77	56	90	106	89	94	clear								
1017	Lungsir Veng	Residential	Mamit	Mizoram	1.3.21	0.78	0.39	0.39	1.18	0.39	2	2.0	4.02	3.35	2.01	2.28	1.34	1.34	4.5	52	56	72	60	83	98	94	92	clear			
					3.3.21	0.39	0.39	0.78	2	0.39	2	2.0	2.01	3.35	4.69	3.35	1.34	1.34	4.5	63	52	64	60	135	83	75	98	clear			
					8.3.21	2	1.5	3.9	2	0.6	2	2.0	4.5	2.5	2.01	4.5	2.07	0.67	4.5	69	49	38	52	181	87	46	105	clear			
					10.3.21	0.39	0.78	0.78	0.39	0.39	2	2.0	4.02	4.69	2.01	2.68	1.34	0.67	4.5	42	60	73	58	119	87	83	97	clear			
					15.3.21	0.78	1.18	0.78	0.39	0.39	2	2.0	3.35	4.69	2.01	2.68	1.34	0.67	4.5	48	67	92	69	129	119	112	120	clear			
					17.3.21	2	2	2	2	2	2	2.0	4.69	6.03	4.02	2.68	1.34	1.34	4.5	60	77	48	62	104	129	52	95	clear			
					22.3.21	1.96	2.75	0.39	1.18	0.78	0.39	2.0	4.69	6.03	3.35	4.02	3.35	1.34	4.5	71	81	90	81	154	144	115	137	clear			
					24.3.21	1.96	1.96	0.39	2	0.78	2	2.0	4.69	6.7	3.35	3.35	1.34	0.67	4.5	60	83	94	79	102	122	113	112	clear			
					29.3.21	1.57	0.9	2	0.39	2	2	2.0	4.02	1.53	4.5	3.53	0.81	4.5	4.5	58	54	51	54	90	89	56	78	clear			
31.2.21	0.78	1.57	2.75	4.72	1.57	0.7	2.0	0.67	2.01	5.36	4.02	2.68	1.34	4.5	16	56	41	38	80	310	89	160	clear								
1018	Bazar Veng	Commercial	Serchhip	Mizoram	1.3.21	2	2	2	2	2	2	2.0	2.68	2.01	2.01	0.67	0.67	0.67	4.5	100	60	79	80	192	144	106	147	clear			
					3.3.21	2	2	2	2	2	2	2.0	3.35	2.01	2.68	0.67	2.01	1.34	4.5	68	52	44	55	146	148	92	128	clear			
					8.3.21	2	2	2	2	2	2	2.0	1.34	0.67	2.01	1.34	4.5	4.5	4.5	4.5	4.5	38	90	88	72	79	229	148	152	p.clear	
					10.3.21	2	2	2	2	2	2	2.0	2.01	1.34	5.36	4.69	1.34	2.68	4.5	175	90	163	142	431	233	235	300	cloudy			
					15.3.21	2	0.39	0.39	2	2	2	2.0	2.01	1.34	2.68	0.67	1.34	0.67	4.5	71	108	46	75	148	194	104	146	clear			
					17.3.21	2	2	2	2	2	2	2.0	2.68	1.34	3.35	2.01	0.67	0.67	4.5	100	98	73	90	175	292	173	213	clear			
					22.3.21	2	2	2	2	2	2	2.0	4.02	4.69	3.35	2.68	0.67	1.34	4.5	100	86	131	106	242	267	225	245	clear			
					24.3.21	0.78	1.18	1.57	0.78	0.39	0.39	2.0	6.7	9.39	8.04	3.35	2.68	2.01	4.5	100	106	77	94	165							
					29.3.21	2	2	2	2	2	2	2.0	1.24	1.37	3.35	2.01	1.34	0.67	4.5	228	144	125	165	423	194	138	251	cloudy			
31.3.21	2	2	2	2	2	2	2.0	1.34	2.01	3.35	1.34	4.5	4.5	4.5	4.5	4.5	4.5	94	92	27	71	169	175	85	143	cloudy					

Ambient Air Quality Data NAMP Stations in Mizoram March 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	
1019	P & E Veng	Residential	Serchhip	Mizoram	1.3.21	2	2	2	2	2	2	2.0	2.68	2.01	2.01	0.67	0.67	0.67	4.5	100	60	79	80	192	144	106	147	clear	
					3.3.21	2	2	2	2	2	2	2.0	3.35	2.01	2.68	0.67	2.01	1.34	4.5	69	52	44	55	146	148	92	128	clear	
					8.3.21	1.57	0.39	0.78	0.39	2	2	2.0	3.35	1.34	2.01	0.67	0.67	0.67	4.5	127	46	96	90	229	129	121	160	p.clear	
					10.3.21	2	2	2	2	2	2	2.0	1.34	0.67	3.35	2.68	1.34	2.01	4.5	46	150	127	108	113	265	173	183	cloudy	
					15.3.21	0.78	0.39	0.39	2	2	2	2.0	2.68	2.01	4.69	2.68	1.34	1.34	4.5	65	65	83	71	146	140	115	133	clear	
					17.3.21	2	2	2	2	2	2	2.0	2.01	1.34	3.35	0.67	0.67	1.34	4.5	79	137	52	90	223	244	121	196	clear	
					22.3.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	67	58	102	76	167	137	194	166	clear
					24.3.21	2	2	2	2	2	2	2.0	1.34	4.5	4.5	4.5	4.5	0.67	1.34	4.5	160	92	202	151	315	244	296	285	cloudy
					29.3.21	2	2	2	2	2	2	2.0	2.99	1.74	4.69	3.35	4.5	4.5	4.5	4.5	173	193	71	145	338	276	137	251	cloudy
31.3.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	67	33	49	183	125	171	160	cloudy					
1020	L-IV, Chandmary	Commercial	Lawngtlai	Mizoram	1.3.21	2.75	3.15	1.96	1.18	1.18	2	2.0	8.04	8.04	6.71	6.71	4.69	4.5	4.5	121	277	152	183	500	592	350	481	clear	
					3.3.21	4.75	4.33	4.33	3.15	0.78	2	2.0	8.04	7.37	6.03	6.03	3.35	4.5	4.5	138	152	56	115	371	392	83	282	clear	
					8.3.21	3.15	3.54	3.54	2.36	2.36	2	2.0	8.04	6.03	6.7	3.36	4.02	4.5	4.5	269	271	150	230	419	594	317	443	clear	
					10.3.21	3.15	2.75	3.54	1.96	1.96	2	2.0	10.06	11.4	8.71	6.03	4.69	4.5	4.5	210	480	202	298	471	729	375	525	clear	
					15.3.21	3.54	9.72	4.32	3.54	3.54	2	2.0	8.04	10.06	6.03	6.03	4.69	4.5	4.5	119	331	202	217	461	719	421	533	clear	
					17.3.21	3.15	4.72	3.93	2.75	1.92	2	2.0	4.69	5.36	7.37	3.53	3.53	4.5	4.5	163	398	190	250	396	769	383	516	clear	
					22.3.21	2.75	3.93	4.72	3.15	2.36	2	2.0	5.36	8.04	6.7	5.36	4.69	4.5	4.5	156	325	204	343	338	723	398	486	clear	
					24.3.21	1.38	1.57	2.75	1.57	1.57	2	2.0	2.68	4.02	7.37	5.36	3.36	4.5	4.5	123	269	152	181	275	554	315	381	hot	
					29.3.21	1.57	1.96	1.18	0.78	0.78	2	2.0	11.4	14.75	13.41	10.06	8.06	4.5	9.6	220	308	131	222	354	325	138	272	clear	
31.3.21	2.75	3.15	1.96	2.36	1.96	2	2.0	10.06	16.09	12.07	12.74	9.39	4.5	10.1	196	321	144	220	475	631	275	460	cloudy						
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram	1.3.21	2.36	2.75	1.57	0.78	0.78	2	2.0	7.37	8.71	4.02	2.01	2.01	4.5	4.5	158	315	106	193	791	675	304	590	clear	
					3.3.21	3.15	2.75	2.75	2	1.57	2	2.0	8.04	6.03	4.02	4.5	2.01	4.5	4.5	104	129	100	111	267	292	133	231	clear	
					8.3.21	5.9	2.36	3.93	3.15	2.36	2	2.0	4.65	5.36	4.02	4.02	2.68	4.5	4.5	271	317	131	240	454	402	198	351	clear	
					10.3.21	2.75	3.15	3.15	1.96	1.57	2	2.0	8.71	4.69	6.03	3.35	2.68	4.5	4.5	196	304	123	208	390	565	198	384	clear	
					15.3.21	4.33	3.93	3.54	3.15	3.15	2	2.0	6.03	7.37	6.03	4.69	4.69	4.5	4.5	102	398	173	224	352	774	375	501	clear	
					17.3.21	4.75	4.33	3.54	3.54	2.36	2	2.0	7.37	5.36	4.69	4.69	4.02	4.5	4.5	158	233	173	188	358	560	321	413	clear	
					22.3.21	3.54	3.15	3.11	3.15	1.57	2	2.0	4.02	3.36	5.36	4.02	4.02	4.5	4.5	190	315	198	234	375	677	404	485	clear	
					24.3.21	1.57	2.36	2.36	3.15	2.36	2	2.0	4.02	6.7	5.36	5.36	4.02	4.5	4.5	169	356	152	226	215	754	333	434	hot	
					29.3.21	1.57	1.57	1.18	1.18	0.78	2	2.0	9.39	9.39	6.7	6.03	5.36	4.5	4.5	144	325	134	201	231	417	205	284	hot	
31.3.21	1.96	2.36	0.78	1.18	1.18	2	2.0	14.08	12.07	10.06	10.06	6.7	4.5	4.5	185	281	123	197	395	567	277	413	cloudy						

Scientist-in-charge:

Member Secretary :



Source: Mizoram Pollution Control Board

