

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM

MONTH : MARCH, YEAR : 2023

Station Code	Name of monitoring Station	Area class	City	State Name	Sampling Date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
450	Khatla	Residential	Aizawl	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	47	38	43	10	83	89	74	82	clear
					6.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	49	38	43	10	83	91	74	83	clear
					8.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	47	36	42	10	80	89	69	79	clear
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	45	38	42	10	80	87	72	80	clear
					15.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	42	33	38	10	76	80	60	72	clear
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	36	28	32	10	59	69	51	60	p.clear
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	35	24	30	10	59	36	43	46	p.clear
					27.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	36	30	33	8	596	67	53	60	p.clear
29.3.23	Spectroscopy failure																		33	38	28	33	8	62	73	52	62	clear	
451	Laipuitlang	Residential	Aizawl	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	9.3	4.5	4.5	4.5	65	58	73	65	**	93	82	93	89	clear
					6.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	80	79	71	77	**	117	105	90	104	clear
					8.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	79	105	74	86	**	123	154	102	126	clear
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	96	93	111	100	**	148	135	148	144	clear
					15.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	93	80	97	90	**	138	115	129	127	clear
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	52	49	76	59	**	72	72	108	84	p.clear
					27.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	49	66	71	62	**	75	96	97	89	p.clear
					29.3.23	Spectroscopy failure																		22	40	55	39	**	30
452	Bawngkawn	Commercial	Aizawl	Mizoram	1.3.23	2	2	2	2	2	2	2.0	21.4	19.4	16.7	18.7	15.4	11.4	17.1	226	149	205	193	45	316	220	284	273	clear
					6.3.23	2	2	2	2	2	2	2.0	22.1	17.4	16.7	19.4	12	4.5	15.9	220	179	168	189	41	304	258	232	265	clear
					8.3.23	2	2	2	2	2	2	2.0	23.4	18.7	19.4	21.4	12.7	4.5	17.0	240	192	191	208	48	328	272	256	286	clear
					13.3.23	2	2	2	2	2	2	2.0	20.7	17.4	16.7	22.8	12.7	4.5	16.2	183	252	233	223	95	260	340	316	305	clear
					15.3.23	2	2	2	2	2	2	2.0	22.1	19.4	16.7	18.7	12.7	4.5	16.1	248	212	237	232	52	330	247	293	290	clear
					20.3.23	2	2	2	2	2	2	2.0	18.7	14	12.7	14.7	10.7	4.5	12.8	248	163	127	179	15	293	210	163	223	clear
					22.3.23	2	2	2	2	2	2	2.0	18.7	15.4	12.7	17.4	10	4.5	13.3	196	176	167	179	16	248	210	195	218	p.clear
					27.3.23	2	2	2	2	2	2	2.0	17.4	14.7	14	15.4	10.7	4.5	13.0	196	171	188	185	88	274	221	229	241	p.clear
29.3.23	Spectroscopy failure																		205	248	204	219	37	256	304	244	268	p.clear	

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - MARCH, 2023

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
731	Champhai Kahrawt	Residential	Champhai	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	32	16	26	**	68	69	28	53	clear
					9.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	53	61	28	47	**	106	127	53	95	clear
					11.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	55	59	24	46	**	121	124	52	99	clear
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	63	31	50	**	117	131	55	101	clear
					15.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	39	21	34	**	97	83	44	74	clear
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	39	38	19	32	**	82	79	41	67	clear
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	41	16	31	**	81	86	37	68	clear
					27.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	26	9	18	**	49	53	16	39	cloudy
					29.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	22	7	15	**	38	45	15	32	p.clear
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	50	30	42	**	104	116	68	96	clear
					6.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	52	30	42	**	102	114	68	94	clear
					8.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	54	30	43	**	102	120	66	96	clear
					9.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	53	61	28	47	**	106	127	53	95	clear
					11.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	55	59	24	46	**	121	124	52	99	clear
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	70	84	52	68	**	150	180	116	148	clear
					15.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	64	78	48	63	**	142	162	100	134	clear
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	54	32	42	**	96	116	74	95	p.clear
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	58	36	46	**	102	120	84	102	clear
					27.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	46	28	28	**	92	104	62	86	cloudy
29.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	44	26	26		90	102	62	84	p.clear					
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	25	15	21	8	56	58	36	50	clear
					6.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	33	17	29	8	79	73	38	63	clear
					8.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	32	17	28	9	77	68	43	62	clear
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	32	17	29	8	82	68	39	63	clear
					15.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	32	13	28	9	84	74	37	65	clear
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	21	13	20	6	61	49	30	47	clear
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	17	11	18	6	55	48	26	43	p.clear
					27.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	8	16	5	46	40	21	36	p.clear
29.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	11	18	6	51	44	29	41	p.clear					
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	26	23	23	10	40	53	48	47	clear
					6.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	23	27	25	11	53	49	55	52	clear
					8.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	23	25	22	10	21	25	27	24	clear
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	26	21	24	10	49	51	44	48	clear
					15.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	23	21	21	10	41	49	44	45	clear
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	19	23	20	10	36	40	49	42	clear
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	17	19	17	9	32	33	38	34	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - MARCH, 2023

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	29	12	20	5	28	40	21	30	clear		
					8.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	18	7	13	3	22	31	13	22	cloudy	
					10.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	41	16	27	6	47	66	27	47	cloudy	
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	29	12	20	6	35	50	19	35	cloudy	
					15.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	14	6	11	**	21	24	10	18	clear	
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	9	10	7	9	**	16	11	11	13	rainy	
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	11	5	9	5	18	20	9	16	p.clear
					27.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	9	12	4	8	**	16	20	8	15	p.clear
29.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	14	8	11	**	19	24	14	19	rainy					
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	25	12	18	**	29	42	20	30	clear			
					8.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	21	8	15	**	29	36	15	27	cloudy		
					10.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	28	14	22	**	40	44	22	35	cloudy		
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	27	14	20	**	30	47	22	33	clear	
					15.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	14	9	13	**	26	25	15	22	p.clear	
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	18	7	13	**	22	31	13	22	rainy	
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	16	9	12	**	21	27	15	21	p.clear	
					27.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	17	9	12	**	21	30	16	22	clear
29.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	15	8	11	**	21	28	15	21	rainy					
737	Dawrpui	Commercial	Aizawl	Mizoram	1.3.23	2	2	2	2	2	2	2.0	25.5	30.2	12.1	15.4	4.5	4.5	4.5	15.7	97	111	128	112	**	158	195	194	182	clear			
					6.3.23	2	2	2	2	2	2	2.0	29.7	18.8	21.5	11.4	14.8	4.5	4.5	4.5	16.8	112	114	114	114	**	185	200	201	195	clear		
					8.3.23	2	2	2	2	2	2	2.0	25.5	26.9	16.8	20.1	4.5	4.5	4.5	4.5	17.0	110	124	118	117	**	189	209	192	197	clear		
					13.3.23	2	2	2	2	2	2	2.0	21.5	27.6	18.8	10.1	18.8	4.5	4.5	4.5	4.5	17.0	151	130	162	148	**	247	196	249	231	clear	
					15.3.23	2	2	2	2	2	2	2.0	22.2	22.3	18	14.7	12.1	4.5	4.5	4.5	4.5	16.0	175	332	232	247	**	271	449	303	341	cloudy	
					20.3.23	2	2	2	2	2	2	2.0	14.7	18.9	23.7	11.6	14.7	4.5	4.5	4.5	4.5	14.8	137	193	176	169	**	225	314	273	271	p.clear	
					22.3.23	2	2	2	2	2	2	2.0	21.6	18.8	4.5	10.1	14.8	4.5	4.5	4.5	4.5	12.6	157	100	159	139	**	257	165	263	228	clear	
					27.3.23	2	2	2	2	2	2	2.0	18.1	23.5	16.8	9.4	14.8	4.5	4.5	4.5	4.5	14.9	260	120	207	196	**	344	195	284	274	p.clear	
29.3.23	Spectroscopy failure																		109	164	174	149	**	164	235	244	214	p.clear					
738	Lengpui	Residential	Aizawl	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	76	63	56	65	33	78	64	56	66	clear			
					6.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	69	68	63	67	37	87	85	75	82	cloudy		
					8.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	74	72	67	71	42	112	109	95	105	clear	
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	88	77	52	72	39	148	125	77	117	clear	
					15.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	72	63	41	59	27	98	81	63	81	clear	
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	21	16	20	9	42	38	26	35	p.clear	
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	38	23	37	11	81	57	33	57	p.clear	
					27.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	85	83	71	80	43	86	84	72	81	p.clear	
29.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	20	17	17	9	17	23	19	20	rainy					

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - MARCH, 2023

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition		
1014	New Siaha	Commercial	Siaha	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	127	92	48	88	252	194	102	183	clear		
					6.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	52	56	43	50	122	125	95	114	clear		
					8.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	46	19	36	100	115	52	89	clear		
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	54	58	42	51	121	127	90	113	p.clear		
					15.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	83	59	50	64	181	132	90	134	p.clear		
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	52	23	36	89	123	42	85	clear		
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	79	29	43	106	163	69	113	clear		
					27.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	77	24	25	44	156	67	48	90	clear		
					29.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	10	6	7	68	42	23	44	p.clear		
1015	ECM Vaiah	Residential	Siaha	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	83	52	27	54	202	127	58	129	clear		
					6.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	38	24	32	95	81	58	78	clear		
					8.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	40	21	96	88	96	50	78	clear		
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	47	46	31	41	107	108	67	94	p.clear		
					15.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	70	53	29	51	155	112	52	106	clear		
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	33	8	20	70	85	27	61	clear		
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	16	13	23	89	34	35	53	p.clear		
					27.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	30	19	25	60	68	35	54	p.clear		
					29.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	14	8	11	39	36	48	41	p.clear		
1016	Bazar Veng	Commercial	Mamit	Mizoram																										
1017	Lungsir Veng	Residential	Mamit	Mizoram																										

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - MARCH, 2023

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
1018	Bazar Veng	Commercial	Serchhip	Mizoram	16.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	10	15	14	40	29	38	36	clear			
					17.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	8	17	12	23	25	35	28	clear	
					18.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	13	6	9	19	27	10	19	cloudy	
					19.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	23	21	20	25	36	36	32	clear
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	27	21	20	21	46	31	33	rainy
					21.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	17	13	14	23	23	21	22	clear
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	19	13	14	18	34	19	24	clear
					23.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	19	17	20	38	27	25	30	rainy
					24.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	13	10	10	48	28	37	38	cloudy
					25.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	4	17	10	23	23	23	23	clear
					26.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	15	13	16	32	25	23	27	clear
					27.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	10	21	15	23	23	27	24	rainy
					28.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	15	10	15	29	28	18	25	cloudy
29.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	13	10	10	14	32	23	23	23	p.clear				
30.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	13	8	13	25	23	23	24	clear					
31.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	10	8	8	10	20	18	16	16	clear				
1019	P & E Veng	Residential	Serchhip	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	31	19	24	48	54	46	49	cloudy			
					6.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	17	21	37	46	42	42	clear		
					8.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	23	29	22	40	44	48	44	cloudy	
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	21	25	21	40	40	40	40	p.clear	
					15.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	27	17	21	40	50	44	44	p.clear	
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	19	20	46	40	33	40	rainy
					22.3.23.	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	17	19	15	31	42	35	36	clear
					27.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	10	15	12	31	33	31	32	rainy
29.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	21	13	16	42	40	33	38	p.clear					
1020	L-IV,Chandmary	Commercial	Lawngtlai	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	41	32	33	54	89	67	70	clear			
					6.3.23	4.3	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	85	37	59	127	189	72	129	clear		
					8.3.23	5.11	5.1	4.3	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	58	85	66	69	139	197	153	163	clear	
					13.3.23	5.9	6.7	6.7	4.3	2	2	2.0	4.5	10.1	10.1	4.5	4.5	4.5	4.5	4.5	4.5	4.5	89	126	114	109	197	273	238	236	clear	
					15.3.23	6.9	7.8	8.6	7.4	2	2	5.1	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	76	85	80	80	163	195	176	178	clear	
					20.3.23	5.9	6.7	8.7	2	2	2	4.2	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	78	118	93	96	165	240	173	193	clear	
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	87	126	103	105	176	262	212	216	clear	
					27.3.23	5.5	2	6.7	6.7	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	118	158	97	124	224	287	199	236	clear
29.3.23	5.9	6.7	6.7	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	106	87	110	101	183	189	191	187	rainy					

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - MARCH, 2023

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition	
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram	1.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	60	65	60	98	112	123	111	clear
					2.3.23	2	4.3	5.1	2	2	2	2.0	12.7	12.7	4.5	14.7	13.4	14	11.3	52	56	44	51	88	96	82	88	clear	
					3.3.23	2	2	2	2	2	2	2.0	11.4	13.4	12.7	12	12	4.5	10.0	44	73	60	59	79	115	108	101	clear	
					4.3.23	2	2	2	2	2	2	2.0	11.4	14.7	14.1	12.7	12.7	12.1	13.0	56	65	60	60	96	108	98	101	clear	
					6.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	79	94	100	91	171	169	198	179	clear	
					7.3.23	2	4.3	2	2	2	2	2.0	4.5	10.1	11.4	4.5	4.5	4.5	4.5	63	60	52	58	102	106	100	103	clear	
					8.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	67	73	65	108	129	133	124	clear	
					9.3.23	2	4.3	2	2	2	2	2.0	4.5	10.1	11.4	14.1	12.1	4.5	9.2	44	52	60	52	100	104	117	107	clear	
					10.3.23	7.4	8.6	7.1	2	2	2	2.0	11.4	12.7	14.1	16.8	4.5	4.5	9.2	60	67	56	61	98	108	92	99	clear	
					11.3.23	2	4.3	2	4.7	2	2	2.0	10.1	9.3	11.4	4.5	4.5	4.5	9.4	33	40	31	35	56	60	56	58	clear	
					13.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	98	81	90	90	170	204	188	185	cloudy	
					14.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	46	56	48	94	83	98	92	clear	
					16.3.23	2	2	4.7	4.3	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	52	67	50	56	98	110	85	98	clear	
					17.3.23	2	2	2	2	2	2	2.0	4.5	9.4	4.5	10.1	4.5	4.5	4.5	35	40	38	38	56	54	58	56	clear	
					18.3.23	2	4.3	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	27	24	46	56	48	50	clear	
					20.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	71	60	62	127	148	125	133	p.clear	
					21.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	50	40	44	75	88	65	76	clear	
					22.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	44	35	40	87	96	94	92	clear	
					24.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	40	29	39	106	63	56	74	clear	
					25.3.23	4.3	5.1	5.9	5.9	2	2	2.0	4.5	9.3	4.5	4.5	4.5	4.5	4.5	35	40	50	42	60	76	79	72	clear	
26.3.23	5.5	4.7	2	2	2	2	2.0	10.1	11.4	9.3	10.1	4.5	4.5	4.5	38	44	50	44	65	75	83	74	clear						
27.3.23	5.9	6.6	4.7	5.5	2	2	2.0	4.5	4.5	10.1	4.5	4.5	4.5	4.5	94	90	69	84	154	142	129	142	clear						
28.3.23	5.1	5.9	5.1	5.5	5.9	2	4.5	10	4.5	9.3	10	4.5	4.5	4.5	60	60	46	40	98	110	93	97	clear						
29.3.23	4.3	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	35	44	40	94	85	100	93	clear						
30.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	27	24	44	54	60	53	clear						
31.3.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	27	23	27	60	62	62	62	clear						

* = Monitoring not yet started.

** = No Monitoring due to Machine Failure.

Analysts :

Scientist -in-charge :



Member Secretary :


