

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM

MONTH : JULY, YEAR : 2022

Station Code	Name of monitoring Station	Area class	City	State Name	Sampling Date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition	
450	Khatla	Residential	Aizawl	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	33	18	25	**	43	61	33	46	p.clear	
					6.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	35	20	27	**	47	63	38	49	p.clear	
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	35	23	29	**	53	65	43	54	p.clear	
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	37	23	31	**	57	70	41	56	clear	
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	35	25	30	**	57	67	47	57	p.clear	
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	33	20	28	**	53	61	35	50	clear	
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	33	23	28	**	51	63	41	52	p.clear	
					27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	37	30	33	**	63	69	55	62	clear	
451	Lajpuitlang	Residential	Aizawl	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	31	39	21	30	**	41	56	30	42	p.clear		
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	27	35	17	26	**	39	52	23	38	rainy		
					27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	36	32	19	29	**	58	49	26	44	clear		
					28.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	41	30	23	31	**	67	48	35	50	clear		
					29.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	39	42	20	34	**	62	70	32	55	clear		
Bawngkawn	Commercial	Aizawl	Mizoram	4.7.22	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	13	**	**	**	**	
				6.7.22	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	14	**	**	**	**	
				11.7.22	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	7	**	**	**	**	
				13.7.22	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	6	**	**	**	**	
				18.7.22	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	10	**	**	**	**	
				20.7.22	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	10	**	**	**	**	
				25.7.22	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	14	**	**	**	**	
				27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	22	23	54	33	15	39	42	77	52	clear			
				28.7.22	2	2	2	2	2	2	2.0	14.7	11.4	10	15.4	4.5	4.5	9.7	35	42	25	34	**	58	73	38	56	clear		
				29.7.22	2	2	2	2	2	2	2.0	11.4	4.5	4.5	12.7	4.5	4.5	4.5	38	29	31	33	**	44	46	46	45	clear		
30.7.22	2	2	2	2	2	2	2.0	14	10.7	4.5	10	4.5	4.5	4.5	4.5	54	40	8	34	**	85	62	11	53	p.clear					

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - JULY, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
731	Champhai Kahrawt	Residential	Champhai	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	17	6	11	5	30	40	14	28	p.clear		
					6.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	19	5	12	5	33	42	12	29	p.clear	
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	16	8	13	5	35	38	18	30	p.clear	
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	19	10	15	5	37	41	21	33	clear
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	17	9	13	4	30	38	10	26	p.clear
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	18	9	14	5	35	38	20	31	p.clear
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	17	8	14	5	39	40	18	32	p.clear
27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	18	10	16	5	41	37	22	33	clear					
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	32	14	23	12	54	68	34	52	p.clear		
					6.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	36	16	25	13	54	76	38	56	p.clear	
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	34	16	25	**	56	74	38	56	clear	
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	34	20	27	**	62	72	44	59	p.clear
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	36	18	27	**	60	76	38	58	clear
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	32	14	23	**	52	68	30	50	p.clear
27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	36	18	26	**	58	78	42	59	clear					
733	Kolasib Project Ver	Residential	Kolasib	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	15	9	15	6	44	33	21	33	p.clear		
					7.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	9	16	6	48	40	21	36	p.clear	
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	9	16	6	48	42	21	37	p.clear	
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	23	13	22	7	60	50	32	47	sunny
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	17	9	15	7	47	37	22	36	clear
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	13	18	7	52	44	30	42	sunny
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	19	13	19	7	54	46	30	43	p.clear
27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	15	11	15	7	45	35	28	36	clear					
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	25	19	23	11	49	53	40	47	clear		
					7.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	13	21	16	8	33	28	44	35	p.clear	
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	17	19	20	10	49	36	40	42	p.clear	
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	25	23	23	11	41	53	49	47	clear
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	23	29	23	12	36	48	61	49	clear
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	32	25	27	13	49	66	53	56	clear
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	17	21	11	45	53	36	45	p.clear
27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	30	17	23	12	45	62	36	47	clear					

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - JULY, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	13	6	11	4	20	20	9	16	clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	10	6	9	4	21	17	10	16	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	10	4	10	5	18	13	7	12	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	9	10	6	8	4	16	17	10	14	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	4	3	4	4	10	7	5	7	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	9	5	8	5	18	14	8	13	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	10	5	8	**	14	17	8	13	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	8	5	7	4	12	13	7	11	rainy
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	24	12	21	**	47	39	20	35	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	14	6	13	**	27	21	9	19	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	25	13	25	**	56	37	20	38	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	19	9	16	**	33	30	13	25	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	20	10	16	**	31	31	16	26	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	20	9	16	**	26	30	15	24	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	19	13	19	**	37	29	19	29	p.clear
					1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	22	11	17	**	29	34	18	27	clear
737	Dawrpui	Commercial	Aizawl	Mizoram	4.7.22	2	2	2	2	2	2	2.0	22.2	15.4	18.9	10.1	12.1	8	14.4	40	37	35	37	16	90	92	71	84	p.clear
					6.7.22	2	2	2	2	2	2	2.0	9.4	14.7	16.8	4.5	4.5	4.5	4.5	40	57	39	45	11	90	121	94	102	p.clear
					11.7.22	2	2	2	2	2	2	2.0	4.5	9.4	4.5	4.5	4.5	4.5	4.5	45	37	43	42	5	109	87	99	98	rainy
					13.7.22	2	2	2	2	2	2	2.0	10.1	14.8	14.8	9.4	4.5	4.5	10.4	60	62	55	59	9	127	135	114	126	clear
					18.7.22	2	2	2	2	2	2	2.0	12.1	14.8	16.1	10.1	10.1	4.5	4.5	32	33	47	37	7	87	92	105	95	p.clear
					20.7.22	2	2	2	2	2	2	2.0	4.5	13.4	22.1	20.2	14.8	4.5	14.0	54	57	42	51	12	120	115	94	110	p.clear
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	10.1	4.5	4.5	4.5	4.5	43	49	44	45	**	83	106	103	97	p.clear
					27.7.22	2	2	2	2	2	2	2.0	9.4	16.8	20.2	16.8	13.4	4.5	13.9	74	70	52	65	**	129	145	103	126	clear
738	Lengpui	Residential	Aizawl	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	14	9	11	8	22	30	15	22	p.clear
					6.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	5	5	2	4	4	7	7	4	6	rainy
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	3	2	1	2	4	4	3	2	3	p.clear
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	10	8	9	5	12	12	9	11	p.clear
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	30	19	24	8	41	49	34	41	clear
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	18	14	17	6	30	31	21	27	p.clear
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	2	2	2	2	3	10	10	5	9	clear
					27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	13	12	13	7	25	26	24	25	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - JULY, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
1014	New Siaha	Commercial	Siaha	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	15	5	11	33	51	24	36	rainy			
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	37	10	20	27	83	22	44	p.clear		
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	40	15	24	37	86	34	52	rainy	
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4	10	8	8	13	23	15	17	rainy	
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	21	11	15	43	67	32	47	rainy
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	9	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	38	13	27	77	94	33	68	p.clear
27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	27	9	18	62	77	26	55	p.clear					
1015	ECM Vaih	Residential	Siaha	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	10	5	9	26	35	16	26	rainy			
					6.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	13	6	10	29	36	29	32	rainy		
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	7	10	5	8	34	31	16	27	p.clear	
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	35	11	21	42	68	27	46	p.clear	
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	21	7	14	55	61	25	47	rainy	
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	11	5	11	55	42	11	36	rainy
25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	25	19	25	84	71	53	69	p.clear					
27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	14	8	12	37	47	19	34	p.clear					
1016	Bazar Veng	Commercial	Mamit	Mizoram	1.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	27	29	29	58	50	54	54	cloudy			
					4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	29	26	50	48	52	50	p.clear	
					6.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	27	25	25	50	56	52	53	clear	
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	31	21	27	62	65	46	58	p.clear	
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	25	21	22	48	54	42	48	clear	
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	21	23	24	50	44	48	47	p.clear
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	23	27	26	56	48	54	53	p.clear	
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	21	24	54	48	40	47	p.clear
27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	23	25	26	56	48	46	50	clear					
1017	Lungsir Veng	Residential	Mamit	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	23	23	45	53	48	49	p.clear			
					6.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	22	23	23	50	47	46	48	clear		
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	25	22	45	42	48	45	p.clear		
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	25	23	24	50	53	48	50	clear	
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	23	21	45	44	48	46	clear	
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	19	21	20	45	47	46	46	p.clear	
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	22	21	21	45	50	46	47	clear	
27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	22	23	22	40	48	48	43	clear					

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - JULY, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
1018	Bazar Veng	Commercial	Serchhip	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	25	13	17	25	44	33	34	clear			
					6.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	8	10	9	31	21	25	26	p.clear	
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	13	17	15	25	23	31	26	p.clear	
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	10	15	10	19	27	27	24	clear
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	19	10	14	29	50	40	40	p.clear
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	13	17	13	33	31	60	42	clear
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	15	13	12	35	33	48	39	rainy
27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	8	13	10	17	15	19	17	clear					
1019	P & E Veng	Residential	Serchhip	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	19	10	12	27	38	35	33	p.clear			
					6.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	15	21	15	33	44	56	44	p.clear		
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	17	8	15	52	42	27	40	p.clear	
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	21	27	21	37	52	48	46	clear	
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	17	13	12	29	44	46	40	p.clear
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	10	15	10	29	27	44	33	p.clear
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	15	10	11	33	42	42	39	p.clear
27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	21	17	16	33	52	37	41	clear					
1020	L-IV, Chandmary	Commercial	Lawngtlai	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	22	21	21	42	55	56	51	clear			
					6.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	38	35	35	65	65	58	63	clear		
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	24	26	27	61	82	71	71	clear	
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	27	33	26	35	48	56	47	clear	
					27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	25	27	24	42	52	44	46	clear	
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram	4.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	33	31	31	46	54	58	53	clear			
					6.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	33	31	31	62	65	56	61	clear		
					11.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	23	27	24	37	48	46	44	clear		
					13.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	27	21	22	40	56	42	46	clear	
					18.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	29	23	26	46	54	48	49	clear	
					20.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	21	21	20	35	46	48	43	clear	
					25.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	31	33	31	52	56	65	61	clear	
27.7.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	99	23	25	22	31	40	46	39	clear					

* = Monitoring not yet started.

** = No Monitoring due to Machine Failure.

Analysts :

Scientist -in-charge :



Member Secretary :


