

Ambient Air Quality Data from NAMP Stations in Mizoram - April 2020

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	
450	Khatla	Residential	Aizawl	Mizoram	6/4/20	1.1	0.7	2	2	2	2	2	4	5.3	4.6	3.3	2	2	4.5	80	76	61	72.33	145	128	105	126	Clear	
					8/4/20	1.5	1.1	0.3	2	2	2	2	2.6	2	2	1.3	1.3	1.3	4.5	70	73	84	75.67	127	135	152	138	Clear	
					13/4/20	0.7	0.7	2	2	2	2	2	2.6	3.3	2	1.3	4.5	1.3	4.5	65	72	83	73.33	115	129	151	131.7	Clear	
					15/4/20	1.5	1.1	0.3	0.7	0.3	0.3	2	5.3	4.6	3.3	2.6	2	2	4.5	99	81	68	82.67	174	143	120	145.7	Clear	
					20/4/20	2	1.1	0.7	2	2	2	2	2.6	5.3	3.3	2.6	2	2	4.5	42	52	39	44.33	79	96	70	81.67	P Clear	
					22/4/20	2	2	2	2	2	2	2	3.3	5.2	4	2.6	2	1.3	4.5	41	33	26	33.33	74	62	49	61.67	P Clear	
					27/4/20	2	2	2	2	2	2	2	1.3	2.6	2	4.5	4.5	4.5	4.5	29	39	20	29.33	53	73	36	54	Clear	
29/4/20	2	2	2	2	2	2	2	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	16	13	14	24	29	21	24.67	P Clear					
451	Lapuitliang	Residential	Aizawl	Mizoram	6/4/20	2	2	2	2	2	2	2	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	27	5	18	32	39	6	25.67	Clear
					8/4/20	2	2	2	2	2	2	2	2.6	2.6	2	2.6	1.3	1.3	4.5	22	27	10	19.67	36	44	16	32	Clear	
					13/4/20	2	2	2	2	2	2	2	2.6	3.3	3.3	2.6	2	2	4.5	27	34	10	23.67	44	54	13	37	Clear	
					15/4/20	2	2	2	2	2	2	2	2	2.6	3.3	2	1.5	1.3	4.5	25	34	9	22.67	39	53	12	34.67	Clear	
					20/4/20	2	2	2	2	2	2	2	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	29	7	17.67	25	46	10	27	P Clear	
					22/4/20	2	2	2	2	2	2	2	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	25	7	17	31	40	10	27	Clear	
					27/4/20	2	2	2	2	2	2	2	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	24	7	16.67	29	36	10	25	Clear	
29/4/20	2	2	2	2	2	2	2	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	20	7	14.67	24	28	10	20.67	P Clear					
452	Bawngkawn	Residential	Aizawl	Mizoram	6/4/20	2	2	2	2	2	2	2	4.6	7.3	6.7	1.3	1.3	4.5	22	26	17	21.67	54	61	47	54	Clear		
					8/4/20	2	2	2	2	2	2	2	6	7.3	8.7	8	6	6	4.5	41	53	46	46.67	109	132	100	113.7	Clear	
					13/4/20	2	2	2	2	2	2	2	6	8.7	10	11.4	6	6	4.5	41	56	38	45	92	118	87	99	Clear	
					15/4/20	2	2	2	2	2	2	2	6	7.3	8	8.7	6	6	4.5	43	79	24	48.67	97	175	63	111.7	Clear	
					20/4/20	2	2	2	2	2	2	2	6	7.3	8	9.3	6	6	4.5	26	47	22	31.67	65	105	54	74.67	P Clear	
					22/4/20	2	2	2	2	2	2	2	6	6.7	8.7	8	6	6	4.5	30	53	24	35.67	95	134	63	97.33	Clear	
					27/4/20	2	2	2	2	2	2	2	6.7	8.7	10	12	6	6	4.5	38	54	34	42	89	125	77	97	Clear	
29/4/20	2	2	2	2	2	2	2	6.7	6.7	8	8.7	6	6	4.5	39	47	35	40.33	86	105	86	92.33	P Clear						
731	Champhai Kahrawt	Residential	Champhai	Mizoram	6/4/20	2	0.8	1.6	1.1	2	2	2	4.5	1.4	2	4.5	4.5	4.5	4.5	4.5	12	17	9	13	30	36	23	30	Clear
					8/4/20	2	0.7	1.5	1.6	0.6	2	2	4.5	1.2	2	1	4.5	4.5	4.5	21	19	11	17	44	44	26	38	Clear	
					13/4/20	2	0.7	1.1	0.3	2	2	2	0.6	1.3	2.6	2	0.5	4.5	4.5	4.5	18	22	8	16	38	44	18	33	Clear
					15/4/20	2	0.7	2	2	2	2	2	4.5	2	0.6	0.8	4.5	4.5	4.5	11	19	13	14	32	44	30	35	Clear	
					20/4/20	2	1.4	1.5	2	2	2	2	4.5	2.4	1.8	1.1	4.5	4.5	4.5	18	21	10	16	69	44	30	48	Clear	
					22/4/20	2	2	2	2	2	2	2	4.5	1.6	2.4	0.7	4.5	0.7	4.5	15	19	10	15	34	40	24	33	P Clear	
					27/4/20	2	2	1.2	2	2	2	2	4.5	4.5	2	1.3	4.5	4.5	4.5	18	19	9	15	37	33	20	30	Clear	
29/4/20	2	2	2	2	2	2	2	4.5	4.5	1.4	1.3	4.5	4.5	4.5	17	14	12	14	40	31	24	32	P Clear						
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	6/4/20	2	0.4	0.7	0.7	2.0	2	2	4.5	1.3	2.0	4.5	0.6	4.5	4.5	4.5	22	27	17	22	46	56	36	46	Clear
					8/4/20	2	0.4	0.8	0.4	0.8	2	2	0.6	4.5	1.3	2	0.6	4.5	4.5	4.5	22	26	18	22	46	54	34	45	Clear
					13/4/20	2	0.8	1.1	2	0.8	2	2	1.3	4.5	2.7	2.0	4.5	4.5	4.5	26	40	24	30	58	86	46	63	Clear	
					15/4/20	2	0.7	2	1.1	0.7	2	2	4.5	1.3	2.7	2	4.5	4.5	4.5	28	41	24	31	60	84	50	65	Clear	
					20/4/20	2	0.3	2.0	0.7	0.4	2	2	4.5	1.3	2	4.5	4.5	4.5	4.5	28	37	24	30	58	60	46	55	Clear	
					22/4/20	2.0	0.7	2.0	0.7	0.4	2	2	4.5	4.5	1.3	2	1.3	4.5	4.5	26	39	21	29	54	80	44	59	P Clear	
					27/4/20	2	0.4	2.0	2.0	2	2	2	4.5	1.3	4.5	2	4.5	4.5	4.5	26	35	21	27	54	72	44	57	Clear	
29/4/20	2	2.0	0.4	2	2	2.0	2	4.5	4.5	1.3	2	4.5	4.5	4.5	24	35	22	27	52	74	47	58	Clear						

Ambient Air Quality Data from NAMP Stations in Mizoram - April 2020

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition					
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	1/4/20	2	2	2	2	2	2	2	0.6	1.2	0.6	4.5	4.5	4.5	4.5	11	10	6	9	26	26	16	23	Clear					
					6/4/20	2	2	2	2	2	2	2	2	2	2	2	1.3	2.0	2.0	0.6	4.5	4.5	4.5	18	15	8	14	41	36	20	32	Clear	
					8/4/20	2	2	2	2	2	2	2	2	2	2	2	1.3	2.0	1.3	0.6	4.5	0.7	4.5	15	12	8	12	34	29	20	28	Clear	
					13/4/20	2	2	2	2	2	2	2	2	2	2	2	1.9	1.9	1.3	0.6	4.5	4.5	4.5	19	14	6	13	41	33	16	30	Clear	
					15/4/20	2	2	2	2	2	2	2	2	2	2	2	1.3	1.2	0.6	4.5	4.5	4.5	4.5	15	14	6	12	33	33	18	28	Clear	
					20/4/20	2	2	2	2	2	2	2	2	2	2	2	0.6	1.3	0.6	4.5	4.5	4.5	4.5	15	15	8	13	33	32	19	28	Calm	
					22/4/20	2	2	2	2	2	2	2	2	2	2	2	1.2	1.2	0.6	4.5	4.5	0.6	4.5	18	11	8	12	40	31	22	31	Calm	
					27/4/20	2	2	2	2	2	2	2	2	2	2	2	1.2	1.3	0.6	4.5	4.5	4.5	4.5	18	13	8	13	40	32	19	30	P Clear	
29/4/20	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2	1.3	1.2	0.6	0.6	4.5	4.5	4.5	16	13	8	12	36	30	20	29	P Clear					
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	6/4/20	2	2	2	2	2	2	2	2	1.3	0.7	6.0	1.2	1.3	1.2	4.5	16	19	23	19	33	40	44	39	Clear				
					8/4/20	2	2	2	2	2	2	2	2	2	2	2	4.5	4.5	2.0	1.8	1.3	1.3	4.5	14	22	16	17	33	46	33	37	Clear	
					13/4/20	2	2	2	2	0.7	0.4	2	2	0.7	0.4	2	4.5	4.5	1.3	1.8	1.3	0.6	4.5	13	19	27	20	27	37	57	40	Clear	
					15/4/20	2	2	2	2	2	2	2	2	2	2	2	1.3	4.5	4.5	4.5	2.0	1.3	4.5	27	13	20	20	55	23	41	40	Clear	
					20/4/20	2	2	2	0.5	0.3	0.7	2	2	0.5	0.3	0.7	2	4.5	0.6	1.3	0.8	1.3	1.8	4.5	11	16	22	16	24	33	46	34	P Clear
					22/4/20	0.8	0.3	2	2	0.7	0.4	2	2	0.8	0.3	0.4	2	1.3	4.5	4.5	45.0	2.0	1.5	9.8	21	7	25	18	41	17	48	35	P Clear
					27/4/20	2	0.7	2	2	2	2	2	2	2	2	2	2	1.3	4.5	4.5	1.3	0.6	4.5	25	9	14	16	57	21	26	35	P Clear	
					29/4/20	2	2	2	0.7	0.3	2	2	2	2	2	2	2	4.5	4.5	1.3	2.0	2.0	1.2	4.5	11	24	19	18	23	46	39	36	P Clear
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	6/4/20	2	2	2	2	2	2	2	2	4.5	4.5	1.3	0.6	4.5	4.5	4.5	4.5	3	8	4	5	7	20	6	11	Clear			
					8/4/20	2	0.7	0.7	2	2	2	2	2	2	2	2	4.5	4.5	1.3	4.5	4.5	4.5	4.5	4	7	3	5	10	16	6	11	Clear	
					13/4/20	2	2	2	2	2	2	2	2	2	2	2	4.5	4.5	1.3	2.0	4.5	4.5	4.5	4	8	2	5	11	21	5	12	Clear	
					15/4/20	0.7	0.7	2	2	2	2	2	2	2	2	2	4.5	4.5	2	4.5	4.5	4.5	4.5	4	8	2	5	11	22	5	13	Clear	
					20/4/20	0.3	0.7	0.7	2	2	2	2	2	2	2	2	4.5	0.6	0.6	4.5	4.5	4.5	4.5	4.5	6	12	3	7	14	27	7	16	P Clear
					22/4/20	2	2	2	2	2	2	2	2	2	2	2	4.5	2	1.3	4.5	4.5	4.5	4.5	4.5	6	11	3	7	12	25	7	15	Clear
					27/4/20	2	2	2	2	2	2	2	2	2	2	2	4.5	1.3	0.6	4.5	4.5	4.5	4.5	4.5	5	11	3	6	11	24	6	14	Clear
					29/4/20	2	0.3	0.3	2	2	2	2	2	2	2	2	4.5	4.5	4.5	2	4.5	4.5	4.5	4.5	4	7	3	5	11	17	7	12	P Clear
736	Lunglei Chanmari	Commercial	Lunglei	Mizoram	6/4/20	0.7	2	0.3	2.0	2.0	2.0	2.0	2	4.5	2.0	1.3	4.5	4.5	4.5	4.5	4.5	4.5	6	12	2	7	14	26	6	15	Clear		
					8/4/20	0.3	0.7	0.7	2	2	2	2	2	2	2	2	4.5	0.6	1.3	4.5	4.5	4.5	4.5	4.5	6	13	4	8	14	31	8	18	Clear
					13/4/20	2.0	0.7	0.3	2	2	2	2	2	2	2	2	4.5	0.6	2.0	0.6	4.5	4.5	4.5	4.5	6	13	3	7	15	32	7	18	Clear
					15/4/20	2	0.3	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.3	2.0	4.5	4.5	4.5	4.5	4.5	4.5	6	14	2	7	13	32	6	17	Clear
					20/4/20	0.7	2	0.7	0.3	2	2	2	2	2	2	2	4.5	2.0	1.3	0.6	4.5	4.5	4.5	4.5	8	15	6	10	19	33	14	22	P Clear
					22/4/20	2	0.7	1.5	0.3	2	2	2	2	2	2	2	2	2.0	1.3	0.6	4.5	4.5	4.5	4.5	8	14	4	9	18	34	8	20	Clear
					27/4/20	2	0.7	0.3	2	2	2	2	2	2	2	2	1.3	1.3	4.5	4.5	4.5	4.5	4.5	4.5	8	14	4	9	19	33	9	20	Clear
					29/4/20	2	1.1	2	2	2	2	2	2	2	2	2	2	1.3	4.5	4.5	4.5	4.5	4.5	4.5	5	11	4	7	13	25	9	16	P Clear

Ambient Air Quality Data from NAMP Stations in Mizoram - April 2020


Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	
737	Dawrpui	Commercial	Aizawl	Mizoram	6/4/20	2	2	2	2	2	2	2	5.4	5.4	3.4	2	4.5	4.5	4.5	19	23	14	18.67	28	39	19	28.67	Clear	
					8/4/20	2	2	2	2	2	2	2	4	4.5	2	4.5	4.5	4.5	4.5	14	25	9	16	23	41	14	26	Clear	
					Power and Machine Failure																								
738	Lengpui	Residential	Aizawl	Mizoram	13/4/20	2	0.8	2	1.2	0.8	2	2	3.4	4.7	5.4	2.7	3.4	2.7	4.5	53	54	56	54.33	67	74	75	72	Clear	
					15/4/20	2	2	2	2	2	2	2	4	5.4	3.4	4	1.3	4.5	4.5	54	54	94	67.33	68	75	109	84	Clear	
					20/4/20	0.8	2	2	1.2	0.8	0.4	2	2	3.4	1.3	3.4	1.3	1.3	4.5	23	26	28	25.67	42	49	60	50.33	P Clear	
					22/4/20	2	2	2	2	2	2	2	2	3.4	4.7	3.4	3.4	4.7	2	4.5	75	56	71	67.33	85	66	85	78.67	Clear
					24/4/20	2	2	2	2	2	2	2	2	1.3	2.7	2.7	3.4	2	2	4.5	16	18	18	17.33	30	28	28	28.67	P Clear
					27/4/20	2	2	2	2	2	2	2	2	2	3.4	1.3	4.5	2	4.5	4.5	14	18	12	14.67	23	37	28	29.33	Clear
					29/4/20	2	2	2	2	2	2	2	2	2	2.7	3.4	1.3	4.5	2	1.3	4.5	12	21	12	15	26	33	25	28

Analyst

Scientist Incharge :



Member Secretary :




Source: Mizoram Pollution Control Board

