

Ambient Air Quality Data NAMP Stations in Mizoram April 2021

MONTH: APRIL

YEAR: 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition				
450	Khatla	Residential	Aizawl	Mizoram	5.4.21	1.6	2.4	2.8	0.8	0.8	2	2.0	5.4	7.4	7.4	2.7	1.3	4.5	4.5	30	33	20	28	53	60	52	55	clear			
					7.4.21	2.8	4	3.6	1.6	0.4	2	2.0	6	7.4	9.4	4	2	4.5	4.5	36	41	31	36	68	77	51	65	clear			
					12.4.21	3.2	4	2.4	1.2	2	2	2.0	7.3	10.7	12.7	5.4	2.7	4.5	4.5	35	43	30	36	65	76	53	65	clear			
					14.4.21	3.2	4	2.4	1.6	0.8	2	2.0	7.4	10.7	9.4	5.4	2.7	4.5	4.5	38	43	31	37	66	77	53	65	clear			
					19.4.21	0.8	1.6	0.4	2	2	2	2.0	2.7	6	4	1.3	4.5	4.5	4.5	4.5	4.5	25	32	18	25	40	52	26	39	p.clear	
					21.4.21	2.8	4	3.2	2	0.4	2	2.0	7.4	10.1	8.7	5.4	2.7	4.5	4.5	4.5	4.5	35	42	30	36	60	72	48	60	clear	
					26.4.21	3.2	4	3.2	2.4	1.6	0.4	2.0	7.4	10.1	12.7	5.4	2.7	1.3	4.5	4.5	4.5	4.5	38	43	25	35	63	76	43	61	clear
					28.4.21	3.2	4.4	4	2.4	1.2	2	2.0	7.4	10.1	11.4	5.4	2	2	4.5	4.5	4.5	4.5	40	45	30	38	67	75	48	63	clear
451	Laipuitlang	Residential	Aizawl	Mizoram	5.4.21	2	2	2	2	2	2	2.0	2.68	4.02	4.69	6.03	2.01	2.04	4.5	24	34	24	27	46	59	40	48	clear			
					7.4.21	2	2	2	2	2	2	2.0	2.68	4.64	6.7	8.04	2.01	2.01	4.5	43	36	29	36	75	65	46	62	clear			
					12.4.21	2	2	2	2	2	2	2.0	2.68	4.69	5.36	6.7	4.02	2.01	4.5	30	37	21	29	48	57	30	45	clear			
					14.4.21	2	2	2	2	2	2	2.0	2.01	3.35	4.02	2.68	2.01	1.38	4.5	36	41	24	34	60	70	34	55	clear			
					19.4.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	29	14	25	53	46	23	41	p.clear	
					21.4.21	2	2	2	2	2	2	2.0	2.04	4.02	4.64	3.35	2.68	1.34	4.5	34	37	23	31	58	64	35	52	clear			
					26.4.21	0.78	1.57	1.96	1.18	0.78	0.74	2.0	2.68	4.64	6.7	6.03	3.35	2.01	4.5	41	31	26	33	68	48	40	52	clear			
					28.4.21	0.78	1.57	1.18	0.78	1.18	2	2.0	2.68	4.69	6.03	3.35	2.01	2.01	4.5	37	43	26	35	66	63	40	56	clear			
452	Bawngkawn	Residential	Aizawl	Mizoram	2.4.21	2	2	2	2	2	2	2.0	12.7	14.7	16.7	18.1	8	8	13.0	56	77	48	60	129	158	115	134	clear			
					5.4.21	2	2	2	2	2	2	2.0	14	15.4	16.7	18.7	10	101	14.1	75	71	81	76	158	150	137	149	clear			
					7.4.21	2	2	2	2	2	2	2.0	8	8.7	14	13.4	8.7	8	10.1	119	131	106	119	206	231	187	208	clear			
					12.4.21	2	2	2	2	2	2	2.0	21.4	20.1	13.4	14	5.3	4.6	13.1	175	75	46	99	283	154	115	184	clear			
					14.4.21	2	2	2	2	2	2	2.0	14	12.7	16	17.4	10	10	13.3	67	88	58	71	140	188	102	143	clear			
					19.4.21	2	2	2	2	2	2	2.0	12	10.7	9.3	10	8	8	9.6	63	44	65	57	113	81	110	101	p.clear			
					21.4.21	2	2	2	2	2	2	2.0	14	14.7	12.7	13.4	11.4	11.4	12.9	75	69	67	70	142	127	125	131	clear			
					26.4.21	2	2	2	2	2	2	2.0	7.3	8	8.7	8	5.3	5.3	4.5	71	119	58	83	129	204	112	149	clear			
					28.4.21	2	2	2	2	2	2	2.0	12	10.7	6	7.3	9.3	9.3	9.1	73	17	50	47	158	48	110	106	clear			

Ambient Air Quality Data NAMP Stations in Mizoram April 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition				
731	Champhai Kahrawt	Residential	Champhai	Mizoram	5.4.21	0.79	1.19	1.58	0.8	2	2	2.0	4.5	1.36	2.69	2.06	1.35	4.5	4.5	25	29	18	24	54	62	38	51	clear				
					7.4.21	2	1.16	1.59	1.09	0.41	2	2.0	4.5	1.35	2.02	1.33	4.5	4.5	4.5	4.5	4.5	21	27	17	21	48	56	38	47	clear		
					12.4.21	0.73	0.8	1.45	1.77	2	0.39	2.0	4.5	1.36	2.47	1	4.5	0.69	4.5	4.5	4.5	4.5	24	25	12	20	60	58	28	48	clear	
					14.4.21	2	0.83	1.65	0.99	2	2	2.0	4.5	4.5	1.41	1.69	4.5	4.5	4.5	4.5	4.5	4.5	23	26	15	21	51	57	28	45	clear	
					19.4.21	2	1.67	1.48	1.21	2	2	2.0	4.5	4.5	2.51	1.04	4.5	1.24	4.5	4.5	4.5	4.5	21	23	16	20	50	50	35	45	clear	
					21.4.21	2	2	1.18	0.8	2	2	2.0	4.5	4.5	1.34	2.03	4.5	1.35	4.5	4.5	4.5	4.5	4.5	18	25	10	17	39	54	24	39	clear
					26.4.21	2	1.45	0.54	1.53	2	1.11	2.0	4.5	2.48	1.85	2.62	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	26	18	23	56	59	42	52	clear
					28.4.21	2	1.06	0.73	0.61	2	2	2.0	4.5	1.81	1.24	2.03	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	27	16	22	51	65	40	52	clear
732	Champhai Venghlang	Commercial	Champhai	Mizoram	5.4.21	2	1.19	0.8	2	2	2	2.0	4.5	2	1.37	4.5	2.7	4.5	4.5	4.5	38	42	28	36	72	88	50	70	clear			
					7.4.21	2	0.81	0.8	1.19	2	2	2.0	4.5	2	4.5	1.37	2.7	4.5	4.5	4.5	4.5	4.5	38	44	30	37	70	92	62	74	clear	
					12.4.21	2	0.8	2	0.8	1.19	2	2.0	4.5	1.37	2	4.5	2	4.5	4.5	4.5	4.5	4.5	38	44	28	36	80	92	58	76	clear	
					14.4.21	2	1.19	2	0.8	0.08	2	2.0	4.5	2	2.7	4.5	2	4.5	4.5	4.5	4.5	4.5	40	46	32	39	84	96	66	82	clear	
					19.4.21	2	1.19	2	0.8	0.8	2	2.0	4.5	2	1.3	4.5	2	4.5	4.5	4.5	4.5	4.5	36	40	28	34	76	84	50	70	p.clear	
					21.4.21	2	0.8	1.19	2	0.8	2	2.0	4.5	1.37	2	4.5	4.5	1.37	4.5	4.5	4.5	4.5	4.5	38	42	28	36	80	86	52	72	clear
					26.4.21	2	0.8	1.19	0.8	2	2	2.0	4.5	2	1.37	4.5	1.37	4.5	1.37	4.5	4.5	4.5	4.5	36	42	29	35	76	88	60	74	clear
					28.4.21	2	1.19	0.8	0.81	2	2	2.0	4.5	2.4	2	4.5	1.37	4.5	4.5	4.5	4.5	4.5	4.5	38	42	28	36	80	90	58	76	clear
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	5.4.21	2	0.4	2	2	2	2	2.0	2.35	2.63	2.1	1.37	1.37	1.35	4.5	4.5	24	17	12	18	54	42	27	41	hot			
					7.4.21	2	2	2	2	2	2	2.0	2.64	2.62	2.04	1.38	1.4	2.04	4.5	4.5	4.5	23	15	10	16	53	40	24	39	hot		
					12.4.21	2	2	2	2	2	2	2.0	2.72	2.77	2.07	1.37	0.7	1.35	4.5	4.5	4.5	20	14	10	15	48	35	26	36	hot		
					14.4.21	2	2	2	2	2	2	2.0	2.06	1.37	1.38	4.5	4.5	0.69	4.5	4.5	4.5	19	12	8	13	43	27	21	30	hot		
					19.4.21	2	2	2	2	2	2	2.0	2.62	2.6	2.09	1.41	0.7	1.36	4.5	4.5	4.5	4.5	17	12	8	12	41	30	20	30	hot	
					21.4.21	2	2	2	2	2	2	2.0	2.06	2.04	1.39	0.68	4.5	4.5	4.5	4.5	4.5	4.5	19	12	6	12	43	31	18	30	hot	
					26.4.21	2	2	2	2	2	2	2.0	1.97	2.04	1.39	0.71	4.5	4.5	4.5	4.5	4.5	4.5	17	14	8	13	39	31	20	30	hot	
					28.4.21	2	0.38	2	2	2	2	2.0	2.78	3.26	2.73	1.38	0.71	1.36	4.5	4.5	4.5	4.5	4.5	21	15	10	15	48	36	26	37	hot
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	5.4.21	2	2	1	0.93	0.79	1.13	2.0	0.68	1.48	1.51	1.42	2.02	1.85	4.5	4.5	20	23	30	24	41	48	61	50	clear			
					7.4.21	0.41	0.75	1.13	0.88	0.79	0.39	2.0	1.93	2.46	2.57	1.29	1.34	1.28	4.5	4.5	4.5	23	26	31	26	47	54	63	55	clear		
					12.4.21	0.8	0.76	2	2	0.79	1.08	2.0	1.37	1.77	1.87	1.36	1.36	0.34	1.23	4.5	4.5	4.5	26	18	29	25	53	38	60	51	clear	
					14.4.21	2	2	0.8	0.75	1.13	1.14	2.0	0.87	0.73	1.36	1.85	1.22	1.85	1.23	4.5	4.5	4.5	21	24	29	25	39	46	60	48	clear	
					19.4.21	2	2	0.84	0.5	0.79	1	2.0	1.37	0.69	0.72	2.05	2.02	1.7	4.5	4.5	4.5	4.5	21	23	18	21	41	45	38	41	p.clear	
					21.4.21	2	2	0.83	0.94	1.18	1.32	2.0	1.44	0.67	1.35	2.26	2.02	1.35	4.5	4.5	4.5	4.5	25	21	30	26	49	43	59	50	clear	
					26.4.21	1.14	0.85	2	2	0.79	0.39	2.0	2.47	1.93	1.37	0.68	2.02	1.35	4.5	4.5	4.5	4.5	28	18	30	25	53	35	61	50	clear	
					28.4.21	0.57	2	2	2	0.79	0.39	2.0	1.53	1.37	4.5	4.5	1.35	1.93	4.5	4.5	4.5	4.5	4.5	21	12	26	20	41	24	54	40	p.clear

Ambient Air Quality Data NAMP Stations in Mizoram April 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	5.4.21	2	2	1.57	1.93	0.39	0.41	2.0	4.5	4.64	3.35	2.68	1.34	1.42	4.5	46	62	31	46	113	138	55	102	clear
					7.4.21	2	1.43	2.36	1.54	2	2	2.0	4.5	4.27	2.68	0.65	1.34	1.78	4.5	32	48	23	34	72	98	59	76	clear
					12.4.21	2	0.76	0.62	1.02	2	2	2.0	4.5	5.88	3.17	1.17	0.62	0.67	4.5	86	107	100	98	216	191	192	200	clear
					14.4.21	2	2.36	1.4	2	2	2	2.0	1.86	2.69	1.2	3.39	4.5	4.5	4.5	79	87	47	71	144	153	69	122	clear
					19.4.21	1.29	2	0.39	0.78	2	2	2.0	1.47	1.34	4.02	3.35	4.5	4.5	4.5	52	74	61	62	146	154	117	139	clear
					21.4.21	2	2	0.36	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	134	87	66	96	193	191	120	168	clear
					26.4.21	0.78	1.16	2.36	2.76	0.41	2	2.0	2.66	2.63	4.65	3.13	0.68	0.7	4.5	167	150	110	142	255	228	144	209	p.clear
					28.4.21	0.39	0.37	2	2	2	2	2.0	4.5	4.5	0.67	0.7	4.5	4.5	4.5	51	83	25	53	80	146	60	95	clear
					29.4.21	2	0.32	0.39	2	2	2	2	3.5	1.1	2.01	0.72	4.5	4.5	4.5	86	67	79	77	130	270	156	185	clear
30.4.21	2	2	0.4	0.41	2	2	2.0	2.83	1.27	0.7	0.7	4.5	4.5	4.5	28	25	54	34	91	54	95	80	clear					
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	5.4.21	1.18	2	2	1.93	0.78	0.78	2.0	1.34	2.68	6.03	5.36	2.01	2.01	4.5	71	62	44	59	131	139	76	115	clear
					7.4.21	2	1.57	2.36	0.78	1.18	1.18	2.0	2.01	5.36	6.03	1.34	0.67	0.67	4.5	41	53	43	45	91	100	80	90	clear
					12.4.21	2	2	3.11	3.5	2	2	2.0	4.5	1.7	6.99	8.94	1.86	1.6	4.5	153	127	86	122	288	219	104	204	clear
					14.4.21	2	1.14	1.68	0.81	2	2	2.0	2.68	1.3	5	4.87	4.5	4.5	4.5	106	77	27	70	200	205	76	161	clear
					19.4.21	2	0.77	1.96	2	2	2	2.0	0.7	1.97	4.5	4.5	4.5	4.5	4.5	70	56	29	52	234	161	82	159	clear
					21.4.21	2	1.07	1.59	0.87	2	2	2.0	3.06	4.5	4.5	0.74	4.5	1.56	4.5	83	84	63	77	203	237	138	193	clear
					26.4.21	0.38	0.46	2	2.78	4.24	1.62	2.0	5.29	7.14	3.42	2.71	1.8	0.69	4.5	266	158	81	168	520	368	152	245	smoky
					28.4.21	2	2	2	1.26	2	2	2.0	4.5	4.5	4.5	2.69	1.42	1.34	4.5	0	93	50	48.0	0	188	80	89	p.clear
					29.4.21	0.41	1.47	2	0.8	2	2	2.0	4.5	0.62	3.11	2.73	4.5	4.5	4.5	120	63	52	78	138	107	64	103	clear
30.4.21	2	1.25	2.34	0.77	2	2	2.0	2.43	2.13	1.33	1.32	4.5	4.5	4.5	102	70	62	78	156	144	118	139	clear					
737	Dawrpui	Commercial	Aizawl	Mizoram	5.4.21	1.2	0.4	2	2	2	2	2.0	16.8	18.8	10.7	15.4	12.1	5.4	13.2	167	71	77	105	246	119	102	156	clear
					7.4.21	2	2	2	2	2	2	2.0	13.4	18.8	24.8	22.1	17.4	6.7	17.2	96	100	98	98	140	144	154	146	clear
					12.4.21	2	2	2	2	2	2	2.0	23.5	20.4	14.5	4.5	12.4	8.0	13.9	69	65	88	74	105	81	106	98	clear
					14.4.21	2	2	2	2	2	2	2.0	14.1	18.1	15.1	20.8	12.1	8.0	14.7	63	95	73	77	98	118	90	102	clear
					19.4.21	2	2	2	2	2	2	2.0	4.9	8.0	10.1	12.1	5.4	2.7	4.5	30	42	58	43	62	99	115	90	rainy
					21.4.21	2	2	2	2	2	2	2.0	8.0	13.4	10.1	5.4	8.0	2.7	4.5	38	32	52	40	69	77	79	75	clear
					26.4.21	2	2	2	2	2	2	2.0	8.0	10.1	7.1	3.5	5.4	5.4	4.5	100	79	44	74	123	123	67	104	clear
					28.4.21	2	2	2	2	2	2	2.0	5.4	10.1	13.4	13.4	5.4	3.3	4.5	58	75	69	67	88	96	100	95	clear
738	Lengpui	Residential	Aizawl	Mizoram	5.4.21	2	2	2	2	2	2	2.0	33.53	18.78	26.15	31.52	18.78	16.76	24.3	59	58	44	54	79	61	58	66	p.clear
					7.4.21	2	2	2	2	2	2	2.0	35.02	20	27.15	30.51	15.72	15.11	23.9	94	78	109	94	117	107	124	116	p.clear
					12.4.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	74	72	61	70	91	104	69	88	clear
					14.4.21	2	2	2	2	2	2	2.0	16.76	18.78	20.12	12.74	10.06	10.06	14.7	69	64	51	61	102	85	72	86	clear
					19.4.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	32	24	35	51	175	26	83	cloudy
					21.4.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	48	40	45	67	66	41	58	clear
					26.4.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	75	64	55	65	160	102	74	112	clear
28.4.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	101	68	53	74	144	117	76	113	clear					

Ambient Air Quality Data from New NAMP Stations in Mizoram April 2021


Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
New Siaha	Commercial	Siaha	Mizoram	5.4.21	2	2	2	0.39	2	0.39	2.0	3.48	5.67	3.35	2.68	2.68	2.01	4.5	106	92	83	94	143	148	169	153	cloudy	
				7.4.21	2	2	0.78	1.18	2	0.52	2.0	4.02	6.03	8.71	10.06	7.37	7.15	4.5	102	127	95	108	165	179	169	171	haze	
				12.4.21	2	1.18	0.78	2	2	2	2.0	2.68	5.36	12.02	4.02	2.68	4.02	4.5	100	71	60	77	138	144	110	131	clear	
				14.4.21	0.39	2	1.18	0.99	2	2	2.0	3.35	4.02	8.71	9.33	5.36	2.68	4.5	83	89	71	81	167	166	115	149	clear	
				19.4.21	2	0.39	1.18	0.39	2	2	2.0	2.68	2.01	4.69	8.04	6.03	2.68	4.5	71	52	54	59	137	108	104	117	clear	
				21.4.21	0.39	2	1.18	0.78	2	0.39	2.0	3.35	4.02	7.37	10.06	6.03	2.68	4.5	79	46	46	57	158	108	110	125	clear	
				26.4.21	12.2	12.6	3.15	2.75	1.96	1.57	5.7	2.01	2.68	2.68	4.69	2.01	0.67	4.5	56	48	31	45	108	94	58	87	p.clear	
				28.4.21	1.96	3.15	6.93	3.15	1.57	1.26	3.0	7.37	6.03	22.53	16.09	8.04	12.92	12.2	108	118	95	107	160	242	152	185	p.clear	
				29.4.21	3.34	6.21	2.36	2.36	1.18	2.54	3.0	14.63	15.29	8.04	11.4	8.04	12.11	11.6	266	104	92	154	370	156	140	222	cloudy	
30.4.21	2.75	4.64	4.33	3.15	1.96	1.83	3.1	7.37	14.95	9.39	10.06	5.36	4.17	4.5	128	73	86	96	201	125	157	161	p.clear					
ECM Vaih	Residential	Siaha	Mizoram	5.4.21	2	0.79	0.39	2	2	2	2.0	5.44	4.69	3.35	2.07	1.34	0.69	4.5	89	91	83	88	173	171	157	167	cloudy	
				7.4.21	2	2	2	2	2	2	2.0	1.19	1.98	4.5	4.5	1.76	4.5	4.5	114	99	95	103	208	170	152	177	clear	
				12.4.21	2	2	2	0.39	2	2	2.0	4.5	0.67	1.34	3.35	2.68	1.34	4.5	67	90	77	78	122	160	142	141	clear	
				14.4.21	2	0.39	1.18	2	2	2	2.0	2.01	3.35	4.02	7.37	5.36	3.35	4.5	89	83	67	79	157	152	104	143	clear	
				26.4.21	5.63	4.09	2.36	8.11	1.97	1.57	4.0	1.92	4.36	6.04	11.84	2.68	2.01	4.5	244	112	142	166	1309	208	245	588	p.clear	
				28.4.21	5.48	3.54	3.15	2.76	1.18	0.79	2.8	6.04	10.73	12.07	8.71	4.69	3.35	4.5	137	65	56	86	195	115	85	132	cloudy	
				30.4.21	3.54	4.33	6.49	4.82	1.62	1.18	3.7	6.71	8.71	12.44	8.21	5.5	6.68	7.4	63	98	42	68	117	179	50	115	p.clear	
Bazar Veng	Commercial	Mamit	Mizoram	5.4.21	0.34	2	0.38	2	2	2	2.0	2.01	4.02	2.68	0.67	1.34	4.5	23	42	31	32	75	92	81	83	clear		
				7.5.21	2	2	0.39	2	0.39	2	2.0	0.67	0.67	1.34	4.02	3.35	2.01	4.5	15	12	23	17	37	60	45	48	clear	
				12.4.21	0.39	2	2	2	2	2	2.0	1.34	0.67	0.01	1.34	2.68	3.35	4.5	35	17	15	22	56	29	37	41	clear	
				14.4.21	2	2	2	0.39	2	2	2.0	0.67	2.01	1.34	3.35	2.68	0.67	4.5	63	77	27	56	110	99	42	84	clear	
				19.4.21	0.39	2	2	2	0.39	2	2.0	0.67	0.67	2.01	1.34	3.35	1.34	4.5	50	23	35	36	102	60	83	81	rainy	
				21.4.21	0.39	2	2	0.39	0.39	2	2.0	0.67	1.34	0.37	2.01	3.35	2.68	4.5	27	17	42	28	46	46	85	59	clear	
				26.4.21	0.39	0.39	2	0.78	1.18	2	2.0	2.01	2.68	4.02	5.36	1.34	2.01	4.5	44	31	40	38	79	75	81	78	clear	
28.4.21	1.57	0.78	2	0.39	0.78	2	2.0	4.69	2.68	3.35	2.01	0.67	1.34	4.5	62	56	60	60	123	117	123	121	cloudy					
Lungsir Veng	Residential	Mamit	Mizoram	5.4.21	0.78	1.18	3.54	5.11	1.57	0.39	2.0	2.01	4.02	9.39	6.7	3.35	0.67	4.5	46	106	56	69	67	190	108	115	clear	
				7.4.21	1.57	2.75	1.96	3.54	2.01	2	2.0	2.01	2.01	5.36	6.03	3.35	4.5	4.5	13	48	23	28	69	125	63	86	clear	
				12.4.21	2.01	3.97	2.1	2.36	2.75	0.78	2.0	2.68	4.02	6.26	7.37	1.34	1.34	4.5	31	38	42	37	89	76	95	89	clear	
				14.4.21	2	1.18	1.96	1.57	1.18	0.78	2.0	1.34	2.01	4.69	3.35	2.68	2.01	4.5	65	83	40	64	87	142	67	99	clear	
				19.4.21	1.18	1.96	3.54	3.15	1.18	0.78	2.0	1.34	4.02	5.36	7.37	2.68	0.67	4.5	21	60	25	35	37	104	58	67	clear	
				21.4.21	0.78	1.18	2.36	3.93	0.78	0.78	2.0	2.01	5.36	4.69	8.04	2.33	1.34	4.5	27	69	18	38	35	125	60	74	clear	
				26.4.21	1.18	2	0.31	2.36	2.75	1.57	2.0	1.34	3.35	5.36	5.36	2.68	2.01	4.5	21	56	33	37	65	117	94	92	clear	
28.4.21	0.78	0.78	1.96	1.18	0.31	0.78	2.0	2.68	2.01	8.04	4.69	1.34	2.01	4.5	38	50	25	38	73	98	46	66	cloudy					

Ambient Air Quality Data from New NAMP Stations in Mizoram April 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition							
Bazar Veng	Commercial	Serchhip	Mizoram	5.4.21	2	2	2	2	2	2	2.0	3.35	4.69	4.02	2.68	2.01	0.67	4.5	52	58	85	65	110	152	102	122	p.clear								
				7.4.21	2	2	2	2	2	2	2	2	2.0	1.34	2.01	3.35	0.67	1.34	0.67	4.5	113	71	140	108	131	142	192	155	clear						
				12.4.21	0.39	0.78	2	2	0.39	2	2.0	4.02	3.35	1.34	0.67	4.5	0.67	4.5	0.67	4.5	75	58	96	76	194	108	131	144	clear						
				14.4.21	2	2	0.39	2	2	2	2.0	4.02	2.68	4.69	2.01	0.67	1.34	4.5	0.67	1.34	4.5	65	54	73	64	150	67	117	111	clear					
				19.4.21	2	2	2	2	2	2	2.0	4.5	4.5	1.34	0.67	4.5	4.5	4.5	4.5	4.5	4.5	31	52	63	49	67	96	110	91	cloudy					
				21.4.21	2	2	2	2	2	2	2.0	2.01	1.1	3.35	0.67	2.01	1.83	4.5	57	65	43	54	119	98	108	108	119	98	108	108	clear				
				26.4.21	2	0.78	0.39	2	1.2	0.39	2.0	0.67	0.67	2.01	1.34	2.01	0.67	4.5	75	92	183	117	194	152	260	202	194	152	260	202	p.clear				
				28.4.21	2	2	2	2	2	2	2.0	4.02	0.67	4.5	4.5	2.68	2.01	4.5	77	54	88	73	154	133	171	153	154	133	171	153	p.clear				
				29.4.21	2	2	2	2	2	2	2.0	4.69	2.68	4.5	3.35	2.01	1.34	4.5	58	60	88	69	198	181	108	162	198	181	108	162	p.clear				
				30.4.21	2	2	2	2	2	2	2.0	1.34	4.5	0.67	1.34	4.5	4.5	4.5	4.5	4.5	4.5	4.5	67	50	69	62	125	158	98	127	p.clear				
P & E Veng	Residential	Serchhip	Mizoram	5.4.21	0.39	0.78	2	2	2	2	2.0	2.68	4.02	2.01	3.35	0.67	2.01	4.5	44	65	135	81	142	129	185	152	142	129	185	152	clear				
				7.4.21	2	2	2	2	2	2	2.0	2.01	0.67	3.35	1.34	4.5	0.67	4.5	0.67	4.5	67	106	158	110	106	273	194	191	106	273	194	191	clear		
				12.4.21	2	2	2	2	2	2	2.0	2.01	0.67	3.35	1.34	0.67	0.67	4.5	52	58	85	65	104	125	152	127	104	125	152	127	clear				
				14.4.21	2	2	2	2	2	2	2.0	4.69	2.01	3.35	1.34	4.5	4.5	4.5	4.5	4.5	4.5	106	69	38	71	188	156	121	155	188	156	121	155	clear	
				19.4.21	2	2	2	2	2	2	2.0	0.67	4.5	5.36	3.35	4.5	0.67	4.5	29	58	81	56	121	160	146	142	121	160	146	142	cloudy				
				21.4.21	2	2	2	2	2	2	2.0	4.5	4.5	4.69	2.01	4.5	4.5	4.5	4.5	4.5	4.5	77	60	58	65	156	98	69	107	156	98	69	107	clear	
				26.4.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	98	92	108	99	229	210	204	215	229	210	204	215	haze	
				28.4.21	2	2	2	2	2	2	2.0	4.69	3.35	5.36	6.03	8.11	3.35	4.5	42	75	104	74	125	181	167	158	125	181	167	158	125	181	167	158	p.clear
				29.4.21	2	2	2	2	2	2	2.0	2.01	0.67	5.67	1.34	0.67	3.35	4.5	48	77	133	86	214	152	167	178	214	152	167	178	214	152	167	178	p.clear
				30.4.21	2	2	2	2	2	2	2.0	2.01	0.67	1.34	4.5	4.5	0.67	4.5	73	88	50	70	127	117	119	121	127	117	119	121	127	117	119	121	p.clear
L-IV,Chandmary	Commercial	Lawngtlai	Mizoram	5.4.21	1.18	1.96	1.96	1.57	1.18	2	2.0	6.03	9.39	10.06	8.04	7.37	4.5	4.5	215	296	152	220	415	579	294	429	415	579	294	429	cloudy				
				7.4.21	1.57	1.96	1.96	1.18	6.03	2	2.0	11.4	13.41	14.08	10.06	8.04	4.5	4.5	165	252	158	192	506	610	269	462	506	610	269	462	clear				
				12.4.21	1.18	1.96	1.57	1.18	0.78	2	2.0	6.7	8.04	10.06	8.04	5.36	4.5	4.5	117	142	108	122	319	400	242	320	319	400	242	320	clear				
				14.4.21	1.96	1.96	1.57	0.78	1.18	2	2.0	8.04	10.06	12.74	6.03	4.69	4.5	4.5	119	154	113	128	283	329	221	278	283	329	221	278	clear				
				19.4.21	1.96	2.75	1.57	1.18	1.57	2	2.0	12.07	13.41	14.75	10.06	6.03	4.5	9.4	133	148	102	128	306	345	242	298	306	345	242	298	clear				
				21.4.21	1.96	2.36	1.57	1.96	1.18	2	2.0	10.06	12.07	14.08	13.41	8.71	4.5	9.7	131	144	113	129	294	310	235	280	294	310	235	280	clear				
				26.4.21	6.69	7.48	8.66	7.66	7.48	2	6.2	32.86	27.5	24.81	21.46	18.78	4.5	20.9	448	321	165	311	540	444	252	412	540	444	252	412	clear				
				28.4.21	7.87	7.66	8.26	7.48	6.69	2	6.3	20.12	19.45	18.1	18.78	16.76	4.5	15.5	267	140	129	178	420	242	217	293	420	242	217	293	smoky				
				30.4.21	5.9	5.11	4.72	5.11	5.51	2	4.4	14.08	15.42	14.08	12.07	13.41	4.5	11.5	117	102	77	99	234	152	120	169	234	152	120	169	p.clear				

Ambient Air Quality Data from New NAMP Stations in Mizoram April 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
L-3 Electric Veng	Residential	Lawngtlai	Mizoram	5.4.21	0.78	1.57	1.18	1.96	0.78	2	2.0	5.36	6.03	9.39	11.4	5.36	4.5	4.5	184	217	125	178	348	421	248	337	cloudy	
				7.4.21	1.18	1.57	1.96	1.57	0.78	2	2.0	8.04	10.06	12.07	10.06	6.03	4.5	4.5	133	179	119	144	431	517	190	379	hot	
				12.4.21	1.57	1.57	1.96	1.18	0.78	2	2.0	10.06	12.07	14.08	12.74	8.71	4.5	4.5	133	196	165	165	352	460	347	387	clear	
				14.4.21	1.57	1.96	1.57	1.18	0.78	2	2.0	4.69	5.36	7.37	5.36	3.36	4.5	4.5	106	98	52	85	171	152	92	138	clear	
				19.4.21	2.75	2.36	1.96	1.57	1.57	2	2.0	13.41	10.73	8.71	7.37	6.7	4.5	4.5	171	81	44	99	260	139	81	160	clear	
				21.4.21	1.96	1.18	1.57	0.78	1.57	2	2.0	8.71	5.36	6.7	5.36	4.69	4.5	4.5	152	58	48	86	224	110	92	142	clear	
				26.4.21	7.08	8.26	7.87	7.08	6.69	2	6.2	31.52	28.17	23.4	19.45	17.43	4.5	20.0	417	302	142	287	483	392	200	358	smoky	
				28.4.21	7.48	8.26	7.48	7.08	5.9	2	6.0	19.45	18.1	18.75	17.43	16.09	4.5	15.0	240	110	115	155	350	204	181	245	smoky	
				30.4.21	5.11	4.33	5.11	4.33	4.72	2	3.9	15.42	15.42	12.74	11.4	12.07	4.5	11.2	85	90	52	76	173	125	79	127	p.clear	

Scientist-in-charge : 

Member Secretary : 



Source: Mizoram Pollution Control Board