

MONTH : APRIL, YEAR : 2022

Station Code	Name of monitoring Station	Area class	City	State Name	Sampling Date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
450	Khatla	Residential		Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	43	32	37	14	62	77	56	65	clear			
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	47	33	40	14	75	85	63	74	clear	
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	53	37	44	10	83	96	69	83	p.clear	
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	47	52	38	46	12	82	92	71	82	clear
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	10.7	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	55	38	45	12	78	95	68	80	clear
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	42	33	37	12	69	77	61	69	p.clear
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	52	37	43	11	73	95	70	79
27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	12.1	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	52	60	42	51	12	89	103	79	90	clear				
451	Laipuitlang	Residential	Aizawl	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	53	28	41	**	72	67	37	59	clear		
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	53	46	41	47	**	94	78	54	75	clear	
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	56	39	49	**	88	97	63	83	clear	
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	51	31	42	**	63	73	40	59	clear
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	55	36	46	**	82	96	53	77	clear
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	29	22	28	**	46	37	27	37	clear
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	51	26	44	**	102	83	36	74	clear
27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	41	26	41	**	93	73	39	68	clear					
452	Bawngkawn	Commercial	Aizawl	Mizoram	4.4.22	2	2	2	2	2	2	2.0	23.4	14	16	21.4	4.5	4.5	4.5	13.9	190	167	67	141	39	275	241	90	202	clear			
					6.4.22	2	2	2	2	2	2	2.0	16.7	12.7	14	19.4	4.5	4.5	4.5	12.4	133	160	69	121	40	208	252	94	185	clear			
					8.4.22	2	2	2	2	2	2	2.0	18.7	14	12.7	21.4	4.5	4.5	4.5	4.5	4.5	4.5	142	150	69	120	54	217	231	85	178	clear	
					13.4.22	2	2	2	2	2	2	2.0	23.4	22.4	14.7	18.7	4.5	4.5	4.5	4.5	4.5	4.5	212	129	48	130	47	338	215	65	206	clear	
					18.4.22	2	2	2	2	2	2	2.0	21.4	16.7	12.7	18.7	4.5	4.5	4.5	4.5	4.5	4.5	13.4	125	115	67	102	37	210	194	90	165	clear
					20.4.22	2	2	2	2	2	2	2.0	10	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	54	48	31	44	14	67	58	35	54	rainy
					25.4.22	2	2	2	2	2	2	2.0	25.4	14.7	12	22.1	4.5	4.5	4.5	4.5	4.5	4.5	4.5	277	192	108	192	52	375	285	152	271	clear
					27.4.22	2	2	2	2	2	2	2.0	27.5	19.4	21.4	28.1	4.5	4.5	4.5	4.5	4.5	4.5	4.5	258	288	144	230	47	362	374	196	317	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - APRIL, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
731	Champhai Kahrawt	Residential	Champhai	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	20	10	16	9	39	41	19	33	clear			
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	21	8	15	8	37	40	18	31	clear	
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	20	11	16	8	40	41	21	34	cloudy	
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	17	8	13	8	35	37	18	30	rainy	
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	18	7	14	8	39	40	16	31	cloudy	
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	20	10	17	8	43	41	22	35	cloudy
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	20	11	17	8	42	45	23	36	clear
27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	10	16	7	44	45	21	36	clear					
732	Champhai Venghlang	Commercial	Champhai	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	38	24	32	22	74	80	54	69	clear			
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	40	24	32	23	76	84	54	71	clear		
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	36	22	30	20	68	76	46	63	cloudy		
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	36	18	28	18	66	76	42	61	rainy	
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	36	20	29	18	68	76	44	62	cloudy	
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	38	20	30	20	70	80	44	64	cloudy
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	38	22	31	22	74	80	46	66	clear
27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	40	24	32	24	74	80	54	71	clear					
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	4.4.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	17	13	17	9	46	40	30	39	windy			
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	17	13	17	8	50	40	30	40	sunny		
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	15	45	8	54	48	34	45	clear		
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	19	13	19	9	58	46	32	45	clear	
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	15	8	15	8	47	35	21	35	calm	
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	11	17	7	52	42	26	40	calm
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	19	11	19	9	58	46	26	43	clear
27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	13	21	9	60	51	32	48	hot					
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	21	23	24	11	53	40	48	47	windy			
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	23	19	19	10	32	49	40	40	clear		
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	17	25	21	11	45	36	53	44	clear	
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	15	21	21	11	57	32	44	45	clear	
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	15	19	18	11	45	32	40	39	calm	
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	17	13	18	10	44	32	23	33	p.clear
					27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	23	19	23	11	53	47	40	47	hot
29.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	19	23	23	10	53	40	48	47	hot					

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - APRIL, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	28	12	23	2	43	38	18	33	clear		
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	22	11	19	2	35	34	16	28	clear	
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	10	17	2	30	27	14	24	p.clear	
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	38	11	24	4	31	52	17	33	clear
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	23	9	24	2	52	34	16	34	clear
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	34	14	26	8	44	45	21	37	clear
					27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	34	10	22	8	32	43	15	30	clear
					29.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	18	9	14	4	22	26	12	20	clear
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	29	14	25	**	49	39	25	38	clear		
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	23	14	23	**	45	34	21	33	clear	
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	33	19	33	**	55	41	25	40	p.clear	
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	33	14	26	**	40	44	19	34	clear
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	38	17	33	**	64	51	25	47	clear
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	47	34	42	**	55	59	42	52	clear
					27.5.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	34	16	27	**	44	47	23	38	clear
					29.5.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	36	18	28	**	45	51	26	40	clear
737	Dawrpui	Commercial	Aizawl	Mizoram	4.4.22	2	2	2	2	2	2	2.0	16.1	22.1	20.1	13.4	10.1	4.5	15.0	155	130	83	123	52	284	263	188	245	clear				
					6.4.22	2	2	2	2	2	2	2.0	14.7	20.1	23.5	14.7	16.8	10.1	16.6	130	117	92	113	52	268	233	167	223	clear				
					11.4.22	2	2	2	2	2	2	2.0	4.5	10.1	14.8	13.4	12.4	4.5	10.6	113	103	83	100	33	213	220	175	203	clear				
					13.4.22	2	2	2	2	2	2	2.0	9.4	12.1	18.1	20.8	12.1	4.5	13.2	147	132	88	122	44	267	229	186	237	clear				
					18.4.22	2	2	2	2	2	2	2.0	12.1	16.8	22.1	18.8	12.1	4.5	15.0	130	110	88	109	41	263	230	185	226	clear				
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	39	27	32	12	63	98	60	74	rainy	
					25.4.22	2	2	2	2	2	2	2.0	16.8	22.1	27.5	25.8	9.4	12.1	18.9	203	247	264	238	75	372	509	533	471	clear				
					27.4.22	2	2	2	2	2	2	2.0	12.7	18.8	23.5	23.5	16.1	13.4	18.0	233	184	115	177	48	428	379	248	352	clear				
738	Lengpui	Residential	Aizawl	Mizoram	4.3.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	56	52	54	21	74	76	66	72	clear		
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	81	65	64	70	30	102	83	64	83	clear	
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	39	29	37	12	56	53	48	52	p.clear	
					13.4.22	2	2	2	2	2	2	2.0	16.2	17.1	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	72	59	30	54	20	96	71	32	66	p.clear	
					18.4.22	2	2	2	2	2	2	2.0	15.4	18.1	14.8	11.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	37	29	36	16	62	58	43	54	clear
					20.4.22	2	2	2	2	2	2	2.0	10.1	11.2	9.7	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	35	27	33	15	60	53	40	51	rainy
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	88	83	80	84	43	104	120	95	106	clear
					27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	68	56	54	59	32	75	66	58	66	hot

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - APRIL, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
1014	New Siaha	Commercial	Siaha	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	73	92	63	76	154	198	121	158	clear		
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	55	67	59	110	114	125	117	clear	
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	50	46	46	90	115	106	103	p.clear	
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	52	50	58	53	90	88	74	84	clear
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	60	54	50	92	133	121	115	p.clear
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	44	13	26	65	101	46	71	p.clear
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	58	52	44	51	102	58	73	87	clear
					27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	54	43	52	50	106	72	76	85	clear
1015	ECM Vaih	Residential	Siaha	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	60	69	69	66	121	158	108	129	clear		
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	54	69	60	61	98	135	112	115	clear	
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	30	13	22	67	93	31	64	p.clear	
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	50	41	45	92	106	79	92	clear
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	53	25	41	102	111	48	87	clear
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	22	15	18	71	59	48	59	clear
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	37	15	27	76	83	46	68	clear
					27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	42	23	33	97	88	63	82	clear
1016	Bazar Veng	Commercial	Mamit	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	31	33	30	58	56	56	57	clear		
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	33	27	30	54	60	50	55	clear	
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	29	25	27	50	56	52	53	rainy	
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	29	23	28	56	56	52	55	clear
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	33	27	30	54	60	50	55	p.clear
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	35	29	31	52	65	56	58	rainy
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	33	27	31	67	62	54	61	clear
					27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	25	33	29	60	54	65	60	clear
1017	Lungsir Veng	Residential	Mamit	Mizoram	1.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	36	27	30	52	69	54	59	clear		
					4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	33	27	30	32	69	46	56	clear	
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	36	23	28	45	64	42	50	clear	
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	23	21	26	45	61	40	49	rainy
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	33	25	29	52	69	44	55	clear
					15.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	33	27	29	52	67	48	56	clear
					16.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	31	27	28	52	67	52	57	clear
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	36	25	29	50	69	46	55	clear
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	31	21	25	47	64	42	51	rainy
25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	33	25	28	50	64	46	53	clear					

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - APRIL, 2022


Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
1018	Bazar Veng	Commercial	Serchhip	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	50	21	37	58	63	35	52	clear		
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	31	35	35	92	58	71	74	clear	
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	13	21	21	60	40	67	55	clear	
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	42	58	48	71	98	92	87	clear
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	15	33	27	58	58	46	54	clear
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	8	17	10	13	15	29	19	rainy
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	43	43	42	48	61	58	56	clear
					27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	14	35	24	49	31	54	45	clear
1019	P & E Veng	Residential	Serchhip	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	40	29	37	81	67	71	73	clear		
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	44	38	44	81	69	77	76	clear	
					13.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	31	48	40	69	81	85	78	clear	
					11.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	17	21	22	44	48	50	47	clear
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	13	19	20	46	38	54	46	clear
					20.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	10	15	10	10	19	25	18	rainy
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	17	23	22	52	50	44	49	clear
					27.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	40	48	40	54	81	81	72	clear
1020	L-IV, Chandmary	Commercial	Lawngtlai	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	35	29	32	58	60	52	57	clear		
					5.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	31	27	31	62	56	58	59	clear	
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	33	29	31	56	65	62	61	clear	
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	40	39	37	50	59	42	51	clear
					19.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	32	24	25	42	55	52	50	clear
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	45	37	38	60	75	57	64	clear
					26.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	40	32	34	62	72	65	66	clear
					28.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	32	29	30	40	60	55	52	clear
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram	4.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	31	33	30	46	58	62	56	clear		
					5.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	27	23	24	40	56	54	50	clear	
					6.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	31	29	28	46	58	52	52	clear	
					18.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	31	35	31	50	56	56	54	clear
					19.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	23	21	21	40	48	50	46	clear
					25.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	35	31	31	52	65	54	57	clear
					26.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	35	38	34	54	67	71	64	clear
					27.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	27	31	28	42	50	60	51	clear
28.4.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	29	27	26	44	54	58	52	clear					

* = Monitoring not yet started.

** = No Monitoring due to Machine Failure.

Analysts :

Scientist -in-charge :



Member Secretary :

