

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM

MONTH : DECEMBER, YEAR : 2022

Station Code	Name of monitoring Station	Area class	City	State Name	Sampling Date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
450	Khatla	Residential	Aizawl	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	45	35	40	10	75	87	68	77	clear			
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	45	35	40	10	77	85	68	77	clear	
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	47	35	42	10	81	89	67	79	clear	
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	46	35	41	10	81	86	67	78	clear	
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	43	35	39	10	77	83	65	75	clear	
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	40	32	36	10	71	77	62	70	clear
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	45	38	42	10	79	85	70	78	clear
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	43	35	39	10	72	85	64	74	clear
					26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	40	32	36	10	71	78	62	70	clear
31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	46	37	42	**	81	88	71	80	clear					
451	Laipuitlang	Residential	Aizawl	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	39	34	15	29	**	60	51	23	45	clear			
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	54	28	13	32	**	84	56	21	54	clear	
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	53	45	18	39	**	79	70	27	59	clear	
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	54	51	34	46	**	82	72	49	68	clear
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	43	28	41	**	87	75	49	70	clear
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	39	26	15	27	**	61	43	24	43	clear
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	32	26	31	**	55	47	33	45	clear
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	49	43	30	41	**	81	67	45	64	clear
					26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	54	58	38	50	**	76	86	57	73	clear
31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	52	71	105	79	**	81	109	157	115	clear					
452	Bawngkawn	Commercial	Aizawl	Mizoram	5.12.22	2	2	2	2	2	2	2.0	23.4	19.4	14.7	20.1	8.7	3.3	14.9	139	95	43	93	12	213	163	68	148	clear				
					7.12.22	2	2	2	2	2	2	2.0	25	17	15	24	11	4.5	16.5	139	139	64	114	11	217	215	102	178	clear				
					12.12.22	2	2	2	2	2	2	2.0	23.4	14	14.7	19.4	4.5	4.5	14.1	123	96	80	100	33	200	173	136	170	clear				
					14.12.22	2	2	2	2	2	2	2.0	24.8	14	14.7	21.4	12	4.5	15.7	191	103	155	150	75	272	181	211	222	clear				
					19.12.22	2	2	2	2	2	2	2.0	26.8	21.4	18.1	25.4	12	6	18.2	128	112	75	105	35	210	187	111	169	clear				
					21.12.22	2	2	2	2	2	2	2.0	24.1	21.4	18.7	23.4	14	7	18.1	135	111	93	113	23	221	184	141	182	clear				
					24.12.22	2	2	2	2	2	2	2.0	25.4	21.4	18.1	18.7	14	7.3	14.3	154	103	120	125	25	237	162	189	196	clear				
					25.12.22	2	2	2	2	2	2	2.0	24.1	16.7	11.4	13.4	10	5.3	13.4	131	72	103	102	20	212	125	173	170	clear				
					26.12.22	2	2	2	2	2	2	2.0	23.4	14.7	17.4	25.4	11.4	6	16.3	119	155	144	139	57	181	234	212	209	clear				
31.12.22	2	2	2	2	2	2	2.0	22.1	18.7	17.4	23.4	13.4	8	17.1	194	213	159	189	81	274	301	219	265	clear									

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - DECEMBER, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
731	Champhai Kahrawt	Residential	Champhai	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	23	8	16	7	42	50	17	36	clear			
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	21	6	15	6	43	48	10	33	clear		
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	17	11	14	5	32	38	28	32	clear		
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	23	8	15	6	36	48	21	35	clear	
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	19	10	15	6	36	46	25	35	clear	
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	22	7	14	6	35	49	22	35	clear	
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	25	9	17	6	41	55	31	42	clear	
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	29	15	22	6	47	63	35	48	clear	
					26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	25	11	18	6	39	55	27	40	clear	
31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	26	11	19	7	48	59	26	44	clear						
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	48	26	37	17	84	104	58	82	clear			
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	48	26	38	16	88	104	60	84	clear		
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	48	28	38	16	90	106	66	87	clear		
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	50	28	40	17	92	110	64	88	clear	
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	48	26	38	17	88	104	60	84	clear	
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	50	26	38	18	88	110	60	86	clear	
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	50	28	40	19	88	110	64	87	clear
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	48	24	36	17	80	100	56	78	clear	
					26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	52	30	40	18	84	116	68	89	clear	
31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	50	22	40	17	84	112	74	90	clear						
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	2.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	25	13	22	6	61	54	27	48	clear			
					3.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	19	27	24	11	53	41	57	50	clear		
					5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	21	17	20	10	49	45	36	43	clear		
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	11	17	6	47	44	28	40	clear	
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	27	13	23	7	62	59	29	50	clear	
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	27	13	23	7	61	56	32	50	clear	
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	27	13	23	7	59	58	30	49	clear	
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	27	11	22	7	62	56	25	48	clear	
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	27	13	22	7	58	56	32	48	clear
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	21	13	20	7	57	48	29	45	clear	
					26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	19	13	19	7	53	44	30	42	cold	
31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	27	13	23	7	62	56	30	49	cold						

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - DECEMBER, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	3.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	19	27	24	11	53	41	57	50	clear
					5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	21	17	20	10	49	45	36	43	clear
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	23	23	11	45	53	48	49	clear
					10.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	23	27	22	11	32	48	57	46	clear
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	30	23	26	11	53	62	49	55	clear
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	15	19	20	10	53	32	40	42	clear
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	23	19	21	11	45	49	40	45	clear
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	19	22	10	53	45	40	46	clear
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	19	23	22	10	53	41	49	48	clear
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	15	21	21	10	57	32	44	44	calm
26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	30	23	27	12	57	62	49	56	clear					
31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	25	31	24	12	36	53	65	51	clear					
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	15	10	13	4	23	24	14	20	clear
					8.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	14	8	14	9	31	22	13	22	clear
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	17	7	13	4	29	27	12	23	clear
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	11	17	4	36	21	19	25	clear
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	37	36	35	7	53	70	56	60	clear
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	19	9	14	5	25	29	15	23	clear
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	22	9	17	6	29	22	14	22	clear
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	10	7	10	4	18	18	11	16	clear
					26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	14	7	12	8	24	22	13	20	clear
31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	17	9	14	4	26	28	15	23	clear					
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	18	13	17	**	35	32	18	28	clear
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	14	20	**	35	43	24	34	clear
					16.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	20	10	15	**	24	31	17	24	clear
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	23	14	21	**	44	40	22	35	clear
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	19	9	15	**	26	30	14	23	clear
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	27	11	19	**	28	41	19	29	clear
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	18	8	14	**	25	26	12	21	clear
					26.12.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	19	9	15	**	25	29	14	23	clear
28.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	18	10	15	**	24	27	17	23	clear					
31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	24	17	20	**	32	39	25	32	clear					

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - DECEMBER, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition					
737	Dawrpui	Commercial	Aizawl	Mizoram	5.12.22	2	2	2	2	2	2	2.0	18.8	24.9	23.5	16.2	20.1	6.7	18.4	88	68	31	63	2	153	121	76	117	clear				
					7.12.22	2	2	2	2	2	2	2.0	14.7	24.9	20.1	16.2	23.5	9.4	18.1	58	79	32	56	**	103	117	58	93	clear				
					12.12.22	2	2	2	2	2	2	2.0	16.8	25.5	22.2	14.1	20.1	10.1	18.1	90	76	68	78	22	158	146	121	142	clear				
					14.12.22	2	2	2	2	2	2	2.0	19.7	12.1	22.1	20.2	12.1	10.1	16.1	84	63	85	77	20	123	127	125	125	clear				
					19.12.22	2	2	2	2	2	2	2.0	16.8	13.5	24.8	14.8	20.2	14.7	17.5	94	38	80	70	3	148	85	132	122	clear				
					21.12.22	2	2	2	2	2	2	2.0	18.8	14.8	13.5	23.5	20.1	11.4	17.0	57	57	48	54	2	104	90	80	91	clear				
					24.12.22	2	2	2	2	2	2	2.0	16.1	14.8	12.1	23.5	20.2	16.1	17.1	88	68	69	75	6	145	129	122	132	clear				
					25.12.22	2	2	2	2	2	2	2.0	12.1	18.8	22.1	9.4	20.1	9.4	15.3	90	80	88	86	4	151	145	159	151	clear				
					26.12.22	2	2	2	2	2	2	2.0	14.7	20.2	16.8	13.4	6.7	3.3	12.5	110	84	96	92	3	189	154	160	168	clear				
					31.12.22	2	2	2	2	2	2	2.0	12.1	13.4	16.8	24.3	20.2	10.7	16.2	119	133	139	130	1	225	227	225	225	clear				
738	Lengpui	Residential	Aizawl	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	16	17	17	11	31	30	29	30	clear			
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	25	23	25	17	43	40	36	40	clear	
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	54	52	51	52	36	73	71	68	70	clear	
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	58	53	48	53	43	77	74	64	72	clear	
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	34	29	33	20	47	46	37	43	clear	
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	46	44	46	26	66	65	60	63	clear
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	47	30	34	32	42	66	49	53	clear
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	67	49	55	34	81	92	63	79	clear
					26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	73	78	68	73	56	97	101	81	93	p.clear
					31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	66	59	48	58	38	77	75	56	70	clear
1014	New Siaha	Commercial	Siaha	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	35	23	28		60	87	46	64	clear			
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	34	21	27		63	81	51	65	clear	
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	13	8	14		39	42	25	35	p.clear	
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	37	10	23		50	84	27	54	clear	
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	40	12	26		59	94	29	61	clear	
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	38	8	21		46	84	27	52	clear
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	37	28	31		60	84	56	67	clear
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	55	32	43		89	118	64	90	clear
26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	75	64	21	53		158	156	66	126	clear					
31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	32	17	27		60	60	32	51	clear					

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - DECEMBER, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
1015	ECM Vaih	Residential	Siaha	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	34	19	28	75	79	54	69	clear			
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	27	23	24	71	67	56	65	clear	
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	31	19	27	83	73	52	69	clear	
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	38	17	24	58	90	42	63	clear	
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	22	10	46	48	64	27	46	clear	
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	39	6	22	48	76	23	49	clear
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	30	14	21	47	69	32	49	clear
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	70	107	76	97	151	151	133	clear
					26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	60	81	72	71	127	153	132	137	clear
					28.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	46	21	36	102	104	44	83	clear
31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	33	60	43	96	79	127	101	clear					
1016	Bazar Veng	Commercial	Mamit	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	27	19	24	54	40	42	45	clear			
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	21	24	54	48	40	47	clear		
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	19	23	50	44	35	43	clear	
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	25	23	27	60	52	48	53	clear	
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	29	26	50	48	52	50	clear	
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	25	21	24	50	54	44	49	clear
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	27	25	25	50	56	52	53	clear
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	27	29	29	58	50	54	54	clear
					26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	27	29	29	58	50	54	54	p.clear
					31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	33	21	27	56	65	44	55	clear
1017	Lungsir Veng	Residential	Mamit	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	22	17	21	45	42	31	39	clear			
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	25	19	21	43	56	38	33	clear		
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	28	21	23	40	53	37	44	clear	
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	22	19	22	48	44	44	44	clear	
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	22	19	22	48	44	44	44	clear	
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	22	17	22	45	38	31	38	clear	
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	22	17	21	40	36	27	34	clear
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	22	17	22	45	39	31	38	clear
					26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	19	17	21	45	36	29	37	clear
31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	22	17	21	45	44	31	40	clear					

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - DECEMBER, 2022

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition			
1018	Bazar Veng	Commercial	Serchhip	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	10	19	14	31	21	29	27	clear			
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	15	10	12	23	31	27	27	clear			
					Monitoring not done due to machine failure																										
1019	P & E Veng	Residential	Serchhip	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	8	13	12	38	27	42	35	clear			
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	19	17	15	35	40	44	40	clear			
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	15	13	12	31	31	31	31	clear			
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	21	10	16	37	40	25	34	clear			
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	13	13	11	27	38	31	32	p.clear			
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	15	17	14	27	29	37	31	clear			
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	19	23	19	33	52	48	44	clear			
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	17	15	15	29	42	35	35	clear			
					26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	15	21	17	35	38	42	38	clear			
					28.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	13	17	12	23	31	40	31	cloudy			
31.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	15	19	15	29	35	40	35	p.clear								
1020	L-IV, Chandmary	Commercial	Lawngtlai	Mizoram	5.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	51	44	47	61	80	63	68	clear			
					7.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	36	29	32	58	60	58	59	clear			
					12.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	57	42	45	58	84	72	71	clear			
					14.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	49	29	39	69	83	51	68	clear			
					19.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	32	19	24	46	64	47	53	clear			
					21.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	37	22	28	51	72	44	56	clear			
					24.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	32	27	27	47	64	52	54	clear			
					25.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	42	48	41	68	90	84	81	clear			
26.12.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	42	24	32	62	78	51	64	clear								
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram		Monitoring not done due to machine failure																									
						Monitoring not done due to machine failure																									
						Monitoring not done due to machine failure																									
						Monitoring not done due to machine failure																									
						Monitoring not done due to machine failure																									

* = Monitoring not yet started.
 ** = No Monitoring due to Machine Failure.

Analysts :

Scientist -in-charge :



Member Secretary :


