

Ambient Air Quality Data NAMP Stations in Mizoram February 2021

MONTH: FEBRUARY

YEAR: 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	
450	Khatla	Residential	Aizawl	Mizoram	1.2.21	0.8	2.4	1.6	2	0.4	2	2.0	5.4	8.7	6.7	3.4	1.3	4.5	4.5	25	31	17	24	39	51	25	38	clear	
					3.2.21	2	1.6	0.8	2	2	2	2.0	5.4	8	4	1.3	4.5	4.5	4.5	4.5	26	32	19	26	43	54	31	43	clear
					8.2.21	0.8	1.6	2	0.4	2	2	2.0	5.4	8	9.4	4	1.3	4.5	4.5	4.5	28	33	20	27	51	78	37	55	clear
					10.2.21	0.8	2.4	1.6	0.4	2	2	2.0	6	9.4	7.4	3.4	1.3	4.5	4.5	4.5	28	33	19	27	50	56	35	47	clear
					15.2.21	0.4	1.6	0.8	2	2	2	2.0	6.7	9.4	7.4	4.7	2	4.5	4.5	4.5	30	33	20	28	53	59	36	49	clear
					17.2.21	0.8	2.4	1.6	2	0.4	2	2.0	7.4	10.1	8.7	4.7	2.7	4.5	4.5	4.5	28	34	17	26	40	59	26	42	clear
					22.2.21	1.2	3.2	2	0.4	2	2	2.0	5.4	8.7	10.1	3.4	1.3	4.5	4.5	4.5	28	33	19	27	48	56	33	46	clear
24.2.21	2.4	3.2	1.6	2	0.8	2	2.0	6.7	10.1	8	4	1.3	4.5	4.5	4.5	35	40	32	36	64	72	56	64	clear					
451	Laipuitlang	Residential	Aizawl	Mizoram	1.2.21	2	2	2	2	2	2	2.0	2.01	2.68	3.35	4.09	2.01	2.01	4.5	34	41	10	28	59	73	17	50	clear	
					3.2.21	2	2	2	2	2	2	2.0	1.34	3.35	2.68	4.69	2	2	4.5	25	29	14	23	37	48	19	35	clear	
					8.2.21	2	2	2	2	2	2	2.0	2.68	5.36	4.89	4.8	2.01	2.01	4.5	31	36	21	29	50	61	30	47	clear	
					10.2.21	2	2	2	2	2	2	2.0	2.01	4	3.35	5.36	2.25	2.25	4.5	27	31	18	25	39	48	25	37	clear	
					15.2.21	2	2	2	2	2	2	2.0	2.01	3.35	5.36	4	1.34	1.34	4.5	19	32	17	23	38	54	29	40	clear	
					17.2.21	2	2	2	2	2	2	2.0	2.68	4.64	5.36	5.36	2.01	2.17	4.5	32	36	11	26	56	61	18	45	clear	
					22.2.21	2	2	2	2	2	2	2.0	2.01	5.36	6.03	4.06	2.01	2.01	4.5	34	31	21	31	58	62	33	51	clear	
24.2.21	0.8	1.6	0.8	1.2	2	2	2.0	2.68	6.03	6.7	4.04	2.01	2.01	4.5	36	41	26	34	61	70	40	57	clear						
452	Bawngkawn	Residential	Aizawl	Mizoram	1.2.21	2	2	2	2	2	2	2.0	16.7	18.1	9.3	10.7	2	2	9.8	138	78	82	99	362	198	131	230	clear	
					3.2.21	2	2	2	2	2	2	2.0	15.4	16.7	12	10	6	6	11.0	103	75	95	91	220	198	168	195	clear	
					8.2.21	2	2	2	2	2	2	2.0	6.7	6	5.3	4.6	8.7	8.7	4.5	81	79	67	76	175	168	170	171	clear	
					10.2.21	2	2	2	2	2	2	2.0	16	15.4	8	7.3	4.5	4.5	4.5	85	57	51	64	63	119	22	68	clear	
					15.2.21	2	2	2	2	2	2	2.0	17.4	16.7	12.7	12	8	8	12.4	123	74	88	95	340	139	174	214	clear	
					17.2.21	2	2	2	2	2	2	2.0	15.4	14	12	10.7	6	6	10.6	99	71	98	90	231	153	151	178	clear	
					22.2.21	2	2	2	2	2	2	2.0	14	12.7	13.7	14.7	8	8	11.8	83	79	67	76	160	215	83	153	clear	
24.2.21	2	2	2	2	2	2	2.0	20.7	19.4	16.7	18.1	12.7	12.7	16.7	154	131	60	115	94	85	52	77	clear						
731	Champhai Kahrawt	Residential	Champhai	Mizoram	1.2.21	2	2	1.24	0.81	2	2	2.0	4.5	4.5	2.36	4.5	4.5	4.5	4.5	21	20	9	16	43	41	19	34	clear	
					3.2.21	2	2	1.21	0.73	2	2	2.0	4.5	4.5	2.68	0.68	4.5	4.5	4.5	4.5	20	18	8	15	42	36	20	32	clear
					8.2.21	2	2	1.33	2	2	2	2.0	4.5	4.5	2.39	1.31	4.5	4.5	4.5	4.5	22	19	11	17	46	40	20	35	clear
					10.2.21	2	2	2	2	2	2	2.0	4.5	4.5	2.18	0.76	4.5	4.5	4.5	4.5	20	21	9	16	43	42	19	34	clear
					15.2.21	2	2	1.67	0.75	2	2	2.0	4.5	4.5	2.85	4.5	4.5	4.5	4.5	4.5	12	16	10	12	37	36	22	31	clear
					17.2.21	2	2	1.82	0.63	2	2	2.0	4.5	4.5	2.03	2.01	4.5	4.5	4.5	4.5	17	20	8	15	38	41	18	32	clear
					22.2.21	2	2	1.24	1.03	2	2	2.0	4.5	4.5	2.29	1.34	0.95	2	4.5	4.5	15	19	7	13	35	42	16	31	clear
24.2.21	2	2	1.36	0.82	2	2	2.0	4.5	4.5	2.12	1.06	0.64	4.5	4.5	4.5	19	18	6	14	41	38	14	31	clear					

Ambient Air Quality Data NAMP Stations in Mizoram February 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	1.2.21	2	1.19	0.8	2	0.8	2	2.0	4.5	1.3	2	4.5	1.3	4.5	4.5	34	42	26	34	70	86	54	70	clear	
					3.2.21	2	1.19	0.8	1.2	2	2	2.0	4.5	2	4.5	1.37	1.3	4.5	4.5	34	43	26	23	70	89	56	71	clear	
					8.2.21	2	0.8	1.19	2	0.8	2	2.0	4.5	1.37	4.5	2	4.5	4.5	4.5	34	42	24	33	70	86	52	69	clear	
					10.2.21	2	0.8	1.19	2	2	2	2.0	4.5	2	4.5	1.37	4.5	4.5	4.5	34	40	24	32	70	82	52	68	clear	
					15.2.21	2	1.19	2	0.8	2	2	2.0	4.5	2	1.37	4.5	2	4.5	4.5	32	36	22	30	66	74	46	62	clear	
					17.2.21	2	0.8	0.81	2	1.19	2	2.0	4.5	1.37	4.5	1.37	2	4.5	4.5	34	36	20	30	70	76	44	63	clear	
					22.2.21	2	0.8	0.81	2	1.19	2	2.0	4.5	2	4.5	3.4	4.5	4.5	4.5	32	40	22	31	68	84	46	66	clear	
24.2.21	2	0.74	0.8	2	2	2	2.0	4.5	2	4.5	2.7	4.5	4.5	4.5	34	40	20	31	70	82	44	65	clear						
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	1.2.21	2	2	2	2	2	2	2.0	1.99	2.03	1.4	4.5	4.5	1.39	4.5	23	14	10	16	50	34	26	36	clear	
					3.2.21	2	2	2	2	2	2	2.0	2.08	2.15	1.4	4.5	4.5	4.5	4.5	21	14	8	14	46	31	20	32	clear	
					8.2.21	2	2	2	2	2	2	2.0	2.09	2.06	1.38	4.5	4.5	0.73	4.5	22	17	14	18	48	41	34	41	clear	
					10.2.21	2	2	2	2	2	2	2.0	1.4	2.09	1.46	0.68	4.5	4.5	4.5	25	18	12	18	53	43	30	42	clear	
					15.2.21	2	2	2	2	2	2	2.0	2.07	2.78	2.05	1.41	0.69	1.38	4.5	22	17	12	17	51	40	27	39	clear	
					17.2.21	2	0.41	2	2	2	2	2.0	2.73	2.79	2.1	1.49	0.74	0.76	4.5	24	17	12	18	52	42	37	40	clear	
					22.2.21	2	2	2	2	2	2	2.0	1.97	2.71	2.79	2.07	1.36	1.36	4.5	25	19	14	19	55	46	36	46	clear	
24.2.21	2	2	2	2	2	2	2.0	2.07	2.75	2.76	1.39	1.49	2.2	4.5	22	19	12	18	48	40	28	39	clear						
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	01.2.21	0.5	0.88	0.79	1.08	0.39	0.76	2.0	1.61	0.68	1.35	1.85	1.34	1.29	4.5	21	28	34	27	43	57	66	55	cold	
					3.2.21	2	0.44	0.79	0.39	0.79	0.83	2.0	1.36	0.68	1.84	1.29	1.34	0.67	4.5	14	24	29	22	30	47	56	44	clear	
					8.2.21	2	2	2	2	2	2	2.0	1.36	0.85	0.67	1.35	4.5	4.5	4.5	21	29	12	21	40	56	24	40	clear	
					10.2.21	2	0.72	0.39	0.83	2	2	2.0	1.35	1.23	1.84	1.35	4.5	4.5	4.5	25	21	30	25	48	43	59	50	clear	
					15.2.21	0.8	1.09	1.13	0.79	1.19	0.79	2.0	1.37	2.27	1.85	1.23	1.35	2.03	4.5	29	31	24	28	56	60	50	55	clear	
					17.2.21	2	2	0.44	0.79	0.39	0.79	2.0	4.5	1.44	1.35	1.85	2.02	1.84	4.5	24	29	32	28	50	59	63	57	clear	
					22.2.21	2	1.01	1.14	0.8	1.19	0.76	2.0	1.36	1.38	2.47	1.87	1.36	1.86	4.5	21	24	29	25	40	47	56	48	clear	
24.2.21	2	2	2	0.8	0.79	0.4	2.0	4.5	4.5	0.69	1.37	1.36	0.68	4.5	8	29	24	20	19	61	50	43	clear						
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	1.2.21	2	2	2	2	2	2	2.0	4.5	4.5	2.68	2.01	4.5	4.5	4.5	2	15	4	7	7	34	12	17	clear	
					3.2.21	2	2	2	2	2	2	2.0	0.367	1.34	4.5	4.5	0.67	0.67	4.5	8	16	4	10	19	35	9	21	clear	
					8.2.21	2	2	2	2	2	2	2.0	4.5	1.34	2.68	2.68	4.5	4.5	4.5	10	15	5	10	24	34	14	24	clear	
					10.2.21	2	2	2	2	2	2	2.0	4.5	1.34	2.68	4.5	4.5	4.5	4.5	9	16	4	10	18	32	11	10	clear	
					15.2.21	2	2	2	2	2	2	2.0	4.5	0.67	2.68	2.68	4.5	4.5	4.5	9	18	4	11	17	39	10	21	clear	
					17.2.21	2	1.18	0.78	2	2	2	2.0	4.5	1.34	2.01	0.67	4.5	4.5	4.5	7	18	7	11	19	35	11	22	clear	
					22.2.21	2	2	2	2	2	2	2.0	4.5	2.01	0.67	0.67	4.5	4.5	4.5	8	14	4	8	18	34	8	20	clear	
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	1.2.21	2	2	2	2	2	2	2.0	2.01	3.35	1.34	4.5	4.5	4.5	4.5	10	17	6	11	23	46	14	14	clear	
					3.2.21	2	1.18	0.39	2	2	2	2.0	4.5	3.35	1.34	2.68	1.34	1.34	4.5	14	20	6	13	29	48	15	31	clear	
					8.2.21	2	2	2	2	2	2	2.0	1.34	2.01	2.01	3.35	0.67	0.67	4.5	11	17	5	11	25	48	10	28	clear	
					10.2.21	2	2	2	2	2	2	2.0	0.67	3.35	4.5	4.5	4.5	4.5	4.5	11	18	6	12	26	50	16	30	clear	
					15.2.21	2	2	2	2	2	2	2.0	3.35	0.67	1.34	4.5	4.5	4.5	4.5	10	18	2	10	28	49	9	28	clear	
					17.2.21	2	2	2	2	2	2	2.0	2.68	3.35	4.5	4.5	0.67	4.5	4.5	4.5	14	22	6	14	30	56	12	33	clear
					22.2.21	1.57	0.78	0.39	2	2	2	2.0	2.01	3.35	1.34	4.5	67	0.67	4.5	14	20	5	13	33	51	12	32	clear	

Ambient Air Quality Data NAMP Stations in Mizoram February 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	
737	Dawrpui	Commercial	Aizawl	Mizoram	1.2.21	2	2	2	2	2	2	2.0	10.1	14.1	12.1	6.7	2.7	1.3	4.5	92	62	26	60	115	104	53	91	clear	
					3.2.21	2	2	2	2	2	2	2.0	16.8	22.2	18.2	12.1	8.1	5.6	13.8	104	44	53	67	117	77	81	92	clear	
					8.2.21	2	2	2	2	2	2	2.0	12.5	17.5	20.9	19.4	8.1	4.0	13.7	94	56	79	77	115	104	90	103	clear	
					10.2.21	2	2	2	2	2	2	2.0	13.4	20.8	16.2	16.1	22.9	22.8	18.7	84	63	96	81	106	121	106	111	clear	
					15.2.21	2	2	2	2	2	2	2.0	10.7	20.2	21.6	16.1	14.8	6.7	15.0	119	94	92	102	150	145	130	142	clear	
					17.2.21	2	2	2	2	2	2	2.0	12.1	18.2	16.8	18.8	13.5	7.0	14.4	130	84	75	96	155	138	88	127	clear	
					22.2.21	2	2	2	2	2	2	2.0	14.7	18.8	20.8	16.8	10.1	4.7	14.3	67	58	67	64	98	94	98	97	clear	
					24.2.21	2	2	2	2	2	2	2.0	6.7	10.1	22.2	20.8	17.3	13.4	15.1	102	115	95	104	127	153	113	131	clear	
738	Lengpui	Residential	Aizawl	Mizoram	1.2.21	2	2	2	2	2	2	2.0	14.08	10.06	13.41	9.39	6.7	7.37	10.2	68	62	51	61	77	73	53	68	clear	
					3.2.21	2	2	2	2	2	2	2.0	6.7	8.71	10.06	7.37	6.03	6.7	4.5	65	55	32	50	71	62	33	56	clear	
					8.2.21	2	2	2	2	2	2	2.0	8.04	8.71	10.06	8.04	6.7	6.7	4.5	66	57	33	52	73	64	35	57	clear	
					10.2.21	2	2	2	2	2	2	2.0	6.03	6.7	8.04	7.37	6.7	6.03	4.5	57	45	33	45	63	52	35	51	clear	
					15.2.21	2	2	2	2	2	2	2.0	33.53	42.92	42.92	39.57	14.79	13.41	31.2	101	73	91	88	152	103	104	119	clear	
					17.2.21	2	2	2	2	2	2	2.0	6.03	6.7	8.04	7.37	6.7	6.03	4.5	69	68	51	63	109	90	63	87	clear	
					22.2.21	2	2	2	2	2	2	2.0	0.67	1.34	1	0.6	0.53	0.6	4.5	44	62	67	58	61	81	77	75	clear	
					24.2.21	2	2	2	2	2	2	2.0	0.73	2.01	1.34	0.6	0.46	53	4.5	76	76	69	74	86	97	79	87	clear	
1019	P n E	Residential	Serchhip	Mizoram	01.2.21	2	2	2	2	2	2	2.0	5.37	3.35	2.09	0.67	4.02	3.61	4.5	63	20	132	71	179	84	184	149	clear	
					3.2.21	2	2	2	2	2	2	2.0	6.71	4.02	5.37	2.68	4.02	2.68	4.5	77	56	63	65	271	163	108	181	clear	
					8.2.21	2	2	2	2	2	2	2.0	4.69	3.35	5.37	3.35	2.68	2.01	4.5	73	67	69	69	248	183	108	180	clear	
					10.2.21	2	2	2	2	0.39	0.39	2.0	4.69	3.35	4.02	2.68	4.02	3.35	4.5	83	50	40	58	233	154	65	151	clear	
					15.2.21	1.18	0.39	1.18	0.78	2	2	2.0	3.35	2.01	6.03	5.36	2.01	2.68	4.5	100	69	108	92	238	158	144	180	clear	
					17.2.21	0.78	0.39	1.18	2	2	2	2.0	2.01	0.67	2.01	0.67	4.5	4.5	4.5	48	40	71	53	121	108	98	109	clear	
					22.2.21	1.57	0.78	2	2	0.39	0.39	2.0	2.68	1.34	2.01	0.67	0.67	1.34	4.5	77	46	8	47	194	129	62	128	clear	
					24.2.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	0.67	0.67	4.5	110	113	142	122	265	158	201	208	clear	
1018	Bazar	Commercial	Serchhip	Mizoram	1.2.21	2	2	2	2	2	2	2.0	2.01	1.34	4.69	3.35	1.34	1.34	4.5	38	46	29	37	110	119	80	101	clear	
					3.2.21	2	2	2	2	2	2	2.0	3.35	1.34	4.69	2.01	1.34	2.01	4.5	33	54	48	45	83	112	81	92	clear	
					8.2.21	0.39	2	1.18	0.39	2	2	2.0	2.69	2.01	3.35	2.68	1.34	2.01	4.5	67	69	56	64	181	138	131	150	clear	
					10.2.21	0.79	0.39	1.57	0.79	0.39	0.39	2.0	4.69	4.02	6.03	4.69	2.01	3.35	4.5	46	88	25	53	115	110	54	93	clear	
					15.2.21	2	0.39	0.79	2	0.39	2	2.0	5.36	3.35	4.02	2.68	4.69	1.34	4.5	58	113	106	92	188	202	158	183	clear	
					17.2.21	0.39	1.4	2	2	0.39	2	2.0	2.68	3.59	1.34	0.67	1.34	0.67	4.5	58	51	81	63	67	115	90	90	90	clear
					24.2.21	2	2	2	2	2	2	2.0	2.01	0.67	2.68	1.34	1.34	0.67	4.5	90	73	117	93	177	146	144	156	clear	

Ambient Air Quality Data NAMP Stations in Mizoram February 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
1017	Lungsir	Residential	Mamit	Mizoram	1.2.21	1.18	0.78	2	0.39	2	2	2.0	4.02	2.68	1.34	2.68	4.5	4.5	4.5	58	63	39	53	92	206	59	119	clear
					3.2.21	0.78	0.39	0.78	0.39	0.39	4.5	2.0	3.35	2.68	1.34	0.67	2.01	2.01	4.5	48	56	58	54	123	79	65	89	clear
					8.2.21	0.78	0.39	0.39	2	0.78	2	2.0	2.68	2.01	0.67	0.67	1.34	0.67	4.5	63	52	48	54	135	77	50	87	clear
					10.2.21	0.78	0.39	0.78	2	0.39	0.39	2.0	4.02	2.68	1.34	2.68	1.34	0.67	4.5	51	48	52	53	92	59	52	68	clear
					15.2.21	0.39	0.78	0.78	0.39	0.39	2	2.0	2.68	3.35	1.34	0.67	2.01	1.34	4.5	67	133	67	89	150	217	79	149	clear
					17.2.21	0.39	0.78	0.78	0.78	0.39	0.39	2.0	4.69	3.35	2.01	2.01	1.34	0.67	4.5	40	60	106	69	119	92	115	108	clear
					22.2.21	2	2	0.39	2	2	2	2.0	2.01	3.35	4.69	3.35	1.34	1.34	4.5	63	52	65	60	135	83	75	98	clear
					24.2.21	0.39	0.78	2	0.39	0.39	0.39	2.0	3.35	4.69	4.5	2.01	1.34	0.69	4.5	65	31	73	56	127	63	83	91	clear
1016	Bazar	Commercial	Mamit	Mizoram	1.2.21	2	2	2	2	0.41	2	2.0	3.21	0.74	1.45	2.68	2.23	1.49	4.5	81	94	92	89	175	125	94	131	clear
					3.2.21	2	2	2	2	2	2	2.0	2.57	2.36	3.35	2.68	1.34	0.67	4.5	85	100	60	82	177	121	62	120	clear
					8.2.21	2	2	2	2	2	2	2.0	2.79	2.11	3.15	3.35	2.01	1.34	4.5	60	79	63	67	121	102	69	99	clear
					10.2.21	2	2	2	2	2	2	2.0	3.21	2.23	3.53	2.01	1.34	1.34	4.5	63	77	65	68	127	102	69	99	clear
					15.2.21	2	2	2	2	2	2	2.0	2.79	2.11	2.68	3.35	1.34	0.67	4.5	60	77	60	66	125	98	62	95	clear
					17.2.21	2	2	0.78	0.39	2	2	2.0	3.75	2.23	3.53	3.35	2.68	2.01	4.5	77	94	85	85	156	121	90	122	clear
					22.2.21	2	2	2	2	2	2	2.0	3.91	4.34	1.34	2.68	1.34	0.67	4.5	66	81	65	71	129	117	73	106	clear
					24.2.21	2	2	0.78	2	0.39	0.39	2.0	2.01	2.68	1.34	4.5	4.5	4.5	4.5	75	88	81	81	121	152	100	124	clear
1015	ECM Vaith	Residential	Saiha	Mizoram	01.2.21															43	59	54	52	64	65	58	63	clear
					3.2.21	2	2	2	0.42	2	2	2.0	2.01	4.02	8.72	11.86	4.34	1.38	4.5	48	95	39	61	144	218	82	148	clear
					8.2.21	2	2	2	2	2	2	2.0	3.35	2.01	6.43	10.81	0.67	4.5	4.5	56	73	42	57	183	184	83	150	clear
					10.2.21	2	2	2	0.52	2	2	2.0	3.34	5.36	6.14	8.94	1.34	2.01	4.5	49	101	38	62	160	370	77	202	clear
					15.2.21	1.18	2	0.39	2	2	2	2.0	2.68	4.5	1.34	14.16	8.05	7.38	4.5	102	166	85	118	294	441	158	298	clear
					17.2.21	2	2	2	1.36	2	2	2.0	4.5	2.01	8.58	9.45	23.18	2.68	4.5	66	77	54	66	210	206	95	170	clear
					22.2.21	2	1.57	2	2	2	2	2.0	3.46	3.35	4.2	5.36	1.34	2.01	4.5	59	66	40	55	141	151	90	127	clear
					24.2.21	2	0.85	1.26	2	2	2	2.0	2.68	1.43	3.57	5.36	2.01	1.34	4.5	103	146	79	110	168	194	104	155	clear
1014	New Siaha	Commercial	Saiha	Mizoram	01.2.21															106	84	35	75	131	138	52	107	clear
					3.2.21	2	2	0.82	2	2	2	2.0	10.06	17.76	11.24	8.05	8.05	9.15	10.7	75	62	34	57	133	88	64	95	clear
					8.2.21	2.87	0.27	0.39	0.39	0.39	0.39	2.0	8.4	2.83	5.43	2.68	0.67	0.67	4.5	61	63	38	54	107	110	44	87	clear
					10.2.21	2	0.78	0.39	2	2	2	2.0	6.03	8.04	6.7	3.35	1.62	2.08	4.5	9	17	21	16	32	29	33	31	clear
					15.2.21	2	2	0.42	0.39	2	2	2.0	8.01	9.83	8.01	5.36	3.35	2.68	4.5	12	17	26	18	40	52	57	31	clear
					17.2.21	2	1.18	0.96	2	2	2	2.0	2.01	5.36	6.03	8.04	0.64	1.34	4.5	48	31	47	42	81	94	86	87	clear
					22.2.21	2	0.78	0.39	2	2	2	2.0	3.08	7.37	4.76	5.36	1.34	2.68	4.5	58	48	33	47	78	67	54	66	clear
					24.2.21	2	2.88	2	3.84	2	2	2.0	6.03	6.03	10.73	8.04	2.01	2.79	4.5	96	79	83	86	190	137	134	154	clear

Ambient Air Quality Data NAMP Stations in Mizoram February 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition		
1020	L-IV	Commercial	Lawngtlai	Mizoram	1.2.21	1.96	3.15	3.54	1.57	2	1.18	2.0	11.4	12.74	10.06	4.69	4.5	3.35	4.5	45	48	24	39	87	94	63	82	clear
					3.2.21	0.78	1.18	0.39	0.78	2	0.39	2.0	14.08	19.45	13.41	12.07	4.5	10.06	11.5	88	73	59	74	175	141	104	140	clear
					8.2.21	1.57	1.18	1.18	0.78	2	1.18	2.0	15.08	17.43	14.08	10.73	4.5	9.39	11.1	91	52	44	62	164	111	96	120	clear
					10.2.21	3.15	4.33	3.54	3.54	3.54	2	2.0	14.08	4.69	12.07	4.69	2.01	4.5	4.5	90	116	90	99	367	296	211	291	clear
					15.2.21	1.96	1.57	1.57	1.18	1.18	2	2.0	8.04	6.7	8.04	4.02	2.68	4.5	4.5	83	100	33	72	266	340	81	228	clear
					17.2.21	3.15	2.36	3.15	2.36	1.57	2	2.0	16.76	12.07	11.4	9.39	4.69	4.5	9.0	123	150	185	153	423	562	389	458	clear
					22.2.21	1.57	2.36	1.41	1.41	1.41	2	2.0	6.02	4.02	4.02	4.02	2.68	4.5	4.5	150	202	135	162	602	495	300	466	clear
					24.2.21	3.54	2.75	2.36	1.57	1.57	2	2.0	6.03	6.03	5.36	4.02	4.02	4.5	4.5	148	206	106	158	279	377	275	311	clear
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram																								
					03.1.21	0.78	1.18	39	2	2	0.78	2.0	12.07	14.08	1073	5.36	4.5	4.02	4.5	82	56	41	59	145	122	91	120	clear
					8.2.21	1.18	1.18	0.39	0.78	2	1.18	2.0	10.73	15.42	9.39	6.03	4.5	4.02	4.5	53	68	38	53	104	144	83	110	clear
					10.2.21	3.54	2.75	2.36	1.96	1.57	2	2.0	10.06	4.69	4.02	3.35	2.01	4.5	4.5	142	93	50	95	265	464	202	310	clear
					15.2.21	1.96	1.96	2.36	1.18	1.8	2	2.0	8.71	6.03	1.34	10.06	2.01	4.5	4.5	238	204	71	171	900	489	127	505	clear
					17.2.21	2.75	3.15	1.96	1.96	1.81	2	2.0	12.74	16.09	14.08	7.37	4.69	4.5	4.5	138	156	85	126	685	483	125	431	clear
					22.2.21	0.03	2	0.03	0.07	2	2	2.0	4.02	4.02	2.68	4.5	4.5	4.5	4.5	135	148	90	141	606	550	267	458	clear
24.2.21	3.54	3.15	2.75	1.96	1.96	2	2.0	11.41	9.39	14.08	10.73	6.03	4.5	4.5	152	298	113	188	667	565	315	515	clear					

Scientist-in-charge : 

Member Secretary : 



Source: Mizoram Pollution Control Board

