

**AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM**

**MONTH : FEBRUARY, YEAR : 2022**

Station Code	Name of monitoring Station	Area class	City	State Name	Sampling Date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average of SO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average of NO <sub>2</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	24 Hrs. Average - PM <sub>10</sub>	24 Hourly Value of PM <sub>2.5</sub>	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
450	Khatla	Residential	Aizawl	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	39	29	34	13	62	70	51	61	clear			
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	41	64	45	10	64	73	132	90	clear	
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	42	32	37	9	73	80	59	71	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	40	32	36	19	70	77	59	69	clear	
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	40	30	35	24	65	75	53	64	clear	
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	42	30	36	11	65	79	55	66	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	42	32	37	19	72	75	59	69	clear
28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	42	27	35	24	67	77	49	64	clear					
451	Laipuitlang	Residential	Aizawl	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	35	18	31	**	75	68	27	57	clear			
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	43	31	41	**	106	102	51	86	clear		
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	58	51	24	44	**	102	88	38	76	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	55	61	24	47	**	123	139	69	110	clear	
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	53	28	42	**	97	113	47	86	clear	
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	53	61	31	48	**	97	114	48	87	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	36	29	38	**	104	61	48	71	clear
28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	49	35	47	**	97	80	56	78	clear					
452	Bawngkawn	Commercial	Aizawl	Mizoram	2.2.22	2	2	2	2	2	2	2.0	23.4	18.7	11.4	23	12	10	16.4	183	82	71	112	33	275	149	108	177	clear				
					7.2.22	2	2	2	2	2	2	2.0	39.4	8.7	10	16.7	4.5	4.5	12.9	68	75	65	70	30	142	110	96	116	clear				
					9.2.22	2	2	2	2	2	2	2.0	21.4	8.7	10	24.1	4.5	4.5	11.4	83	85	60	76	38	156	152	85	131	clear				
					14.2.22	2	2	2	2	2	2	2.0	25.5	14	12	18.7	4.5	4.5	12.5	109	73	44	75	20	191	112	67	123	clear				
					16.2.22	2	2	2	2	2	2	2.0	20.7	16.7	10.7	24.6	7.1	4.5	13.8	83	69	50	67	**	147	116	69	111	clear				
					21.2.22	2	2	2	2	2	2	2.0	4.5	14.7	12	16.7	4.5	4.5	9.0	96	110	115	107	34	134	190	167	163	clear				
					23.2.22	2	2	2	2	2	2	2.0	23.4	16	12.7	18.7	12	4.5	15.0	127	100	104	110	56	208	167	162	179	clear				
28.2.22	2	2	2	2	2	2	2.0	24.1	19.4	16.7	22.8	10	4.5	16.5	150	140	110	133	56	244	225	152	207	clear									

**AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - FEBRUARY, 2022**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average of SO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average of NO <sub>2</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	24 Hrs. Average - PM <sub>10</sub>	24 Hourly Value of PM <sub>2.5</sub>	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
731	Champhai Kahrawt	Residential	Champhai	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	19	8	14	6	35	39	18	30	clear			
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	20	7	13	6	28	41	17	28	clear	
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	20	10	15	7	37	42	21	33	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	14	11	14	5	35	41	24	33	clear	
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	23	12	17	8	40	48	27	38	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	20	10	15	13	38	43	21	34	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	21	9	16	13	40	45	20	35	clear
28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	19	7	13	8	31	39	16	28	clear					
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	32	16	24	15	56	68	36	53	clear			
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	30	16	23	17	54	64	36	51	clear	
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	32	16	24	19	56	68	36	53	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	34	18	26	18	56	72	40	56	clear	
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	34	16	26	19	60	69	36	55	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	32	16	24	17	56	68	36	53	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	34	18	27	18	62	70	40	57	clear
28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	34	18	26	18	58	70	38	55	clear					
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	12	8	12	6	43	34	22	33	cold			
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	21	11	19	8	60	46	28	44	cold	
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	11	20	8	57	50	26	44	cold	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	19	13	19	8	56	42	30	43	calm
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	19	13	19	9	56	44	32	44	calm
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	15	11	16	9	50	36	28	38	calm
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	13	17	9	47	42	30	40	calm
28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	11	19	9	56	46	27	43	calm					
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	23	19	25	11	65	49	40	51	cold			
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	19	27	25	11	56	34	53	48	cold	
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	25	21	27	10	65	48	40	57	cold	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	21	23	25	11	57	40	48	49	clear
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	23	23	11	53	44	48	49	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	21	23	26	12	65	45	48	53	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	25	27	27	13	61	53	57	57	cold
28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	23	27	27	12	61	49	57	56	clear					

**AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - FEBRUARY, 2022**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average of SO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average of NO <sub>2</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	24 Hrs. Average - PM <sub>10</sub>	24 Hourly Value of PM <sub>2.5</sub>	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	40	17	24	5	29	81	39	50	clear			
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	27	18	23	2	34	37	23	32	clear	
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	39	16	29	14	46	56	23	41	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	49	68	43	54	12	71	92	57	74	clear
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	52	22	39	7	59	71	31	54	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	53	34	45	26	84	86	48	72	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	34	17	27	7	44	49	36	39	clear
28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	32	15	24	5	43	46	25	38	clear					
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	52	26	33	**	29	81	39	50	clear			
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	12	20	22	**	49	17	35	34	clear		
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	51	36	46	**	78	69	47	64	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	58	71	51	60	**	95	101	72	89	clear	
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	56	27	39	**	49	76	39	55	clear	
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	49	60	35	24	**	78	87	55	73	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	44	20	35	**	58	72	29	53	clear
28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	49	25	37	**	58	77	41	59	clear					
737	Dawrpui	Commercial	Aizawl	Mizoram	2.2.22	2	2	2	2	2	2	2.0	12.1	21.5	23.5	18.8	13.4	4.5	16.0	103	120	157	127	55	191	225	285	235	clear				
					14.2.22	2	2	2	2	2	2	2.0	8.0	18.1	23.5	24.8	22.1	16.8	18.9	138	170	96	135	25	258	327	184	256	clear				
					15.2.22	2	2	2	2	2	2	2.0	16.8	20.1	24.8	16.8	16.8	13.4	18.1	115	155	128	133	29	221	287	256	255	clear				
					16.2.22	2	2	2	2	2	2	2.0	14.7	21.5	24.0	20.1	12.0	13.4	17.6	138	152	146	145	32	261	286	290	279	clear				
					17.2.22	2	2	2	2	2	2	2.0	13.4	21.4	25.5	18.8	13.4	12.1	17.4	165	144	155	155	42	300	292	301	298	clear				
					21.2.22	2	2	2	2	2	2	2.0	14.7	25.5	23.5	20.1	12.1	12.1	18.0	133	152	138	141	22	260	313	282	285	clear				
					23.2.22	2	2	2	2	2	2	2.0	14.7	18.8	23.5	23.5	20.1	12.1	18.8	133	139	133	135	45	272	296	269	279	clear				
28.2.22	2	2	2	2	2	2	2.0	23.5	28.2	25.5	20.1	20.1	12.1	21.6	125	161	140	141	54	264	313	253	277	clear									
738	Lengpui	Residential	Aizawl	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	126	107	63	99	**	130	110	65	101	clear			
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	57	68	47	47	**	74	81	52	69	clear		
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	100	88	69	86	**	119	103	81	101	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	63	59	54	**	41	64	60	55	clear
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	44	21	34	**	38	45	22	35	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	47	39	44	43	**	50	41	47	46	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	104	63	59	75	**	120	74	61	85	clear
28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	69	65	46	60	**	79	81	65	75	clear					

**AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - FEBRUARY, 2022**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average of SO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average of NO <sub>2</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	24 Hrs. Average - PM <sub>10</sub>	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition			
1014	New Siaha	Commercial	Siaha	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	37	42	32	37	78	91	69	clear		
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	24	28	21	34	45	61	45	clear	
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	31	31	27	41	71	67	60	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	11.4	8.9	13.4	4.5	4.5	4.5	4.5	4.5	13	38	26	25	31	88	54	58	clear
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	9.9	25.3	4.5	4.5	4.5	4.5	4.5	4.5	11	23	25	20	31	48	47	42	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	38	35	30	37	81	76	64	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	19	34	21	30	48	77	51	clear
					28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	13.4	11.8	4.5	4.5	4.5	4.5	4.5	4.5	19	29	48	26	40	66	94	67	clear
1015	ECM Vaih	Residential	Siaha	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	29	8	19	46	73	23	47	clear		
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	30	13	21	41	70	29	47	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	22	6	15	56	62	17	45	clear	
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	54	46	8	36	85	83	21	63	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	19	19	16	33	50	33	39	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	17	8	14	41	42	19	34	clear
					28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	22	6	27	44	47	17	36	clear
1016	Bazar Veng	Commercial	Mamit	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	25	22	44	42	52	46	clear		
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	21	23	20	35	44	46	42	clear	
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	21	23	50	44	42	45	p.clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	25	21	23	48	52	44	48	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	29	26	48	42	48	46	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	31	23	26	44	56	46	49	clear
					28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	25	21	24	50	52	44	49	clear
1017	Lungsir Veng	Residential	Mamit	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	28	19	23	43	53	35	44	p.clear		
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	33	17	23	40	58	35	45	clear	
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	31	19	22	36	35	42	42	p.clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	33	19	24	40	58	35	45	clear
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	31	21	24	45	56	40	47	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	25	21	23	48	56	42	48	clear
					23.1.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	25	23	24	48	56	46	50	clear

**AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - FEBRUARY, 2022**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average of SO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average of NO <sub>2</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	24 Hrs. Average PM <sub>10</sub>	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
1018	Bazar Veng	Commercial	Serchhip	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	29	35	29	67	69	67	67	p.clear		
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	30	30	31	36	52	55	48	clear	
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	21	19	25	67	42	44	51	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	17	46	30	69	71	75	72	clear
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	10	17	33	46	27	35	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	52	42	40	44	92	65	54	70	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	54	40	43	77	106	71	85	clear
					28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	48	48	47	81	100	113	98	clear
1019	P & E Veng	Residential	Serchhip	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	33	25	33	71	52	50	58	p.clear		
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	13	15	17	48	23	37	36	clear	
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	13	10	13	40	29	31	33	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	10	21	17	40	40	35	38	clear
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	27	24	40	52	48	47	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	21	17	17	31	44	33	36	cloudy
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	27	21	22	50	48	48	49	clear
					28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	15	31	25	50	31	60	47	clear
1020	L-IV, Chandmay	Commercial	Lawngtlai	Mizoram	7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	27	29	27	46	48	48	47	clear		
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	27	25	24	44	52	48	48	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	35	27	31	54	64	52	57	clear	
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	25	27	26	52	46	46	48	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	37	30	29	47	60	52	53	clear
					28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	35	24	12	30	54	42	42	clear
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram	2.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	23	23	40	52	44	45	clear		
					7.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	23	23	44	52	48	48	clear	
					9.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	23	21	23	44	50	37	44	clear	
					14.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	29	23	26	44	54	42	47	clear
					16.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	27	29	26	40	52	52	48	clear
					21.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	19	23	19	37	38	44	40	clear
					23.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	27	29	26	37	52	48	46	clear
					28.2.22	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	25	27	24	40	44	50	44	clear

\* = Monitoring not yet started.

\*\* = No Monitoring due to Machine Failure.

Analysts :

Scientist -in-charge :



Member Secretary :




Source: Mizoram Pollution Control Board

