

Ambient Air Quality Data from three NAMP Stations in Mizoram, November, 2020

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
450	Khatla	Residential	Aizawl	Mizoram	2.11.20	2	0.8	2	2	2	2	2.0	2.7	4	4.5	1.3	4.5	4.5	4.5	8	14	6	9	14	24	9	16	humid
					4.11.20	2	2	0.4	2	2	2	2.0	2	3.4	1.3	4.5	4.5	4.5	4.5	11	18	6	12	19	28	9	19	p.clear
					8.10.20	2	0.4	2	2	2	2	2.0	1.3	4	4.5	2	4.5	4.5	4.5	10	18	3	10	13	28	6	16	clear
					10.11.20	2	2	2	2	2	2	2.0	2.7	4.7	1.3	4.5	4.5	4.5	4.5	10	16	6	11	15	29	11	18	clear
					12.11.20	2	0.4	0.4	2	2	2	2.0	3.4	6	1.3	4.5	4.5	4.5	4.5	11	18	6	12	21	31	11	21	clear
					14.11.20	2	2	0.4	2	2	2	2.0	1.3	2.7	0.7	4.5	4.5	4.5	4.5	10	14	6	10	16	24	11	17	clear
					16.11.20	2	0.8	2	2	2	2	2.0	2.7	5.4	4	4.5	4.5	4.5	4.5	10	19	6	12	18	30	13	20	clear
					18.11.20	2	0.8	2	2	2	2	2.0	1.3	3.4	2	4.5	4.5	4.5	4.5	10	18	6	11	16	26	9	17	clear
					20.11.20	2	1.2	2	2	2	2	2.0	2	4	1.3	4.5	4.5	4.5	4.5	14	19	10	14	26	33	19	26	clear
451	Laipuitlang	Residential	Aizawl	Mizoram	2.11.20	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	15	6	13	31	24	8	21	rainy
					4.11.20	2	2	2	2	2	2	2.0	2.68	2.68	2	1.34	4.5	4.5	4.5	22	19	7	16	37	28	9	25	p.clear
					7.11.20	2	2	2	2	2	2	2.0	2.6	4	2	1.3	4.5	4.5	4.5	25	20	10	18	44	34	13	30	clear
					9.11.20	2	2	2	2	2	2	2.0	2	3.3	4	1.3	0.6	4.5	4.5	24	27	9	20	36	42	12	30	clear
					11.11.20	2	2	2	2	2	2	2.0	2	2.6	4.02	1.34	1.3	4.5	4.5	24	31	9	21	38	50	12	33	clear
					13.11.20	2	2	2	2	2	2	2.0	1.34	3.35	2.01	1.34	4.5	4.5	4.5	19	24	9	17	31	41	12	28	clear
					15.11.20	2	2	2	2	2	2	2.0	2.68	4.02	3.35	2.01	4.5	4.5	4.5	25	31	10	22	42	51	15	36	clear
					17.11.20	2	2	2	2	2	2	2.0	1.34	2.01	2.01	2.08	1.34	4.5	4.5	22	31	9	21	41	58	14	38	clear
					19.11.20	2	2	2	2	2	2	2.0	2.08	3.35	4.02	3.35	2.01	0.67	4.5	27	32	14	24	47	56	21	41	clear
21.11.20	2	2	2	2	2	2	2.0	2.08	4.02	2.01	2.08	1.34	4.5	4.5	20	25	9	18	34	42	12	29	clear					
452	Bawngkawn	Residential	Aizawl	Mizoram	2.11.20	2	2	2	2	2	2	2.0	3.3	4.6	4.6	4	3.3	2.6	4.5	18	24	2	15	40	46	4	30	p.clear
					4.11.20	2	2	2	2	2	2	2.0	5.3	6	4	3.3	4.5	4.5	4.5	12	28	0	13	46	64	0	37	p.clear
					7.11.20	2	2	2	2	2	2	2.0	6	5.3	5.3	4	4.6	3.3	4.5	24	3	14	14	62	17	24	34	clear
					9.11.20	2	2	2	2	2	2	2.0	10	8.7	6	7.3	5.3	4	4.5	20	4	4	9	42	10	10	21	clear
					11.11.20	2	2	2	2	2	2	2.0	4.6	6.7	5.3	4.6	4.6	4	4.5	16	30	16	21	48	55	26	43	clear
					13.11.20	2	2	2	2	2	2	2.0	12.7	15.4	6.7	8	14.7	14.7	12.0	8	16	37	20	123	41	137	100	clear
					15.11.20	2	2	2	2	2	2	2.0	4.6	4.6	4.6	5.3	4	4	4.5	12	8	8	9	20	10	10	13	clear
					17.11.20	2	2	2	2	2	2	2.0	8.7	10.4	10	11.4	7.3	6.7	9.0	52	49	47	49	134	127	79	113	clear
					19.11.20	2	2	2	2	2	2	2.0	6.7	7.3	8.7	9.3	16.7	16.7	10.9	38	47	71	52	104	61	149	105	clear
21.11.20	2	2	2	2	2	2	2.0	18.7	17.4	6	7.3	1.3	1.3	4.5	55	59	53	56	220	210	159	197	clear					

Ambient Air Quality Data from two NAMP Stations in Mizoram, November, 2020

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
731	Champhai Kahrawt	Residential	Champhai	Mizoram	2.11.20	2	2	1.7	2	2	2	2.0	4.5	1.7	4.5	4.5	4.5	4.5	4.5	16	17	10	14	38	42	22	34	rainy
					4.11.20	2	1.01	0.67	2	2	2	2.0	4.5	1.72	1.14	4.5	4.5	0.78	4.5	20	23	11	18	43	52	27	40	clear
					9.11.20	2	2	1.26	2	2	2	2.0	4.5	4.5	2.16	4.5	4.5	4.5	4.5	24	23	14	20	49	48	25	40	clear
					11.11.20	2	2	2	2	2	2	2.0	4.5	4.5	1.9	4.5	4.5	4.5	4.5	26	27	12	21	54	52	27	44	clear
					16.11.20	2	1.3	0.78	2	2	2	2.0	4.5	4.5	1.3	4.5	4.5	4.5	4.5	23	22	10	18	51	48	25	41	clear
					18.11.20	2	0.39	1.57	2	2	2	2.0	4.5	0.63	2.01	4.5	4.5	4.5	4.5	20	23	10	17	44	51	22	39	clear
					23.11.20	2	1.46	1.18	2	2	2	2.0	4.5	2.05	1.36	1.21	4.5	4.5	4.5	19	25	15	19	40	54	28	40	clear
					25.11.20	2	1.24	1.03	2	2	2	2.0	4.5	2.01	1.48	0.66	4.5	4.5	4.5	18	22	8	16	40	46	22	36	clear
30.11.20	2	1.28	1.77	2	2	2	2.0	4.5	1.45	2.27	4.5	4.5	4.5	4.5	23	23	8	18	49	51	20	40	clear					
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	2.11.20	2	0.9	2	2	2	2	2.0	4.5	1.5	4.5	2	4.5	4.5	4.5	24	24	16	21	50	52	34	45	p.clear
					4.11.20	2	0.8	1.2	2	2	2	2.0	4.5	1.37	4.5	2.05	4.5	4.5	4.5	22	26	16	21	46	54	34	44	clear
					9.11.20	2	2	2	2	2	2	2.0	1.33	1.4	0.71	4.5	4.5	4.5	4.5	17	12	6	12	38	30	18	28	clear
					11.11.20	2	0.8	0.8	2	1.2	2	2.0	4.5	1.37	4.5	2	1.3	4.5	4.5	24	30	18	24	52	62	38	50	clear
					16.11.20	2	0.8	1.19	2	2	2	2.0	4.5	1.37	2	4.5	2.04	4.5	4.5	26	32	20	26	52	68	42	54	clear
					18.11.20	2	0.8	2	2	2	2	2.0	4.5	2	4.5	1.37	4.5	4.5	4.5	26	34	20	26	52	70	42	54	clear
					23.11.20	2	2	0.8	0.8	2	2	2.0	4.5	1.37	2	4.5	1.37	4.5	4.5	26	34	20	26	54	70	42	55	clear
					25.11.20	0	0.3	0	1.2	2	2	2.0	4.5	1.37	4.5	1.37	2	4.5	4.5	24	30	18	24	50	64	38	50	clear
30.11.20	2	0.8	2	0.8	2	2	2.0	4.5	1.37	2	4.5	4.5	4.5	4.5	24	30	18	24	52	64	38	51	clear					
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	2.11.20	2	2	2	2	2	2	2.0	1.32	1.38	0.71	4.5	4.5	0.7	4.5	19	12	6	12	43	30	18	30	clear
					4.11.20	2	2	2	2	2	2	2.0	1.32	1.41	0.7	4.5	4.5	4.5	4.5	19	14	8	14	43	36	20	33	clear
					9.11.20	2	2	2	2	2	2	2.0	1.33	1.4	0.71	4.5	4.5	4.5	4.5	17	12	6	12	38	30	18	28	clear
					11.11.20	2	2	2	2	2	2	2.0	1.3	1.9	1.3	0.7	0.7	0.6	4.5	21	13	6	13	47	33	20	33	clear
					16.11.20	2	0.4	2	2	2	2	2.0	2.08	2.76	2.05	1.38	0.79	1.64	4.5	24	23	12	20	52	47	26	42	clear
					18.11.20	0.4	2	2	2	2	2	2.0	2.07	2.05	1.39	0.7	4.5	0.72	4.5	26	25	14	22	56	53	34	48	clear
					23.11.20	2	2	2	2	2	2	2.0	1.38	2.09	1.37	0.7	4.5	4.5	4.5	24	19	12	18	54	46	27	43	clear
					25.11.20	2	2	2	2	2	2	2.0	1.39	1.37	0.69	4.5	4.5	4.5	4.5	21	16	8	15	45	33	20	33	clear
30.11.20	2	2	2	2	2	2	2.0	1.38	2.1	1.36	0.72	0.71	0.69	4.5	19	14	8	13	43	35	20	32	clear					

Ambient Air Quality Data from two NAMP Stations in Mizoram, November, 2020

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	2.11.20	0.79	0.42	2	2	2	2	2.0	0.79	0.42	4.5	4.5	1.35	1.36	4.5	22	6	11	13	46	14	24	28	clear
					4.11.20	2	2	2	2	2	2	2.0	1.35	1.5	0.68	4.5	4.5	4.5	4.5	21	14	10	15	40	27	18	28	p.clear
					9.11.20	0.79	0.5	2	2	2	2	2.0	2.03	1.36	1.37	4.5	4.5	4.5	4.5	22	13	18	18	46	27	37	37	clear
					11.11.20	0.7	0.8	2	2	2	2	2.0	2	1.3	4.5	4.5	1.3	0.6	4.5	22	18	29	23	46	37	59	47	clear
					16.11.20	0.7	0.41	2	2	0.79	0.79	2.0	2.03	1.35	0.75	4.5	1.35	1.34	4.5	22	21	34	26	45	44	69	53	clear
					18.11.20	0.44	0.99	0.79	0.5	0.79	0.79	2.0	2.07	2.05	1.39	0.7	4.5	0.72	4.5	26	25	14	22	56	53	34	48	clear
					23.11.20	2	2	1.08	0.8	0.79	0.39	2.0	0.68	1.35	2.25	1.84	1.34	1.22	4.5	23	30	25	26	45	59	52	52	clear
					25.11.20	0.79	0.39	0.57	0.5	0.79	0.72	2.0	1.85	1.35	0.8	0.75	1.35	1.24	4.5	30	21	28	26	59	44	54	52	clear
					30.11.20	1.19	1.44	0.5	0.8	0.79	1.08	2.0	2.46	1.85	1.44	1.37	2.02	1.69	4.5	32	23	26	27	62	44	50	52	clear
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	2.11.20	2	2	2	2	2	2	2.0	4.5	1.34	2.01	4.5	4.5	4.5	4.5	6	10	4	7	13	28	9	17	rainy
					4.11.20	2	0.78	1.12	2	2	2	2.0	2.01	1.34	3.35	4.5	4.5	4.5	4.5	5	13	5	8	12	31	9	17	p.clear
					9.11.20	2	0.7	1.57	0.3	2	2	2.0	4.5	4.5	2.68	0.67	4.5	4.5	4.5	27	2	13	13	42	23	23	29	clear
					11.11.20	2	2	2	2	2	2	2.0	1.5	0.6	4.5	4.5	4.5	4.5	4.5	35	22	11	22	55	46	18	40	clear
					13.11.20	2	2	2	2	2	2	2.0	1.34	2.01	0.67	4.5	4.5	4.5	4.5	8	14	5	9	18	30	12	20	clear
					16.11.20	2	0.78	0.39	2	2	2	2.0	4.5	2.01	0.67	1.34	4.5	4.5	4.5	7	13	5	8	16	30	11	19	clear
					19.11.20	2	2	2	2	2	2	2.0	4.5	4.5	2.68	2.01	4.5	4.5	4.5	8	16	4	9	17	36	9	21	clear
					23.11.20	2	1.18	0.78	0.8	0.39	0.39	2.0	4.5	4.5	2.68	2.01	4.5	4.5	4.5	6	10	4	6	12	24	8	15	clear
					25.11.20	2	2	2	2	2	2	2.0	0.67	1.34	4.5	4.5	0.67	0.67	4.5	6	8	4	5	10	21	9	13	clear
30.11.20	2	1.18	0.78	0.8	0.39	0.39	2.0	4.5	4.5	2.68	2.01	4.5	4.5	4.5	6	10	4	6	12	24	8	15	clear					
736	Lunglei Chanmari	Commercial	Lunglei	Mizoram	2.11.20	2	1.18	1.9	2	2	2	2.0	4.5	0.67	2.68	1.3	4.5	4.5	4.5	8	18	4	10	17	44	11	24	rainy
					4.11.20	0.39	1.57	2	2	2	2	2.0	4.5	3.35	3.35	2.01	0.67	0.67	4.5	8	19	4	10	19	41	11	24	p.clear
					9.11.20	0.78	1.18	1.92	0.4	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	24	19	16	23	52	36	37	clear
					11.11.20	2	1.1	1.5	2	2	2	2.0	4.5	2.6	3.3	2	4.5	4.5	4.5	24	24	17	22	49	55	28	22	clear
					16.11.20	2	1.18	0.78	0.8	2	2	2.0	4.5	4.5	1.34	2.68	0.67	0.67	4.5	8	18	4	10	21	45	8	25	clear
					19.11.20	2	1.57	0.39	0.4	2	2	2.0	1.34	2.68	2.68	4.5	0.67	0.67	4.5	10	18	5	11	23	45	12	26	clear
					23.11.20	2	1.18	0.39	1.6	2	2	2.0	3.35	4.02	1.34	4.5	1.34	1.34	4.5	13	20	5	13	32	49	11	30	clear
					25.11.20	2	1.18	0.39	1.6	2	2	2.0	3.35	4.02	1.34	4.5	1.34	1.34	4.5	13	20	5	13	32	49	11	30	clear
30.11.20	2	0.78	1.57	2	2	2	2.0	4.5	0.67	0.67	1.34	4.5	4.5	4.5	5	12	4	7.0	13	26	8	16	clear					

Ambient Air Quality Data from two NAMP Stations in Mizoram, November, 2020

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
737	Dawrpui	Commercial	Aizawl	Mizoram	2.11.20	2	2	2	2	2	2	2.0	6.3	8.8	5.4	10.1	4.7	4.7	4.5	18	17	17	17	32	31	31	31	rainy
					4.11.20	2	2	2	2	2	2	2.0	6.0	11.4	9.4	11.4	4.7	4.7	4.5	59	46	34	46	74	58	50	61	p.clear
					8.11.20	2	2	2	2	2	2	2.0	6.7	5.4	9.4	9.4	6.8	2.7	4.5	21	17	21	20	36	54	40	43	clear
					10.11.20	2	2	2	2	2	2	2.0	4.7	7.4	16.0	10.0	3.4	1.3	4.5	21	24	15	20	38	51	29	39	clear
					12.11.20	2	2	2	2	2	2	2.0	8.0	10.8	14.8	12.1	7.4	5.7	4.5	38	50	37	42	54	75	51	60	clear
					14.11.20	2	2	2	2	2	2	2.0	10.7	12.1	4.0	4.0	9.8	12.7	4.5	56	52	37	48	75	90	48	71	clear
					16.11.20	2	2	2	2	2	2	2.0	10.1	14.1	8.8	12.7	8.9	4.7	9.9	33	42	63	46	52	65	76	64	clear
					18.11.20	2	2	2	2	2	2	2.0	13.4	17.5	16.2	13.4	6.1	4.1	11.8	48	44	38	43	77	61	53	64	clear
					20.11.20	2	2	2	2	2	2	2.0	10.7	14.1	15.4	12.1	7.4	3.4	4.5	73	65	61	66	107	107	73	95	clear
30.11.20	2	2	2	2	2	2	2.0	13.4	12.1	16.8	12.1	7.4	3.4	4.5	73	65	61	66	107	107	73	95	clear					
738	Lengpui	Residential	Aizawl	Mizoram	2.11.20	2	2	2	2	2	2	2.0	8.04	8.04	14.1	13.4	8.04	8.04	9.9	9	12	11	10	23	26	20	23	clear
					4.11.20	2	2	2	2	2	2	2.0	7.3	8.04	12.1	10.1	8.04	7.3	4.5	10	2	6	6	14	9	14	12	p.clear
					5.11.20	2	2	2	2	2	2	2.0	8	8	13.4	12.7	8	7.3	9.6	10	2	6	6	14	9	13	12	p.clear
					9.11.20	2	2	2	2	2	2	2.0	8	7.3	6.7	8.7	7.3	8	4.5	3	13	4	6	34	27	29	29	clear
					11.11.20	2	2	2	2	2	2	2.0	8.7	7.3	8	8.7	8	7.3	4.5	11	20	26	19	14	35	29	26	clear
					16.11.20	2	2	2	2	2	2	2.0	10.1	8.04	12	10.7	8.7	8	9.6	20	24	51	32	44	47	77	56	clear
					18.11.20	2	2	2	2	2	2	2.0	8	10	12	8.7	7.3	8	9.0	39	41	31	37	52	66	40	53	clear
					23.11.20	2	2	2	2	2	2	2.0	8.72	12.1	13.4	10.1	6.03	4.02	9.0	44	47	26	39	53	50	33	45	clear
					25.11.20	2	2	2	2	2	2	2.0	8.04	10.1	12.1	8.7	6	6.7	4.5	3	18	15	12	10	20	21	21	clear
30.11.20	2	2	2	2	2	2	2.0	7.37	4.5	13.4	10.1	8.04	7.37	9.2	13	9	5	9	23	12	17	17	clear					

Analyst

Scientist Incharge :



Member Secretary :


