

Ambient Air Quality Data NAMP Stations in Mizoram

MONTH: MAY

YEAR: 2021

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition		
450	Khatla	Residential	Aizawl	Mizoram	3.5.21	1.6	2	0.8	0.8	2	2	2.0	4	6.7	5.4	2.7	2.7	4.5	4.5	26	33	20	26	44	58	33	45	clear	
					5.5.21	0.2	1.2	2	1.2	0.4	2	2.0	5.4	7.4	6	4	2	4.5	4.5	29	37	20	29	51	62	35	49	clear	
					10.5.21	1.2	1.6	1.6	0.8	2	2	2.0	4	5.4	4	2.7	1.3	4.5	4.5	30	34	20	28	48	59	35	47	clear	
					12.5.21	2	0.8	0.4	2	2	2	2.0	1.3	2.7	1.3	4.5	4.5	4.5	4.5	4.5	19	26	10	18	31	42	17	28	p.clear
					17.5.21	0.8	1.6	0.4	2	2	2	2.0	3.4	5.4	3.4	2	0.7	4.5	4.5	4.5	28	33	25	29	50	60	42	51	clear
					19.5.21	0.8	0.8	0.4	2	2	2	2.0	2	4	4	2	4.5	4.5	4.5	4.5	23	22	17	21	43	39	29	37	clear
					24.5.21	0.4	0.8	2	2	2	2	2.0	2.7	4	4	2	1.3	4.5	4.5	4.5	47	23	18	29	70	41	33	48	clear
					26.5.21	0.4	0.8	2	2	2	2	2.0	2.7	4	4.7	1.3	4.5	4.5	4.5	4.5	30	35	20	28	52	62	37	50	clear
					31.5.21	0.8	0.8	2	2	2	2	2.0	2.7	4.7	4.8	1.3	4.5	4.5	4.5	4.5	28	33	20	27	51	60	33	48	p.clear
451	Lapuitlang	Residential	Aizawl	Mizoram	3.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	27	25	24	30	38	37	35	clear	
					5.5.21	2	2	2	2	2	2	2.0	2.01	3.35	4.64	4.02	1.34	1.34	4.5	31	27	19	26	45	39	26	37	clear	
					10.5.21	2	2	2	2	2	2	2.0	2.01	1.34	2.68	1.34	1.34	4.5	4.5	24	29	16	23	36	43	23	34	clear	
					12.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	22	12	20	36	34	15	28	p.clear
					17.5.21	2	2	2	2	2	2	2.0	2.01	3.35	4.04	2.68	1.34	2.69	4.5	4.5	27	33	15	25	42	54	24	40	clear
					19.5.21	2	2	2	2	2	2	2.0	1.34	1.34	2.01	1.34	2.68	1.34	4.5	4.5	31	19	21	24	65	33	27	42	clear
					24.5.21	2	2	2	2	2	2	2.0	2.01	2.68	4.02	3.35	1.34	1.34	4.5	4.5	27	25	21	24	42	42	31	38	clear
					26.5.21	2	2	2	2	2	2	2.0	2.68	4.68	5.36	4.02	1.34	1.35	4.5	4.5	27	33	17	26	46	55	26	42	clear
					31.5.21	2	2	2	2	2	2	2.0	2.01	3.35	4.02	1.34	1.34	1.34	4.5	4.5	34	31	14	26	55	46	23	41	p.clear
452	Bawngkawn	Residential	Aizawl	Mizoram	3.5.21	2	2	2	2	2	2	2.0	8	6.7	9.3	10	5.3	5.3	4.5	56	67	5	58	110	127	100	112	clear	
					5.5.21	2	2	2	2	2	2	2.0	8.7	10	3.3	4	6.7	6.7	4.5	90	48	29	56	142	79	48	89	clear	
					10.5.21	2	2	2	2	2	2	2.0	10	9.3	8	9.3	5.3	5.3	4.5	67	58	33	53	110	97	62	90	clear	
					12.5.21	2	2	2	2	2	2	2.0	8.7	10	7.3	10.7	4	4	4.5	54	69	17	46	94	110	29	78	p.clear	
					17.5.21	2	2	2	2	2	2	2.0	5.3	4	6	7.3	4.6	4.6	4.5	19	40	33	31	31	60	50	47	clear	
					19.5.21	2	2	2	2	2	2	2.0	6	4.6	7.3	8.7	4	4	4.5	27	38	19	28	44	56	32	44	clear	
					24.5.21	2	2	2	2	2	2	2.0	6	4.6	3.3	10.3	3.3	3.3	4.5	29	25	13	22	46	43	21	36	clear	
					26.5.21	2	2	2	2	2	2	2.0	5.3	4	6	7.3	4	4	4.5	29	48	19	32	46	67	29	47	clear	
					31.5.21	2	2	2	2	2	2	2.0	7.3	6	5.3	4	5.3	5.3	4.5	50	25	29	35	69	35	13	39	p.clear	

Ambient Air Quality Data NAMP Stations in Mizoram

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition				
731	Champhai Kahrawt	Residential	Champhai	Mizoram	3.5.21	2	1.01	0.82	2	2	2	2.0	4.5	1.72	2.09	1.37	4.5	0.74	4.5	22	23	11	18	48	53	24	41	clear			
					5.5.21	2	0.79	1.18	2	2	2	2.0	4.5	1.32	1.35	4.5	4.5	4.5	4.5	4.5	4.5	20	27	8	18	43	52	24	39	clear	
					10.5.21	2	1.59	1.13	2	2	2	2.0	4.5	1.81	0.96	2.04	4.5	4.5	4.5	4.5	4.5	18	24	10	17	42	51	24	39	clear	
					13.5.21	2	1.6	0.49	2	2	0.59	2.0	4.5	1.36	0.83	1.67	4.5	1.01	4.5	4.5	4.5	17	20	12	16	37	43	27	35	clear	
					17.5.21	2	2	2	2	2	2	2.0	4.5	1.6	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	22	9	16	37	47	21	35	clear	
					19.5.21	2	1.19	0.86	2	2	2	2.0	4.5	1.35	0.73	4.5	4.5	4.5	4.5	4.5	4.5	19	24	10	17	35	52	26	37	clear	
					24.6.21	2	0.79	2	0.45	2	2	2.0	4.5	2.03	1.46	1.52	4.5	4.5	4.5	4.5	4.5	20	23	10	17	43	44	25	37	clear	
					26.5.21	2	0.89	1.35	0.42	2	2	2.0	4.5	0.76	2.29	0.73	4.5	4.5	4.5	4.5	4.5	18	23	8	16	51	48	20	39	clear	
					31.5.21	2	2	1.29	0.45	2	2	2.0	4.5	4.5	1.47	0.77	4.5	4.5	4.5	4.5	4.5	15	21	9	15	35	44	20	33	clear	
732	Champhai Venghlang	Commercial	Champhai	Mizoram	3.5.21	2	0.8	0.81	2	2	2	2.0	4.5	2	1.37	4.5	1.37	4.5	4.5	32	38	22	30	68	82	48	66	clear			
					5.5.21	2	1.19	0.8	2	2	2	2.0	4.5	1.37	2	4.5	4.5	4.5	4.5	4.5	30	38	20	29	64	82	44	63	clear		
					10.5.21	2	0.8	1.19	0.81	2	2	2.0	4.5	1.37	2	4.5	1.37	4.5	4.5	4.5	4.5	28	34	20	27	60	72	42	58	clear	
					14.5.21	2	0.8	1.19	2	2	2	2.0	4.5	1.37	4.5	1.37	4.5	4.5	4.5	4.5	4.5	28	36	24	29	60	76	48	61	clear	
					17.5.21	2	0.8	2	0.8	2	2	2.0	4.5	1.37	2	4.5	4.5	4.5	4.5	4.5	4.5	30	36	24	30	64	76	46	62	clear	
					19.5.21	2	0.8	1.19	2	2	2	2.0	4.5	1.87	1.37	4.5	4.5	4.5	4.5	4.5	4.5	28	38	24	30	60	82	50	64	clear	
					24.5.21	2	0.8	2	0.8	2	2	2.0	4.5	1.37	1.38	4.5	4.5	4.5	4.5	4.5	4.5	30	34	24	29	62	70	52	61	clear	
					26.5.21	2	0.8	1.19	2	2	2	2.0	4.5	1.37	4.5	2	4.5	4.5	4.5	4.5	4.5	30	36	24	30	62	76	52	63	clear	
					31.5.21	2	0.8	1.19	2	2	2	2.0	4.5	1.37	4.5	2	4.5	4.5	4.5	4.5	4.5	32	38	24	31	66	78	52	65	clear	
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	3.5.21	2	2	2	2	2	2	2.0	2.07	2.03	1.36	0.69	4.5	4.5	4.5	17	11	6	11	41	28	18	29	clear			
					5.5.21	2	2	2	2	2	2	2.0	2.75	2.59	2.08	1.37	0.71	0.7	4.5	4.5	4.5	20	16	6	13	46	33	20	33	calm	
					10.5.21	2	2	2	2	2	2	2.0	1.98	2.6	1.36	0.69	0.68	1.37	4.5	4.5	4.5	20	13	8	14	47	32	21	33	p.clear	
					12.5.21	2	2	2	2	2	2	2.0	1.93	1.97	1.36	0.68	4.5	4.5	4.5	4.5	4.5	17	11	6	11	39	28	18	28	p.clear	
					17.5.21	2	2	2	2	2	2	2.0	1.37	1.36	0.69	4.5	4.5	4.5	4.5	4.5	4.5	13	11	6	10	33	27	17	26	p.clear	
					19.5.21	2	2	2	2	2	2	2.0	2.04	2.07	1.41	0.68	4.5	4.5	4.5	4.5	4.5	15	12	6	11	35	27	15	26	p.clear	
					24.5.21	2	2	2	2	2	2	2.0	1.97	2.06	1.37	0.69	4.5	4.5	4.5	4.5	4.5	17	13	6	12	39	32	18	30	hot	
					26.5.21	2	2	2	2	2	2	2.0	1.97	1.93	1.36	4.5	4.5	0.68	4.5	4.5	0.68	4.5	17	13	8	12	41	32	21	31	p.clear
					31.5.21	2	2	2	2	2	2	2.0	2.06	2.75	1.36	4.5	4.5	0.68	4.5	4.5	0.68	4.5	17	9	4	10	37	24	14	25	p.clear
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	3.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	0.67	1.29	4.5	9	13	19	14	21	38	41	30	clear			
					5.5.21	2	2	2	0.89	0.79	1.13	2.0	1.36	4.5	4.5	1.3	0.67	1.29	4.5	4.5	4.5	10	15	18	14	21	28	37	29	p.clear	
					10.5.21	2	2	2	2	2	2	2.0	4.5	4.5	1.35	1.86	4.5	4.5	4.5	4.5	4.5	13	20	10	14	28	38	22	29	p.clear	
					12.5.21	0.79	0.79	2	2	2	2	2.0	1.36	2.02	1.35	0.68	4.5	4.5	4.5	4.5	4.5	21	16	10	16	40	34	21	32	p.clear	
					17.5.21	2	2	0.84	1	2	2	2.0	4.5	4.5	1.36	0.71	1.35	0.68	4.5	4.5	0.68	4.5	9	18	20	16	17	32	38	29	p.clear
					19.5.21	2	0.79	0.99	0.44	2	2	2.0	0.68	0.67	1.35	1.29	4.5	4.5	4.5	4.5	4.5	16	25	10	17	34	51	19	34	p.clear	
					24.5.21	0.4	0.75	2	2	2	2	2.0	1.36	1.85	4.5	4.5	1.35	1.3	4.5	4.5	4.5	23	11	13	16	44	20	25	29	clear	
					26.5.21	2	2	0.79	0.83	2	2	2.0	1.35	0.8	1.34	1.94	4.5	4.5	4.5	4.5	4.5	15	21	11	16	28	41	21	30	p.clear	
					31.5.21	0.76	0.83	0.49	2	2	2	2.0	1.85	1.35	1.5	0.84	4.5	4.5	4.5	4.5	4.5	25	16	13	18	47	34	24	35	p.clear	

Ambient Air Quality Data NAMP Stations in Mizoram


Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition				
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	3.5.21	2	0.4	0.39	2	2	2	2.0	0.74	2.05	2.68	1.02	4.5	4.5	4.5	45	69	55	54	105	118	95	106	p.clear			
					5.5.21	2	2	0.43	0.39	2	2	2.0	0.67	0.92	1.47	4.5	0.55	4.5	4.5	4.5	10	36	58	35	41	68	83	64	clear		
					10.5.21	2	0.82	2	2	2	2	2.0	4.5	4.5	0.62	0.66	4.5	4.5	4.5	4.5	4.5	28	30	27	28	58	75	65	66	clear	
					12.5.21	0.4	2	2	2	0.35	2	2.0	0.69	4.5	1.56	4.5	4.5	4.5	4.5	4.5	4.5	25	36	22	28	66	71	48	61	p.clear	
					17.5.21	0.4	0.39	0.47	2	2	2	2.0	0.68	4.5	1.29	4.5	4.5	4.5	4.5	4.5	4.5	27	4	22	18	40	41	39	40	clear	
					19.5.21	0.38	0.43	2	2	2	2	2.0	4.5	0.73	0.66	1.4	4.5	4.5	4.5	4.5	4.5	7	14	19	13	27	35	39	34	clear	
					24.5.21	2	2	2	2	2	2	2.0	1.77	1.24	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	8	4	7	50	54	12	39	clear	
					26.5.21	0.34	0.37	2	2	2	2	2.0	0.58	0.64	0.66	4.5	4.5	1.38	4.5	4.5	1.38	4.5	5	9	14	9	24	30	36	30	clear
31.5.21	2	2	2	2	2	2	2	2	2	2	2	4.5	4.5	4.5	1.34	4.5	0.59	4.5	5	29	25	20	43	88	64	65	cloudy				
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	3.5.21	2	2	1.62	1.18	2	2	2.0	4.16	3.5	4.5	4.5	4.5	4.5	4.5	57	56	83	65	101	207	154	154	p.clear			
					5.5.21	2	0.78	1.96	0.39	2	2	2.0	5.22	4.5	2.38	2.7	4.5	4.5	4.5	4.5	4.5	28	42	57	42	76	66	98	80	clear	
					10.5.21	2	0.76	2	2	2	2	2.0	4.5	3.91	4.5	1.95	4.5	4.5	4.5	4.5	4.5	35	24	14	24	65	58	68	64	clear	
					12.5.21	2	0.41	0.88	0.41	2	2	2.0	4.5	1.41	2.25	4.5	4.5	4.5	4.5	4.5	4.5	25	23	31	26	62	51	59	57	p.clear	
					17.5.21	0.4	2	2	2	2	2	2.0	4.5	4.5	4.5	0.67	4.5	1.89	4.5	4.5	1.89	4.5	25	34	39	32	82	74	53	70	clear
					19.5.21	2	1.22	2	2	2	0.78	2.0	4.5	4.5	1.34	4.5	1.03	0.67	4.5	4.5	0.67	4.5	16	17	26	20	38	55	57	50	clear
					24.5.21	2	0.39	2	2	2	2	2.0	2.01	0.39	4.5	4.5	4.5	4.5	4.5	4.5	4.5	9	18	7	11	63	59	11	14	clear	
					26.5.21	2	2	1.12	0.52	2	2	2.0	4.5	4.5	0.64	0.89	4.5	4.5	4.5	4.5	4.5	4.5	5	10	20	11.0	13	30	61	35	clear
31.5.21	2	2	2	2	2	0.39	2.0	4.5	0.67	0.68	4.5	4.5	1.34	4.5	4.5	1.34	4.5	45	37	24	35	102	96	51	83	cloudy					
737	Dawrpui	Commercial	Aizawl	Mizoram	3.5.21	2	2	2	2	2	2	2.0	5.4	5.4	6.7	2.7	8.0	2.7	4.5	48	38	31	39	69	79	60	69	clear			
					10.5.21	2	2	2	2	2	2	2.0	3.6	5.6	6.3	2.0	1.3	2.0	2.0	4.5	21	50	29	33	33	95	50	59	clear		
					12.5.21	2	2	2	2	2	2	2.0	3.4	3.2	5.4	5.4	2.7	2.7	2.7	2.7	4.5	20	45	27	31	30	78	46	51	p.clear	
					17.5.21	2	2	2	2	2	2	2.0	5.4	6.7	7.4	2.7	1.3	4.5	4.5	4.5	4.5	42	58	37	46	75	108	62	82	clear	
					19.5.21	2	2	2	2	2	2	2.0	4.0	6.0	5.4	2.7	1.3	1.3	1.3	1.3	1.3	4.5	48	42	27	39	83	71	50	68	clear
					24.5.21	2	2	2	2	2	2	2.0	6.7	8.7	6.0	8.0	5.4	3.3	3.3	3.3	3.3	4.5	31	25	13	23	52	69	29	50	clear
					26.5.21	2	2	2	2	2	2	2.0	4.0	8.0	8.0	6.7	3.3	1.3	1.3	1.3	1.3	4.5	21	42	27	30	38	58	38	45	clear
					28.5.21	2	2	2	2	2	2	2.0	4.7	10.1	8.7	9.4	3.3	2.0	2.0	2.0	2.0	4.5	42	58	46	49	90	115	79	94	clear
31.5.21	2	2	2	2	2	2	2.0	3.3	8	7.4	8	2.7	1.3	1.3	1.3	1.3	4.5	46	58	21	42	70	106	35	71	p.clear					
738	Lengpui	Residential	Aizawl	Mizoram	3.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	17	25	23	60	60	48	56	p.clear			
					5.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	14	42	25	63	25	50	46	clear	
					10.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	25	22	24	28	35	34	32	p.clear	
					12.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	33	28	35	50	73	43	55	rainy
					17.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	15	16	20	32	42	30	35	hot
					19.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	17	12	19	50	23	16	30	hot
					24.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	54	9	32	88	94	38	73	p.clear
					26.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	11	28	20	37	13	29	26	p.clear
31.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	39	33	33	44	33	52	42	rainy					

Ambient Air Quality Data NAMP Stations in Mizoram

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
1014	New Siaha	Commercial	Siaha	Mizoram	3.5.21	2	2	2	2	2	2	2.0	2.68	4.69	8.97	4.5	4.5	4.5	4.5	58	56	0	38	102	76	0	59	p.clear
					5.5.21	1.57	2	1.38	3.15	1.81	0.78	2.0	8.04	4.5	13	6.73	6.03	4.69	4.5	11	34	42	39	100	104	94	99	clear
					10.5.21	0.39	0.39	0.79	0.79	2	2	2.0	4.69	7.38	4.02	3.35	3.35	2.01	4.5	50	52	44	49	71	81	54	69	p.clear
					12.5.21	2	2	2	2	0.39	0.79	2.0	2.01	3.41	5.48	3.35	2.01	4.02	4.5	36	21	25	28	48	32	29	36	rainy
					17.5.21	0.39	0.78	0.39	2	2	2	2.0	8.04	12.07	8.04	22.54	8.49	9.62	11.5	60	74	26	54	104	128	92	108	clear
					19.5.21	2	2	2	2	2	2	2.0	6.18	6.98	4.69	6.54	2.68	3.35	4.5	30	48	23	34	89	90	71	83	hot
					24.5.21	0.39	2	2	0.39	2	2	2.0	4.69	7.19	30.6	2.01	5.54	12.7	10.4	23	8	13	14	66	49	34	50	rainy
26.5.21	0.96	0.48	0.79	0.91	2	2	2.0	8.17	6.54	5.4	5.45	4.02	5.36	4.5	17	16	48	27	34	34	90	52	cloudy					
1015	ECM Vaith	Residential	Siaha	Mizoram	5.5.21	1.13	2	0.76	2	0.78	0.78	2.0	5.79	4.5	2.59	4.5	4.02	4.69	4.5	36	56	33	42	108	193	77	126	clear
					10.5.21	2	0.39	2	2	2	2	2.0	1.34	2.01	2.01	1.34	3.35	0.67	4.5	31	25	23	26	46	42	31	40	p.clear
					11.5.21	0.41	2	1.18	0.79	2	0.39	2.0	3.51	2.01	2.01	1.34	0.71	0.67	4.5	28	27	17	24	43	46	21	37	rainy
					12.5.21	2	2	0.88	0.39	2	2	2.0	3.35	4.69	3.01	1.34	1.34	2.68	4.5	19	9	10	13	23	11	13	15	rainy
					13.5.21	0.46	2	2.18	2	0.78	2	2.0	5.46	3.39	4.5	5.66	5.31	4.5	4.5	26	12	12	17	46	18	15	27	cloudy
					17.5.21	0.79	0.39	2	2	2	0.51	2.0	2.01	1.34	3.85	0.67	2.68	2.63	4.5	42	36	26	34	63	65	31	53	clear
					18.5.21	0.86	2	1.18	0.39	0.39	2	2.0	2.94	1.97	6.04	3.35	2.01	1.02	4.5	44	42	43	43	48	69	48	55	hot
					19.5.21	0.39	2	0.39	0.79	2	2	2.0	2.01	1.55	2.68	1.34	3.35	0.69	4.5	29	38	19	29	71	83	78	78	hot
					24.5.21	0.79	0.5	2	2	2	2	2.0	2.68	40.1	7.01	1.42	3.66	4.79	10.0	14	6	15	12	42	38	55	45	rainy
					26.5.21	2	2	0.46	2	2	2	2.0	3.58	3.35	4.65	2.68	2.01	2.48	4.5	27	20	39	23	43	36	67	48	cloudy
					31.5.21	2	0.51	0.42	0.79	2	2	2.0	1.02	2.59	1.42	3.35	1.34	4.5	4.5	20	41	15	25	38	67	36	47	cloudy
1016	Bazar Veng	Commercial	Mamit	Mizoram	3.5.21	2.36	3.15	1.57	1.96	0.39	1.57	2.0	0.67	0.67	3.35	2.01	5.36	4.02	4.5	35	54	37	42	52	113	69	78	clear
					5.5.21	1.57	0.39	0.36	1.96	0.39	0.78	2.0	1.34	3.35	2.01	5.36	2.01	1.34	4.5	40	104	54	66	62	140	69	90	clear
					10.5.21	0.78	0.39	2	0.39	2	0.39	2.0	2.01	1.34	2.68	0.67	0.67	1.34	4.5	35	29	37	34	52	60	56	56	clear
					12.5.21	0.39	0.78	2	2	2	0.39	2.0	0.67	0.67	4.5	4.5	1.34	4.5	4.5	19	13	17	16	35	23	33	46	p.clear
					17.5.21	2	0.39	0.39	0.78	0.78	0.39	2.0	1.34	0.67	2.01	1.34	2.01	1.34	4.5	15	23	25	21	31	44	48	41	p.clear
					19.5.21	0.39	2	2	0.78	0.39	0.39	2.0	0.67	2.68	1.34	0.67	0.67	1.34	4.5	25	33	37	32	44	48	65	52	p.clear
					24.5.21	2	0.39	1.18	1.18	0.78	0.39	2.0	1.34	2.01	0.67	1.34	0.67	0.67	4.5	23	27	19	23	35	45	29	37	rainy
					26.5.21	1.57	0.78	2	0.39	0.78	0.39	2.0	2.68	1.34	0.67	0.67	2.01	0.67	4.5	31	23	29	28	52	40	48	47	p.clear
					31.5.21	2	0.39	1.18	1.96	0.39	0.39	2.0	1.34	0.67	2.67	2.01	1.34	0.67	4.5	27	29	19	25	40	52	33	42	rainy
					1017	Lungsir Veng	Residential	Mamit	Mizoram	3.5.21	0.78	2	3.15	1.18	0.31	2	2.0	4.5	3.35	4.69	1.34	2.01	0.67	4.5	33	46	29	36
5.5.21	1.57	1.96	1.18	0.31						0.78	0.78	2.0	3.35	7.37	2.68	4.69	1.34	1.34	4.5	48	44	56	49	92	67	88	82	clear
10.5.21	0.78	0.78	1.18	1.18						0.78	0.78	2.0	1.34	2.01	8.71	3.35	1.34	1.34	4.5	38	31	42	37	67	58	77	67	p.clear
12.5.21	0.78	0.78	2.75	1.18						0.78	0.78	2.0	2.68	4.69	6.03	2.68	1.34	1.34	4.5	30	46	35	37	60	79	62	67	cloudy
17.5.21	0.78	1.18	2	1.18						1.57	1.57	2.0	1.34	2.01	3.35	2.68	2.01	2.01	4.5	31	35	40	35	60	68	67	65	p.clear
19.5.21	2	0.78	0.78	1.57						2	2	2.0	1.34	3.35	2.01	1.34	0.67	0.67	4.5	21	42	33	32	44	71	65	60	p.clear
24.5.21	0.82	2	2	0.86						0.86	0.43	2.0	0.8	2.68	4.5	4.5	2.68	1.34	4.5	28	7	11	15	72	33	42	49	rainy
26.5.21	2	0.78	1.15	1.57						2	2	2.0	1.78	4.5	5.36	2.68	4.5	4.5	4.5	10	10	22	14	33	23	42	33	clear
31.5.21	2	6.3	6.3	2.36						2	2	2.4	0.67	2.68	2.68	2.68	4.5	4.5	4.5	33	27	31	31	61	77	56	64	clear

Ambient Air Quality Data NAMP Stations in Mizoram

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
1018	Bazar Veng	Commercial	Serchhip	Mizoram	3.5.21	2	2	2	2	2	2	2.0	2.01	1.34	0.67	1.34	2.68	2.01	4.5	23	23	42	29	65	42	54	53	p.clear
					5.5.21	2	2	2	2	2	2	2.0	1.34	0.67	3.35	2.01	1.34	0.67	4.5	25	38	42	35	69	58	90	72	p.clear
					10.5.21	2	2	2	2	2	2	2.0	2.68	2.01	0.67	4.5	2.01	1.34	4.5	27	31	37	32	83	58	73	72	p.clear
					12.5.21	2	2	2	2	2	2	2.0	1.34	0.67	4.5	4.5	2.68	2.01	4.5	17	15	15	15	98	81	75	85	rainy
					17.5.21	2	2	2	2	2	2	2.0	2.01	1.34	4.5	4.5	4.5	4.5	4.5	29	29	42	33	77	54	71	67	clear
					19.5.21	2	2	2	2	2	2	2.0	1.34	1.34	2.01	1.34	2.68	1.34	4.5	31	19	21	24	65	33	27	42	clear
					24.5.21	2	2	2	2	2	2	2.0	2.01	0.67	2.68	0.67	1.34	4.5	4.5	8	4	2	5	50	21	15	28	p.clear
					26.5.21	2	2	2	2	2	2	2.0	4.69	1.34	3.35	4.5	2.01	1.34	4.5	10	19	33	21	25	40	56	40	p.clear
31.5.21	2	2	2	2	2	2	2.0	3.35	0.67	2.01	1.34	4.5	0.67	4.5	42	38	58	46	125	75	113	104	rainy					
1019	P & E Veng	Residential	Serchhip	Mizoram	3.5.21	2	2	2	2	2	2	2.0	4.5	4.5	3.35	1.34	4.5	4.5	4.5	29	35	52	39	96	81	92	90	p.clear
					5.5.21	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	67	52	85	68	171	127	137	145	p.clear
					10.5.21	2	2	2	2	2	2	2.0	4.5	4.5	2.01	0.67	4.5	2.01	4.5	19	29	25	24	58	81	73	71	p.clear
					12.5.21	2	2	2	2	2	2	2.0	4.69	4.5	8.43	5.36	2.01	3.35	4.5	10	13	13	12	75	71	54	67	rainy
					17.5.21	2	2	2	2	2	2	2.0	2.68	1.34	3.35	2.01	4.5	4.5	4.5	27	25	48	33	54	50	79	61	clear
					19.5.21	2	2	2	2	2	2	2.0	4.5	4.5	2.01	4.5	1.34	3.35	4.5	13	15	33	20	21	34	54	36	clear
					24.5.21	2	2	2	2	2	2	2.0	2.68	4.5	2.01	3.35	4.5	4.5	4.5	25	17	23	22	52	46	40	46	p.clear
					26.5.21	2	2	2	2	2	2	2.0	3.35	2.01	3.35	1.34	0.67	1.34	4.5	58	8	29	32	192	60	65	106	clear
31.5.21	2	2	2	2	2	2	2.0	1.34	4.5	3.35	4.5	4.5	2.01	4.5	67	23	31	40	102	71	77	83	rainy					
1020	L-IV, Chandmary	Commercial	Lawngtlai	Mizoram	3.5.21	5.9	5.51	4.72	5.11	5.51	4.5	4.5	16.09	15.42	14.08	13.41	14.08	4.5	12.2	88	94	75	85	196	154	125	158	clear
					5.5.21	5.11	2	2	4.72	4.72	2	4.5	13.41	4.5	4.5	12.07	12.74	4.5	4.5	10	6	77	31	17	10	110	46	p.clear
					10.5.21	5.9	5.51	5.9	5.51	5.51	2	4.7	14.75	14.08	13.41	13.41	14.08	4.5	11.6	40	35	42	39	62	62	67	64	p.clear
					12.5.21	4.33	4.72	4.33	4.72	3.39	2	2.0	10.73	10.06	10.06	10.06	10.73	4.5	4.5	21	19	25	22	56	52	58	56	rainy
					17.5.21	2.75	2.75	2.36	2.75	1.96	2	2.0	6.7	6.7	7.37	6.7	7.37	4.5	4.5	52	44	46	47	69	65	65	66	clear
					19.5.21	2.75	2.75	2.36	2.75	2.36	2	2.0	6.03	6.7	6.03	6.03	6.7	4.5	4.5	58	54	52	55	83	73	73	76	clear
					24.5.21	3.15	3.15	2.36	2.75	2.75	2	2.0	6.7	7.37	7.37	6.7	8.04	4.5	4.5	52	50	44	49	73	69	60	67	cloudy
					26.5.21	2.75	2.75	3.15	2.36	2.36	2	2.0	6.7	6.03	5.36	6.03	5.36	4.5	4.5	48	42	38	21	71	69	56	65	windy
31.5.21	2.75	2.75	2.36	2.36	2.36	2	2.0	4.02	4.02	4.02	3.35	4.02	4.5	4.5	40	44	48	44	81	88	85	85	cloudy					
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram	3.5.21	5.51	5.11	4.72	5.11	4.33	2	2.0	15.42	13.41	14.08	13.41	14.75	4.5	11.8	40	90	75	68	69	125	102	99	clear
					5.5.21	4.72	2	2	4.72	4.33	2	2.0	12.41	4.5	4.5	11.4	12.07	4.5	4.5	8	4	71	28	12	6	87	35	p.clear
					10.5.21	5.9	5.11	5.51	5.11	5.11	2	4.5	14.08	13.41	13.41	12.74	14.08	4.5	11.3	35	33	38	35	52	58	44	51	p.clear
					12.5.21	3.93	4.72	4.33	4.33	3.93	2	2.0	10.73	8.04	10.73	10.06	10.06	4.5	4.5	17	15	19	17	50	46	54	50	rainy
					17.5.21	2.75	2.36	2.36	1.96	2.36	2	2.0	6.03	6.7	6.03	6.03	6.7	4.5	4.5	48	38	52	46	61	50	71	60	clear
					19.5.21	2.36	2.36	2.75	1.96	2.36	2	2.0	5.36	6.03	6.03	6.7	6.03	4.5	4.5	50	42	48	47	67	60	62	63	clear
					24.5.21	3.15	2.75	2.75	2.36	2.75	2	2.0	6.7	6.7	8.71	8.04	8.04	4.5	4.5	25	29	17	24	56	71	35	54	cloudy
					26.5.21	2.36	2.75	2.36	2.36	2.75	2	2.0	6.03	5.36	5.36	4.69	5.36	4.5	4.5	54	38	33	42	82	75	65	74	windy
31.5.21	1.96	1.96	2.36	1.57	1.96	2	2.0	3.35	4.02	4.02	4.02	3.35	4.5	4.5	15	29	40	28	50	81	58	63	rainy					

Scientist-in-charge : 

Member Secretary : 

