

**AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM**

**MONTH : FEBRUARY, YEAR : 2023**

Station Code	Name of monitoring Station	Area class	City	State Name	Sampling Date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average of SO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average of NO <sub>2</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	24 Hrs. Average - PM <sub>10</sub>	24 Hourly Value of PM <sub>2.5</sub>	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
450	Khatla	Residential	Aizawl	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	49	38	43	10	83	91	73	82	clear			
					6.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	52	40	46	10	87	97	76	87	clear	
					8.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	47	36	42	10	80	87	71	79	clear	
					13.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	47	52	38	46	10	58	95	73	84	clear
					15.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	49	38	43	10	83	91	73	82	clear
					20.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	49	40	44	10	81	92	75	83	clear
					22.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	50	40	44	10	83	93	76	84	clear
27.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	43	47	36	42	11	83	89	69	80	clear					
451	Laipuitlang	Residential	Aizawl	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	36	45	44	**	78	52	66	65	clear			
					6.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	77	84	58	73	**	112	131	84	109	clear	
					8.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	71	60	52	61	**	101	92	72	88	clear	
					13.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	87	72	69	76	**	131	112	95	113	clear
					15.2.23	2	2	2	2	2	2	2.0	4.5	4.5	10	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	70	75	48	64	**	108	119	67	98	clear
					20.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	105	96	122	108	**	163	140	175	159	clear
					22.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	119	79	124	108	**	180	114	166	153	clear
27.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	128	108	64	100	**	184	157	92	144	clear					
452	Bawngkawn	Commercial	Aizawl	Mizoram	1.2.23	2	2	2	2	2	2	2.0	20.1	14.7	15.4	21.4	12.7	6	15.0	157	163	155	159	43	240	251	224	239	clear				
					6.2.23	2	2	2	2	2	2	2.0	23.4	16.7	18.7	24.1	14.7	10	17.9	184	173	210	189	62	266	250	282	266	clear				
					8.1.23	2	2	2	2	2	2	2.0	21.4	14.7	16.7	20.1	10	6	14.8	186	152	149	162	29	269	231	215	238	clear				
					13.2.23	2	2	2	2	2	2	2.0	23.4	18.7	17.4	20.7	12	7.3	16.5	224	184	175	194	36	311	267	244	273	clear				
					15.2.23	2	2	2	2	2	2	2.0	24.1	19.4	20.1	22.1	14	10.7	18.4	226	208	151	195	37	316	292	221	276	clear				
					20.2.23	2	2	2	2	2	2	2.0	23.4	19.4	18.1	22.1	16	10	16.5	256	242	236	245	92	345	322	303	323	clear				
					22.2.23	2	2	2	2	2	2	2.0	24.1	20.1	18.7	27.3	28.2	18	21.7	280	270	169	240	43	369	370	239	326	clear				
27.2.23	2	2	2	2	2	2	2.0	22.1	19.4	17.4	20.1	16.7	10.7	17.7	215	200	162	192	51	300	280	234	271	clear									

**AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - FEBRUARY, 2023**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average of SO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average of NO <sub>2</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	24 Hrs. Average - PM <sub>10</sub>	24 Hourly Value of PM <sub>2.5</sub>	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
731	Champhai Kahrawt	Residential	Champhai	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	31	6	21	8	62	68	19	49	clear			
					6.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	29	12	19	**	43	62	28	44	clear	
					8.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	31	16	22	**	45	64	30	46	clear	
					13.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	29	14	21	**	47	64	34	36	clear
					15.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	29	15	22	**	52	62	35	49	clear
					20.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	35	20	27	**	57	71	18	48	clear
					22.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	33	17	26	**	64	70	38	57	clear
27.2.23	2	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	31	16	24	**	59	66	33	52	clear					
732	Champhai Venghlang	Commercial	Champhai	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	48	28	38	**	84	106	66	85	clear			
					6.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	46	26	37	**	86	104	64	84	clear	
					8.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	48	26	38	**	86	106	64	85	clear	
					13.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	46	28	37	**	82	104	64	83	clear
					15.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	46	28	38	**	86	104	66	85	clear
					20.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	46	28	38	**	94	104	64	87	clear
					22.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	46	30	38	**	86	106	68	86	clear
27.2.23	2	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	48	30	39	**	86	108	68	87	clear					
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	21	15	21	6	57	47	34	46	cloudy			
					6.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	25	12	22	7	64	58	31	51	clear	
					8.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	13	21	7	57	50	32	46	clear	
					13.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	29	13	24	7	66	61	31	53	clear
					15.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	27	15	24	7	66	60	34	53	clear
					20.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	31	15	26	7	70	64	36	56	clear
					22.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	17	22	8	60	55	38	51	clear
27.2.23	2	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	25	11	22	8	64	63	30	52	clear					
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	25	29	24	11	41	53	59	51	clear			
					6.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	23	21	24	10	57	49	44	50	clear	
					8.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	25	21	22	10	41	53	44	46	clear	
					13.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	17	21	21	10	53	36	44	44	clear
					15.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	23	21	21	10	40	49	44	44	clear
					20.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	21	25	25	11	57	44	53	51	clear
					22.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	24	21	24	11	57	49	44	50	clear
27.2.23	2	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	25	21	25	11	57	53	44	51	clear					

**AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - FEBRUARY, 2023**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average of SO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average of NO <sub>2</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	24 Hrs. Average - PM <sub>10</sub>	24 Hourly Value of PM <sub>2.5</sub>	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	16	8	12	5	20	26	13	20	clear		
					3.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	21	8	13	5	20	38	12	24	clear	
					6.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	20	6	13	5	20	35	11	22	clear	
					8.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	22	9	14	5	20	36	17	24	clear
					13.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	19	9	13	3	18	33	15	22	clear
					15.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	16	8	12	4	20	26	14	20	clear
					20.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	27	16	19	7	25	46	26	32	clear
					22.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	19	9	14	8	25	31	15	24	clear
27.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	20	9	13	5	24	37	17	26	clear					
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	21	8	15	**	26	33	14	24	clear		
					6.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	28	9	19	**	35	49	17	34	clear	
					8.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	21	9	16	**	30	36	16	27	clear	
					13.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	24	9	18	**	31	41	17	30	clear
					15.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	21	9	15	**	24	34	17	25	clear
					20.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	29	14	20	**	33	49	26	36	clear
					22.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	24	12	19	**	34	39	20	31	clear
					27.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	27	15	21	**	35	45	29	36	clear
737	Dawrpui	Commercial	Aizawl	Mizoram	1.2.23	2	2	2	2	2	2	2.0	18.8	13.5	22.2	20.2	16.8	10.1	16.9	74	75	67	72	**	125	122	123	123	clear				
					6.2.23	2	2	2	2	2	2	2.0	30.2	31.6	20.1	13.5	16.8	11.1	20.6	132	93	141	122	**	204	158	217	193	clear				
					8.2.23	2	2	2	2	2	2	2.0	22.1	27.5	16.5	23.5	12.1	8.0	18.3	100	103	94	99	**	171	179	147	166	clear				
					13.2.23	2	2	2	2	2	2	2.0	24.9	26.9	18.8	22.2	13.5	12.1	19.7	124	122	96	114	**	194	204	161	186	clear				
					15.2.23	2	2	2	2	2	2	2.0	20.2	22.2	26.9	16.8	16.9	13.4	19.4	120	105	105	110	**	188	183	170	180	clear				
					20.2.23	2	2	2	2	2	2	2.0	20.2	28.2	18.8	13.5	20.2	8.7	18.7	156	132	173	154	**	247	215	271	245	clear				
					22.2.23	2	2	2	2	2	2	2.0	23.6	17.4	16.8	14.1	4.5	4.5	12.8	171	125	128	141	**	266	197	211	225	clear				
					27.2.23	2	2	2	2	2	2	2.0	28.2	25.5	16.8	22.2	4.5	4.5	17.0	122	120	115	119	**	212	191	181	195	clear				
738	Lengpui	Residential	Aizawl	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	59	58	53	57	31	66	65	59	63	clear		
					6.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	74	68	58	67	53	79	72	60	70	clear	
					8.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	39	30	37	13	48	44	34	42	clear	
					13.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	74	58	44	59	28	137	110	81	110	clear
					15.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	83	68	64	72	40	95	79	72	82	clear
					20.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	125	101	88	105	85	132	107	93	111	clear
					22.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	100	89	85	91	68	137	96	110	114	clear
					27.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	78	76	66	73	48	80	78	67	75	clear

**AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - FEBRUARY, 2023**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average of SO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average of NO <sub>2</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	24 Hrs. Average - PM <sub>10</sub>	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition				
1014	New Siaha	Commercial	Siaha	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	33	19	26	66	89	44	66	clear			
					6.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	10.7	12.7	4.5	4.5	4.5	4.5	48	29	21	33	94	69	38	67	clear	
					8.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	40	19	35	98	77	44	73	clear	
					13.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	40	19	38	118	88	44	83	clear
					15.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	85	83	50	73	117	119	68	101	clear
					20.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	83	113	58	85	185	215	119	172	clear
					22.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	133	115	131	126	277	242	238	252	clear
27.2.23	2	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	108	85	42	78	252	179	88	173	clear					
1015	ECM Vaih	Residential	Siaha	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	56	38	47	125	148	88	120	clear			
					6.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	71	79	42	64	138	194	85	139	clear	
					8.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	73	69	38	60	158	150	69	126	clear	
					13.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	108	26	46	60	235	77	104	138	clear
					15.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	71	54	38	54	167	113	81	120	clear
					20.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	63	99	46	69	145	218	85	149	clear
					22.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	73	123	46	81	160	265	98	174	clear
27.2.23	2	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	125	48	19	64	265	115	48	143	clear					
1016	Bazar Veng	Commercial	Mamit	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	19	23	52	46	40	46	clear			
					6.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	27	21	24	48	54	44	49	clear	
					8.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	27	19	24	48	50	36	45	clear	
					13.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	22	20	24	56	47	39	47	clear
					15.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	27	19	24	48	50	36	45	clear
					20.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	33	22	27	52	62	47	54	clear
					22.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	23	25	26	58	48	52	53	clear
1017	Lungsir Veng	Residential	Mamit	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	19	17	21	45	36	29	37	clear			
					6.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	22	19	22	48	44	41	44	clear	
					8.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	22	17	21	45	44	31	40	clear	
					13.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	15	18	40	36	29	35	clear
					15.2.23	2	2	2	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	28	21	23	41	53	38	44	clear

**AMBIENT AIR QUALITY DATA UNDER NAMP FROM 19 STATIONS IN MIZORAM - FEBRUARY, 2023**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average of SO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average of NO <sub>2</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	8-Hourly Value of PM <sub>10</sub>	24 Hrs. Average of PM <sub>10</sub>	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition					
1018	Bazar Veng	Commercial	Serchhip	Mizoram																													
					Monitoring not done due to PM10 machine failure																												
1019	P & E Veng	Residential	Serchhip	Mizoram	1.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	19	15	17	40	38	44	40	clear				
					6.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	23	19	20	40	48	46	44	cloudy		
					8.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	17	25	21	44	48	46	46	clear		
					13.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	21	23	20	44	48	46	46	clear		
					15.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	27	24	48	48	48	48	clear	
					20.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	19	23	19	40	48	40	42	clear	
					22.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	27	21	22	40	46	50	45	cloudy	
27.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	21	21	20	40	48	44	44	cloudy						
1020	L-IV,Chandmary	Commercial	Lawngtlai	Mizoram	6.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	43	38	36	47	89	63	66	clear				
					8.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	61	42	47	63	112	87	87	clear			
					13.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	57	42	44	64	118	87	90	clear		
					15.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	50	39	41	72	107	74	85	clear		
					20.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	32	29	29	49	67	47	54	clear	
					22.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	59	48	48	77	121	97	98	clear	
					27.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	39	52	49	47	75	123	97	98	clear	
28.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	66	43	51	86	130	91	102	clear						
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram	16.2.23	9.1	5.9	7.4	2	6.7	2	4.5	4.5	4.5	4.5	10.6	4.5	4.5	4.5	4.5	42	71	88	67	71	110	123	101	clear				
					17.2.23	2	4.7	2	2	4.3	7.5	4.6	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	67	58	58	94	106	104	101	clear		
					20.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	27	31	28	44	48	56	49	clear		
					21.2.23	2	5.1	2	3.9	3.9	2	2.0	9.4	10.7	11.4	12.1	4.5	4.5	4.5	4.5	4.5	4.5	9.3	90	98	69	85	148	162	129	147	clear	
					22.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	31	25	28	46	54	54	51	clear	
					24.2.23	7.1	7.9	4	4.3	4.7	2	4.6	11.4	14.7	16.7	12.7	4.5	4.5	4.5	4.5	4.5	4.5	4.5	9.3	77	85	60	74	125	144	100	123	clear
					25.2.23	6.6	5.9	2	5.11	2	2	2.0	11.4	12.7	10.1	4.5	9.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	79	52	65	65	106	100	117	108	clear
					27.2.23	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	31	19	25	46	58	48	51	clear	
28.2.23	6.9	7.1	2	7.4	2	2	2	2	14.1	12.7	16.1	4.5	15.4	4.5	4.5	4.5	4.5	4.5	9.7	65	79	60	68	104	127	104	112	clear					

\* = Monitoring not yet started.

\*\* = No Monitoring due to Machine Failure.

Analysts :

Scientist -in-charge :



Member Secretary:

