

Ambient Air Quality Data from NAMP Stations in Mizoram - MARCH 2018

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
450	Khatla	Residential	Aizawl	Mizoram	5/3/18	0	0	0	0	0	0	2.0	19.4	25.4	21.4	14	4.5	4.5	15.9	104	89	65	86	199	164	132	165	Clear
					7/3/18	0	0	0	0	0	0	2.0	21.4	25.4	17.4	14.7	4.5	4.5	15.9	112	100	59	90	172	179	101	151	Clear
					12/3/18	0	0	0	0	0	0	2.0	21.4	25.4	19.4	14.7	9.3	4.5	16.3	93	79	57	76	211	168	126	168	Clear
					14/3/18	0	0	0	0	0	0	2.0	21.4	24.8	17.4	13.4	4.5	4.5	15.5	66	66	42	58	128	105	82	105	Clear
					19/3/18	0	0	0	0	0	0	2.0	21.4	21.4	19.4	13.4	4.5	4.5	15.1	152	106	128	129	420	216	208	281	Clear
					21/3/18	1.5	1.1	0	0	0	0	2.0	19.4	25.4	22.8	14.7	4.5	9.3	16.7	112	89	73	91	199	209	111	146	Clear
					26/3/18	0	0	0	0	0	0	2.0	21.4	26.1	17.4	11.4	4.5	4.5	13.6	141	104	36	94	293	200	74	185	P.Clear
28/3/18	0	0	0	0	0	0	2.0	20.7	26.1	21.4	14.7	4.5	4.5	16.6	137	96	97	110	401	185	141	242	Clear					
451	Lapuitlang	Residential	Aizawl	Mizoram	5/3/18	0	0	0	0	0	0	2.0	0	0	0	0	0	0	4.5	31	27	14	24	54	46	22	41	Clear
					7/3/18	0	0	0	0	0	0	2.0	0	0	0	0	0	0	4.5	33	29	10	24	56	46	16	39	Clear
					12/3/18	0	0	0	0	0	0	2.0	0	0	0	0	0	0	4.5	35	31	12	26	58	52	20	43	Clear
					14/3/18	0	0	0	0	0	0	2.0	0	0	0	0	0	0	4.5	29	23	12	21	50	40	22	37	Clear
					19/3/18	0	0	0	0	0	0	2.0	0	0	0	0	0	0	4.5	31	37	9	22	52	42	16	37	Clear
					21/3/18	0	0	0	0	0	0	2.0	0	0	0	0	0	0	4.5	33	29	7	23	58	46	11	38	Clear
					26/3/18	0	0	0	0	0	0	2.0	0	0	0	0	0	0	4.5	31	19	5	18	52	30	10	31	P.Clear
28/3/18	0	0	0	0	0	0	2.0	0	0	0	0	0	0	4.5	33	27	11	24	60	48	19	42	Clear					
452	Bawngkawn	Residential	Aizawl	Mizoram	3/3/18	0	0	0	0	0	0	2.0	14	18.1	16.7	14	4.5	4.5	13.1	32	60	39	43	56	139	82	92	Clear
					5/3/18	0	0	0	0	0	0	2.0	14	18.1	16	14	4.5	4.5	11.8	34	66	17	39	62	141	56	86	Clear
					7/3/18	0	0	0	0	0	0	2.0	14	18.7	16	12.7	4.5	4.5	4.5	32	64	39	45	67	145	82	101	Clear
					12/3/18	0	0	0	0	0	0	2.0	12.7	18.7	16	16	4.5	4.5	12.0	35	98	60	64	74	207	93	124	Clear
					14/3/18	0	0	0	0	0	0	2.0	15.4	18.7	18.1	16	4.5	4.5	12.8	39	8	47	58	82	181	98	120	Clear
					19/3/18	0	0	0	0	0	0	2.0	14	18.7	18.7	16	4.5	4.5	12.7	39	90	53	60	82	186	104	124	Clear
					21/3/18	0	0	0	0	0	0	2.0	14	18.7	18.1	16	4.5	4.5	12.6	43	81	49	57	90	171	107	122	Clear
26/3/18	0	0	0	0	0	0	2.0	14	18.7	18.7	16	4.5	4.5	12.7	39	102	89	76	82	211	185	159	159	P.Clear				
28/3/18	0	0	0	0	0	0	2.0	14	18.7	18.1	16	4.5	4.5	12.0	39	96	64	66	82	205	141	142	142	Clear				
731	Champhai Kahrawt	Residential	Champhai	Mizoram	5/3/18	0	1.2	1.9	2	0.4	0.4	2.0	0	2.1	2.5	3.4	1.4	0	4.5	30	39	17	28	65	88	38	63	Clear
					7/3/18	0	1.2	1.6	1.3	0.8	0	2.0	0	1.3	2.7	0.7	0	0	4.5	28	32	14	24	61	72	33	55	Clear
					12/3/18	0	2	1.6	0.8	0	0	2.0	0	2	2.8	1.3	0	0.6	4.5	26	32	11	23	56	67	26	49	Clear
					14/3/18	0	1.1	2.3	1.9	0.3	0	2.0	0	1.3	3.3	2	0.6	1.3	4.5	29	35	19	27	60	74	40	51	Clear
					19/3/18	0	1.9	2.7	0	0	0	2.0	0	2	2.6	1.3	0	0	4.5	27	29	17	24	58	68	36	54	Clear
					21/3/18	0	0	1.6	1.1	0	0	2.0	0	0.6	2.7	1.3	0	0.6	4.5	26	31	14	23	56	70	32	52	Clear
					26/3/18	0	2.4	2	0	0	0	2.0	0	2.3	2.5	1.4	0.7	0.7	4.5	28	33	8	24	61	70	18	50	Clear
28/3/18	0	1.2	1.6	0.8	0	0	2.0	0	0	2.1	1.3	0.6	0.6	4.5	32	33	14	26	61	68	26	51	Clear					

Ambient Air Quality Data from NAMP Stations in Mizoram - MARCH 2018

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	5/3/18	0.0	0.0	0.81.2	0.8	0.0	0.0	2.0	0.0	2.7	0.0	2.7	0.0	0.0	4.5	48	56	38	47	100	116	74	95	Clear	
					7/3/18	0.0	0.8	0.8	0.0	0.0	0.0	2.0	0.0	2.7	0.0	2.7	0.0	0.0	0.0	4.5	48	54	35	45	98	116	64	92	Clear
					12/3/18	0.0	0.8	0.8	0.0	0.0	0.0	2.0	0.0	0.0	2.0	1.4	0.0	0.0	4.5	45	48	33	42	92	106	70	89	Clear	
					14/3/18	0.0	0.8	0.7	0.0	0.0	0.0	2.0	0	2.1	2.7	0	1.4	0	4.5	43	51	35	44	92	108	64	88	Clear	
					19/3/18	0.0	1.1	0.7	0.3	0.0	0.0	2.0	0	1.3	2.7	0	2	0	4.5	42	62	23	42	86	122	52	86	Clear	
					21/3/18	0.0	0.7	0.7	0.3	0.0	0.0	2.0	0	1.3	2.6	0.6	0	0	4.5	41	44	30	38	83	88	49	73	Clear	
					26/3/18	0.0	0.3	0.7	0.7	0.0	0.0	2.0	0	1.3	2.6	0	2.6	0	4.5	41	42	23	35	82	84	42	69	Clear	
28/3/18	0.0	0.0	0.7	0.7	0.0	0.0	2.0	0	1.3	3.3	0	0	0	4.5	39	44	21	34	74	90	40	68	Clear						
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	5/3/18	0	0	0	0	0	0	2.0	3.3	3.9	3.4	2.0	0.7	2.9	4.5	24	24	29	26	50	52	61	54	Clear	
					7/3/18	0	0	0	0	0	0	2.0	2.1	3.2	3.2	1.4	0.7	2.2	4.5	22	27	30	26	47	57	63	56	Clear	
					12/3/18	0	0.4	0	0	0	0	2.0	2.8	4.1	3.3	2.0	1.4	2.8	4.5	24	31	30	28	51	69	66	62	Clear	
					14/3/18	0	0	0	0	0	0	2.0	2.7	2.7	3.5	1.4	0.7	2.2	4.5	23	23	27	24	49	49	57	52	Clear	
					19/3/18	0	0	0	0	0	0	2.0	2.7	3.3	3.3	2.1	1.4	2.2	4.5	20	23	29	24	44	50	59	51	Clear	
					21/3/18	0	0	0.4	0	0	0	2.0	2.6	4.0	4.2	2.7	1.3	3.0	4.5	20	28	30	26	44	58	63	53	Clear	
					26/3/18	0	0	0	0	0	0	2.0								22	26		24						
28/3/18	0	0	0	0	0	0	2.0	1.9	3.3	2.7	1.4	1.4	2.2	4.5	14	26	23	18	34	37	52	41	Clear						
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	5/3/18	0	0	0	0.8	0	0.8	2.0	1.4	0.0	0.7	2.0	2.0	2.0	4.5	27	34	44	35	57	71	86	71	Clear	
					7/3/18	0	0	0	0	0	0	2.0	1.4	1.3	2.0	0.7	1.3	0.7	4.5	31	38	26	32	64	79	55	66	Clear	
					12/3/18	0	0	0	0.8	0.8	0.4	2.0	1.3	2.0	1.3	3.4	2.7	3.4	4.5	31	33	40	35	64	64	82	70	Clear	
					14/3/18	1.2	1.7	0.8	0.8	0	0	2.0	4.0	3.3	3.4	2.7	2.0	2.7	4.5	26	44	38	36	55	86	74	71	Clear	
					19/3/18	1.1	0.7	1.1	0.3	0	0	2.0	2.6	3.3	4.0	2.7	3.3	2.6	4.5	31	29	46	35	63	60	92	72	Clear	
					21/3/18	0	0	0	0	0	0	2.0	2.0	1.3	2.7	2.6	3.3	2.0	4.5	31	32	39	34	6	66	81	71	Clear	
					26/3/18	0	0.3	0	0	0	0	2.0	2	2.7	3.3	3.3	2.0	1.0	4.5	38	35	27	33	79	72	52	67	Clear	
28/3/18	0	0	0	0	0	0	2.0	1.3	2.0	2.0	2.6	2.3	1.3	4.5	29	24	42	32	63	49	82	65	Clear						
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	5/3/18	0	0.8	0	0	0	0	2	0	0	0	0	0	0	4.5	6	14	4	8	14	30	10	18	Clear	
					7/3/18	0	1.2	0	0	0	0	2	0.7	1.3	0.7	0.7	1.3	0.3	4.5	6	15	4	9	9	30	11	17	Clear	
					12/3/18	0	0	0	0	0	0	2	0	1.3	2	0	0	0	4.5	6	14	5	9	14	32	12	19	Clear	
					14/3/18	0	0	0.4	0	0	0	2	0	2	0.7	0	0	0	4.5	2	7	5	5	12	18	9	13	Clear	
					19/3/18	0	0.3	0	0	0	0	2	2.6	0.6	0	0	0	0	4.5	7	19	4	10	17	41	15	24	Clear	
					21/3/18	0	0.3	0.3	0	0	0	2	0	1.3	0.6	0	0	0	4.5	6	13	11	10	23	27	19	23	Clear	
					26/3/18	0	0	0.2	0.2	0	0	2	0	2	0.6	0	0	0	4.5	8	11	4	7	15	27	6	16	Clear	
					28/3/18	0	0.3	0	0	0	0	2	0	2	3.3	0	0	0	4.5	9	17	6	11	24	37	11	24	Clear	

Ambient Air Quality Data from NAMP Stations in Mizoram - MARCH 2018

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition
736	Lunglei Chanmari	Commercial	Lunglei	Mizoram	5/3/18	0.4	1.2	0.8	0.4	0	0	2.0	0	1.3	0.7	0	0	0	4.5	16	26	14	19	35	54	23	37	Clear
					7/3/18	0	0	0	0	0	0	2.0	2	3.4	0.7	0.7	1.3	1.3	4.5	18	22	8	16	40	49	25	38	Clear
					12/3/18	0	0.8	0.4	0	0	0	2.0	1.3	2.7	0.7	0	0.7	0.7	4.5	21	27	16	21	4	55	31	42	Clear
					14/3/18	0	0.8	1.2	0	0	0	2.0	0.7	2.7	4	1.3	0	0	4.5	17	26	14	19	35	57	23	38	Clear
					19/3/18	0	1.1	1.5	0.3	0	0	2.0	1.3	4	2	2.6	0	0.6	4.5	22	37	6	25	44	76	35	52	Clear
					21/3/18	0.7	0.3	0.7	1.5	0.3	0.7	2.0	0	2.6	5.3	0	0	0	4.5	21	30	17	23	46	67	33	48	Clear
					26/3/18	0.3	1.1	0	0	0	0	2.0	0.6	2.6	1.3	3.3	0.6	0.6	4.5	13	22	8	15	37	50	17	34	Clear
					28/3/18	1.1	1.5	0.3	0.3	0.7	0.7	2.0	2.6	1.3	3.3	0.6	0.6	0.6	4.5	22	39	16	25	50	78	34	34	Clear
737	Dawrpui	Commercial	Aizawl	Mizoram	5/3/18	1.6	2.4	0.4	0	0	0	2.0	21.5	24.1	16.1	14.1	5.4	4.5	14.2	199	123	100	141	366	195	142	234	Clear
					7/3/18	0.8	0	0.4	0.4	0	0	2.0	16.8	18.8	15.4	14.1	10.7	4.5	14.0	1.6	120	95	107	178	22	146	181	Clear
					12/3/18	0.4	1.6	2.4	1.2	0	0	2.0	18.8	22.8	17.4	14.8	12.7	9.4	16.0	120	240	116	159	224	354	176	251	Clear
					14/3/18	0.4	3.2	1.6	0	0	0	2.0	17.4	22.8	14.1	12.1	4.5	4.5	26.6	116	120	56	171	255	284	121	220	Clear
					19/3/18	0.8	4	0.8	0	0	0	2.0	20.1	22.8	16.1	13.4	10.7	4.5	15.0	67	155	7	98	125	199	118	147	Clear
					21/3/18	1.6	0.8	0.8	0	0	0	2.0	17.4	21.5	18.8	14.8	12.1	10.7	15.9	218	106	74	133	264	180	132	142	Clear
					26/3/18	0	0	0	0	0	0	2.0	18.9	20.1	17.4	4.5	4.5	4.5	11.6	74	79	49	67	106	128	70	101	Clear
					28/3/18	3.2	1.6	0.4	0	0	0	2.0	18.8	22.8	17.4	14.8	12.1	4.5	15.7	76	104	67	82	132	185	118	145	Clear
738	Lengpui	Residential	Aizawl	Mizoram	5/3/18	0.8	0	0	1.2	1.2	0	2.0	2.7	4	4.7	4.7	2	2	4.5	53	93	81	76	72	105	102	93	Clear
					7/3/18	0	0	0	0	0	0	2.0	2.7	4	6.1	4.7	2.7	2.7	4.5	47	62	28	46	58	78	39	58	Clear
					12/3/18	0	1.2	0	0	1.6	1.2	2.0	4.2	4.9	4.4	6	2.7	2.7	4.5	73	57	65	65	104	72	77	85	Clear
					14/3/18	0	0	1.2	0.8	1.6	0	2.0	0	4	2	3.3	1.3	1.3	4.5	37	50	43	44	49	68	59	59	Clear
					19/3/18	1.2	0	0	1.6	0.8	0	2.0	4	5.4	5.7	4.7	2.7	2.3	4.5	49	46	62	53	69	74	75	73	Clear
					21/3/18	0	0	0	0.8	1.2	0.9	2.0	2.7	5.4	4	4.7	2.7	3	4.5	66	61	81	59	82	82	94	86	Clear
					26/3/18	0	0	0	0	0	0	2.0	2.7	4.7	4	4.8	1.3	0	4.5	77	105	28	70	99	129	43	90	Clear
					28/3/18	0	0	0	0	0	0	2.0	2.8	2.7	4	3.3	1.3	1.3	4.5	57	112	39	69	77	128	59	88	Clear

Scientist Incharge :



Member Secretary :


