

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM

MONTH : JANUARY, YEAR : 2025

Station Code	Name of monitoring Station	Area class	City	State Name	Sampling Date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition			
450	Khatla	Residential	Aizawl	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	53	44	49	11	97	102	86	95	clear		
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	44	36	40	10	78	84	68	77	clear	
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	45	34	40	10	78	85	64	76	clear	
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	47	32	40	11	82	91	66	80	clear	
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	49	40	45	12	83	91	76	83	p.clear	
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	47	36	41	11	78	98	68	78	cloudy
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	51	40	45	11	84	95	76	85	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	51	42	46	11	84	96	80	87	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	47	53	42	47	12	89	98	80	89	clear
451	Laipuitlang	Residential	Aizawl	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	9	4.5	4.5	4.5	4.5	4.5	21	32	9	21	**	30	46	12	29	clear		
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	18	18	17	**	21	25	23	23	clear	
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	97	72	60	76	**	136	107	79	107	clear	
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	62	32	39	44	**	92	48	53	64	clear	
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	25	16	21	**	30	32	20	27	clear	
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	23	33	29	**	46	35	46	42	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	48	40	40	**	44	71	57	57	clear	
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	62	48	53	54	**	97	73	76	82	clear	
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	92	101	112	102	**	131	142	160	144	clear	
452	Bawngkawn	Commercial	Aizawl	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	10	4.5	4.5	4.5	4.5	16	54	39	36	**	28	76	54	53	clear		
					06-01-2025	2	2	2	2	2	2	2.0	11.4	4.5	4.5	14	4.5	4.5	4.5	4.5	58	60	42	53	**	76	82	51	70	clear		
					08-12-2025	2	2	2	2	2	2	2.0	16	13.4	12.7	18.7	10.7	4.5	13.0	110	125	74	103	**	159	183	110	151	clear			
					13-01-2025	2	2	2	2	2	2	2.0	16	12.7	11.4	13.4	9.3	4.5	11.2	107	76	65	83	**	161	119	95	125	clear			
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	10.7	4.5	4.5	4.5	4.5	63	65	30	53	**	87	93	43	74	clear		
					20-01-2025	2	2	2	2	2	2	2.0	12.7	10	12	14	10.7	4.5	10.6	64	76	55	65	**	95	113	83	97	clear			
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	9.3	12	10.7	4.5	4.5	4.5	43	88	82	71	**	61	131	113	102	clear		
					27-01-2025	2	2	2	2	2	2	2.0	14.7	10.7	4.5	11.4	10	4.5	10.1	122	74	86	94	**	167	104	119	130	clear			
					29-01-2025	2	2	2	2	2	2	2.0	15.4	12.7	11.4	17.4	16	10.7	13.9	135	146	173	151	**	184	198	233	205	clear			

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - JANUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
731	Champhai Kahrawt	Residential	Champhai	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	31	23	26	9	58	70	46	58	clear
					06-01-2024	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	27	19	23	12	51	58	36	48	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	20	19	20	12	48	51	34	44	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	18	24	12	52	56	33	47	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	29	15	21	14	47	62	26	45	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	26	18	21	12	47	49	33	43	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	27	15	22	11	48	52	26	42	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	26	13	20	12	49	58	22	43	clear
					29-01-2024	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	27	12	21	11	51	54	20	41	clear
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	38	22	34	15	90	82	48	73	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	32	26	32	16	86	74	46	68	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	34	20	30	16	86	80	46	70	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	32	18	30	14	86	72	46	68	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	34	20	31	16	90	80	48	72	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	34	22	32	15	88	78	48	71	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	36	20	22	15	88	80	46	71	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	36	20	32	15	88	78	46	70	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	36	20	31	14	84	78	44	68	clear
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	29	15	27	**	76	65	36	59	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	32	15	28	**	78	72	36	62	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	32	13	26	**	74	70	34	59	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	32	13	26	**	74	72	30	59	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	29	11	25	**	72	65	28	55	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	36	15	30	**	82	76	38	65	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	34	15	28	**	74	72	34	60	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	29	15	26	**	74	67	36	59	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	32	15	28	**	78	70	41	63	clear
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	17	22	19	**	40	35	45	40	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	24	20	20	**	31	50	41	41	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	17	21	**	44	52	36	44	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	18	23	20	**	41	40	48	43	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	23	19	21	**	44	48	39	44	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	19	23	21	**	42	39	49	43	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	20	23	23	**	56	41	48	48	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	21	20	20	**	38	44	41	41	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	20	25	21	**	38	41	51	43	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - JANUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	20	34	30	5	55	42	61	53	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	20	34	28	5	48	40	55	48	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	32	25	29	6	49	48	47	48	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	27	32	30	5	48	37	52	46	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	35	38	35	6	65	54	59	59	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	15	7	11	**	21	22	10	18	clear
					23-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4	24	13	14	6	12	42	19	24	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	35	37	40	7	57	61	58	59	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	51	37	43	6	72	64	43	60	clear
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4	16	4	9	**	15	40	10	22	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	28	4	15	**	28	80	10	40	cloudy
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	15	6	11	**	30	45	11	29	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	20	6	13	**	29	52	12	32	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	24	10	16	**	34	95	24	51	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	33	7	19	**	40	73	20	45	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	29	7	18	**	40	75	16	44	clear
					31-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	23	5	14	9	30	77	13	40	clear
737	Dawrpui	Commercial	Aizawl	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	22.1	10.1	20.1	13.4	4.5	4.5	13.2	33	85	92	70	15	85	155	176	139	clear
					06-01-2025	2	2	2	2	2	2	2.0	22.1	31.5	28.1	18.1	10.7	4.5	19.5	63	85	87	78	23	130	167	173	157	clear
					08-01-2025	2	2	2	2	2	2	2.0	26.8	26.8	15.4	24.1	20.1	4.5	19.6	72	99	149	106	25	147	193	251	167	clear
					13-01-2025	2	2	2	2	2	2	2.0	28.8	18.8	21.5	13.4	22.1	4.5	18.5	71	83	118	91	22	148	161	233	181	clear
					15-01-2025	2	2	2	2	2	2	2.0	24.2	24.2	14.8	16.3	20.1	4.5	17.9	74	80	92	82	21	147	152	190	163	clear
					20-01-2025	2	2	2	2	2	2	2.0	22.8	31.5	20.1	12.0	18.1	4.5	18.5	80	93	105	93	44	149	176	191	172	clear
					22-01-2025	2	2	2	2	2	2	2.0	27.5	30.2	18.8	20.8	16.7	4.5	19.8	140	90	137	123	30	234	179	238	216	p.clear
					27-01-2025	2	2	2	2	2	2	2.0	27.6	32.2	21.6	16.1	25.0	10.1	22.1	110	97	129	112	50	195	169	225	190	clear
					29-01-2025	2	2	2	2	2	2	2.0	34.3	24.9	18.8	29.6	18.2	10.1	22.6	79	120	183	127	68	145	209	287	214	clear
738	Lengpui	Residential	Aizawl	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	81	78	63	74	35	129	115	96	113	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	49	45	40	45	18	71	65	60	65	p.clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	45	40	44	20	72	68	65	68	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	72	68	60	67	26	115	108	90	104	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	81	77	65	74	31	121	115	96	111	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	92	88	80	87	43	151	145	130	142	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	101	95	89	95	66	159	148	100	136	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	101	95	86	94	52	171	165	100	145	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	151	145	128	141	92	198	190	171	186	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - JANUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition	
1014	New Siaha	Commercial	Siaha	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	31	17	22	**	52	40	44	45	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	42	26	35	**	64	60	47	57	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	54	33	39	**	48	97	64	70	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	40	36	39	**	90	57	45	64	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	59	16	40	**	88	144	33	88	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	39	50	36	**	52	96	96	81	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	40	44	39	**	59	94	84	79	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	90	141	40	90	**	155	212	104	157	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	60	158	35	84	**	104	240	67	144	clear
1015	ECM Vaih	Residential	Siaha	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	18	25	24	**	56	28	38	41	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	40	7	28	**	76	87	12	58	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	33	10	24	**	66	76	23	55	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	104	135	42	94	**	171	233	66	157	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	59	16	40	**	88	144	33	88	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	29	50	36	**	51	96	96	81	clear
					21-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	68	35	33	45	**	139	89	69	99	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	35	23	16	**	75	63	40	59	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	45	24	38	**	102	87	54	81	clear
29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	36	28	33	**	85	84	47	72	clear					
1016	Bazar Veng	Commercial	Mamit	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	33	33	34	17	73	68	33	17	clear
					06-01-2024	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	35	33	35	21	73	68	66	69	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	38	35	37	21	73	71	66	70	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	35	35	36	21	76	70	68	71	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	38	35	38	21	78	73	70	74	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	35	33	35	21	73	68	66	69	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	35	33	35	21	73	70	66	70	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	35	33	34	21	70	68	66	68	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	35	33	35	22	76	73	68	72	clear
1017	Lungsir Veng	Residential	Mamit	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	34	31	30	13	61	66	64	63	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	20	22	19	10	34	39	45	39	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	13	17	14	10	30	27	32	29	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	17	15	14	9	25	31	28	28	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	20	22	19	8	33	38	43	38	p.clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	17	22	18	10	32	36	43	37	p.clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	17	18	17	8	25	85	35	31	p.clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	20	25	20	10	38	43	48	43	p.clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	11	15	12	10	27	25	31	27	p.clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - JANUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
1018	Bazar Veng	Commercial	Serchhip	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	27	48	34	4	56	56	77	63	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	44	33	4	50	62	75	62	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	46	33	37	13	66	69	68	68	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	75	79	54	69	4	90	102	83	92	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	21	35	26	9	61	65	79	68	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	23	27	25	4	42	50	58	50	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	25	35	33	13	78	58	58	65	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	27	29	35	9	85	58	56	66	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	25	26	9	67	56	65	63	clear
1019	P & E Veng	Residential	Serchhip	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	25	21	26	8	54	42	40	45	p.clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	21	19	22	8	44	36	34	38	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	19	23	24	13	44	38	40	41	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	17	21	4	38	42	30	37	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	23	19	20	4	32	38	34	35	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	15	21	18	4	34	34	34	34	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	19	23	19	4	32	34	40	35	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	21	21	20	4	32	40	34	35	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	23	17	18	8	23	40	30	31	clear
1020	L-IV,Chandmary	Commercial	Lawngtlai	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	102	91	83	92	13	212	187	169	168	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	89	74	62	75	12	182	151	127	153	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	98	86	72	85	13	201	179	147	175	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	112	94	81	95	26	227	192	169	196	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	96	82	74	84	16	198	167	151	172	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	113	97	82	97	18	229	197	169	198	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	91	84	71	82	12	189	172	148	169	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	20	25	20	12	38	43	48	43	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	98	83	71	84	17	212	171	153	175	clear
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	52	58	71	60	47	108	115	113	112	p.clear
					06-01-2024	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	52	40	45	38	90	110	83	94	p.clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	46	42	42	34	88	98	88	91	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	48	40	44	43	96	104	94	98	p.clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	52	46	48	38	94	108	98	100	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	42	31	38	40	88	94	80	87	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	42	31	40	38	94	94	79	89	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	52	58	42	51	**	106	117	92	105	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	52	44	48	**	104	106	85	99	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - JANUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition		
1122	Chhim Veng	Commercial	Saitual	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	27	31	27	11	63	69	75	68	clear	
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	31	28	11	56	63	71	63	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	33	29	11	60	69	73	67	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	27	31	27	11	67	73	81	73	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	31	35	31	13	67	71	77	71	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	27	31	27	15	65	68	75	69	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	31	35	31	15	69	77	81	75	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	33	29	14	73	77	83	77	clear
1123	Keifang	Commercial	Keifang	Mizoram	29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	31	35	31	15	67	71	77	71	clear	
					01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	33	29	7	48	54	58	53	clear
					05-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	19	23	19	**	35	40	48	41	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	29	25	**	42	50	56	49	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	27	31	26	**	48	54	50	41	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	19	25	20	**	40	46	38	41	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	27	31	26	**	42	52	58	51	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	35	40	35	**	56	60	67	61	clear
1124	Darngawn	Residential	Khawzawl	Mizoram	27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	23	25	22	**	38	42	52	44	clear	
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	21	27	22	**	46	52	60	53	clear
					01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	19	21	19	**	27	27	36	30	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	19	8	11	**	16	25	21	21	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	54	33	31	**	71	69	46	62	clear
					13-01-2024	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	15	23	15	**	25	19	31	25	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	27	17	29	**	69	52	71	64	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	6	17	15	13	**	10	30	25	22	clear
1125	Electric Veng	Commercial	Khawzawl	Mizoram	22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	25	4	16	**	57	29	19	35	clear	
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	15	25	27	**	67	40	54	54	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	63	83	106	84	**	67	93	110	90	clear
					01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	56	19	40	14	62	81	56	66	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	64	75	58	**	56	77	108	80	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	123	81	87	**	73	179	89	114	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	83	81	27	64	25	87	87	31	68	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	79	58	44	60	20	98	69	56	74	clear
20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	85	94	27	72	21	108	106	80	91	clear					
22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	100	69	40	70	15	133	81	56	90	clear					
28-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	60	119	81	87	50	87	129	98	105	clear				
29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	112	112	91	102	45	135	321	146	201	clear				

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - JANUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
1126	Electric Veng	Residential	Hnahthial	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	33	27	30	**	64	66	54	61	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	31	29	32	**	68	62	54	61	cloudy
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	37	29	34	**	72	70	60	67	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	33	29	32	**	68	64	56	63	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	37	31	34	**	70	70	58	66	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	37	31	36	**	77	70	60	69	cloudy
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	42	33	37	**	77	79	62	73	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	35	31	34	**	72	66	56	65	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	33	27	32	**	72	66	52	63	clear
1127	Electric Veng DC COMPLEX	Commercial	Hnahthial	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	31	35	32	14	54	66	68	63	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	29	25	27	13	52	60	52	55	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	31	25	28	12	54	60	52	55	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	33	31	31	13	60	66	65	64	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	35	29	32	14	62	70	60	64	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	31	25	28	12	60	60	50	57	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	37	33	33	13	60	72	64	65	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	35	31	31	12	52	70	60	61	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	33	35	32	14	60	68	66	65	clear
1128	New Serchhip	Residential	Serchhip	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	25	27	24	**	47	45	49	47	cloudy
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	20	20	20	**	47	42	38	42	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	18	20	21	**	45	40	38	41	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	25	20	21	**	36	47	45	42	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	18	20	21	**	43	43	34	40	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	18	22	21	**	47	38	38	41	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	25	18	21	**	38	39	34	37	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	16	22	21	**	47	34	42	41	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	18	20	21	**	43	38	42	41	clear
1130	Khuangpuiam	Residential	Kolasib	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	21	16	20	**	62	53	50	55	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	15	17	15	**	51	53	49	51	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	13	18	16	**	54	48	56	53	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	18	21	18	**	49	57	55	54	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	22	20	20	**	44	51	53	49	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	23	19	20	**	42	49	50	47	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	22	24	22	**	45	52	50	49	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	18	13	15	**	49	55	50	51	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	20	19	18	*	47	57	52	52	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - JANUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
1131	L-1	Commercial	Lawngtlai	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	38	36	38	**	73	68	65	69	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	37	36	38	**	72	70	65	69	p.clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	36	36	38	**	71	70	66	69	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	40	38	41	**	79	76	74	76	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	47	41	39	42	**	79	78	75	77	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	41	40	43	**	77	71	69	72	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	49	42	40	44	**	79	76	75	77	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	49	43	41	44	**	78	76	73	76	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	44	41	44	**	79	75	74	76	clear
1133	Dinthar	Residential	Mamit	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	21	17	19	**	40	42	35	39	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	17	19	**	40	38	33	37	cloudy
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	19	15	17	**	37	40	33	37	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	21	17	19	**	40	42	33	39	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	23	19	31	**	42	44	35	40	p.clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	21	17	20	**	43	42	31	38	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	15	18	**	44	42	35	40	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	21	17	19	**	40	42	33	38	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	21	17	18	**	40	42	33	38	p.clear
1247	Aibawk	Residential	Aizawl	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	35	21	35	24	64	51	37	50	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	10	14	10	7	24	26	26	25	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	85	66	64	42	51	111	75	79	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	16	24	19	14	45	29	40	37	clear
					17-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	22	16	24	20	46	38	35	40	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	27	32	25	15	30	40	48	39	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	63	54	50	46	50	80	72	67	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	54	60	54	47	64	79	80	74	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	74	103	120	98	91	85	128	133	115	clear
1248	Biate	Commercial	N.Vanlaiphai	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	25	25	26	12	54	32	34	53	p.clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	21	22	10	50	48	46	48	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	29	27	28	14	58	56	54	56	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	21	23	22	11	46	48	44	46	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	25	23	24	12	50	52	50	51	p.clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	19	20	11	44	42	42	43	p.clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	17	23	20	12	46	42	46	45	cloudy
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	25	33	29	11	56	56	64	59	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	33	35	35	13	74	70	68	71	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM -JANUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
1249	Rahsi Veng	Commercial	N.Vanlaiphai	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	8	16	10	11	**	22	47	37	35	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	20	25	18	**	57	53	50	53	clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	56	56	51	**	72	76	65	71	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	14	22	21	**	45	26	30	33	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	33	27	24	**	36	58	49	47	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	20	16	16	**	30	34	30	31	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	18	8	12	**	28	34	20	27	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	25	20	20	**	38	43	36	39	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	31	16	24	**	54	53	34	47	clear
1250	Theiriat	Commercial	Lunglei	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	14	15	15	**	25	22	24	23	clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	26	20	22	**	28	41	30	33	clear
					11-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	15	20	17	**	27	23	31	26	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	21	21	20	**	31	37	38	35	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	20	18	18	**	27	30	27	27	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	19	20	20	**	29	27	29	28	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	17	21	18	**	28	25	21	27	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	17	20	19	**	30	26	29	28	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	14	15	15	**	25	22	24	23	clear
1251	Siahatla	Commercial	Siaha	Mizoram	01-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	50	54	49	**	87	109	125	107	p.clear
					06-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	38	21	31	**	73	83	51	69	p.clear
					08-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	39	27	35	**	80	82	74	79	clear
					13-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	39	27	35	**	80	82	74	79	clear
					15-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	40	19	33	**	85	89	45	73	clear
					20-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	33	15	30	**	87	72	35	65	clear
					22-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	35	19	28	**	62	76	42	60	clear
					27-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	39	42	21	34	**	80	91	51	74	clear
					29-01-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	45	26	34	**	66	94	59	73	clear

* = Monitoring not yet started.

** = No Monitoring due to Machine Failure.

Analysts :

Scientist -in-charge :



Member Secretary:




LiFE
Lifestyle for
Environment

Mizoram Pollution Control Board

