

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM

MONTH : MARCH, YEAR : 2025

Station Code	Name of monitoring Station	Area class	City	State Name	Sampling Date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
450	Khadla	Residential	Aizawl	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	56	46	51	12	97	107	88	97	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	53	60	49	54	12	102	111	95	103	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	60	51	56	13	107	113	97	107	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	53	62	49	55	12	104	118	95	106	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	53	58	49	53	13	102	111	95	103	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	60	49	55	14	107	113	95	105	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	58	62	51	57	13	111	118	97	107	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	62	67	51	60	14	118	125	100	114	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	60	60	49	56	12	113	116	91	107	clear
451	Laipuitlang	Residential	Aizawl	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	58	83	52	64	**	90	120	70	93	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	85	79	66	77	**	129	121	101	117	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	102	108	87	99	**	155	166	135	152	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	124	170	126	140	**	182	244	179	202	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	95	79	65	80	**	132	120	92	115	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	65	49	57	57	**	98	68	75	80	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	53	29	38	**	46	71	38	52	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	75	79	77	77	**	105	115	103	108	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	95	107	83	95	**	140	150	118	136	clear
452	Bawngkawm	Commercial	Aizawl	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	16.7	13.4	11.4	12.7	10	4.5	11.5	149	113	110	124	**	207	149	140	165	clear
					05-03-2025	2	2	2	2	2	2	2.0	18.1	14.7	12.7	16.7	14	12	14.7	180	149	192	174	**	248	207	256	237	clear
					10-03-2025	2	2	2	2	2	2	2.0	18.1	14.7	15.4	20.1	12.7	9.3	15.0	182	208	173	188	**	249	285	233	256	clear
					12-03-2025	2	2	2	2	2	2	2.0	18.1	14.7	10	13.4	11.4	4.5	12.4	223	153	152	176	**	300	214	204	239	clear
					17-03-2025	2	2	2	2	2	2	2.0	14.7	12	13.4	16	14	11.4	13.5	128	171	185	161	**	173	228	250	217	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	13.4	16.7	16.7	14	12.5	63	141	182	129	**	93	198	246	179	clear
					24-03-2025	2	2	2	2	2	2	2.0	10	4.5	11.4	15.4	14	12	11.6	60	112	118	97	**	84	149	157	130	clear
					26-03-2025	2	2	2	2	2	2	2.0	18.7	16.7	14.7	17.4	18.1	11.4	16.1	182	144	164	163	***	247	198	224	223	clear
					31-03-2025	2	2	2	2	2	2	2.0	16	17.4	18.7	16.7	12	10	15.1	171	292	94	186	**	241	372	130	248	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - MARCH, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
731	Champhai Kahrawt	Residential	Champhai	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	29	18	21	11	48	64	32	47	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	31	16	24	11	59	64	36	53	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	36	21	28	12	62	69	44	58	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	35	20	27	11	61	68	25	53	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	43	29	35	15	86	91	63	80	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	41	25	33	15	88	97	59	81	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	38	28	31	15	76	83	47	68	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	41	25	33	15	75	89	51	71	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	34	18	27	11	61	67	36	54	clear
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	50	29	41	19	102	110	64	92	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	50	28	42	20	106	112	64	94	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	50	26	40	20	102	112	58	90	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	50	28	42	20	104	110	62	92	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	50	24	40	20	100	104	54	87	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	52	26	41	20	100	114	58	90	clear
					24-06-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	42	24	36	18	98	96	54	82	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	48	26	39	17	96	106	58	86	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	42	24	37	17	104	96	60	86	clear
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	13	18	**	48	44	32	41	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	26	29	26	**	51	53	59	54	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	13	18	**	50	44	30	41	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	13	20	**	54	48	30	44	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	13	21	**	58	52	30	47	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	15	22	**	58	52	34	48	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	27	15	24	**	65	59	34	53	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	21	13	19	**	52	46	30	43	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	13	18	**	52	44	30	42	clear
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	20	26	23	**	47	42	54	48	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	26	29	26	**	51	53	59	54	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	28	25	**	46	51	57	51	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	24	21	24	**	56	51	44	50	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	29	27	25	**	41	60	56	52	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	24	23	25	**	57	52	50	53	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	26	24	26	**	58	53	52	54	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	26	29	27	**	55	53	59	56	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	27	29	27	**	52	56	60	56	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - MARCH, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	33	48	37	8	37	63	74	60	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	56	35	44	6	62	86	70	73	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	61	40	46	49	7	107	70	78	85	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	63	54	58	58	8	81	77	74	77	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	64	46	51	54	9	93	87	84	88	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	22	20	20	7	27	37	29	31	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	38	14	25	9	41	55	32	43	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	37	29	36	8	56	56	41	51	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	38	24	32	6	42	47	41	43	clear
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	32	8	18	11	42	35	13	47	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	24	7	15	8	27	74	13	39	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	26	7	17	11	36	79	12	43	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	36	7	20	13	37	97	17	51	clear
					21-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	27	6	16	12	35	86	13	45	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	29	9	18	11	35	35	16	46	clear
					27-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	26	7	15	12	30	81	14	42	clear
					28-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	11	38	9	18	11	27	91	20	46	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	16	8	17	11	32	82	17	44	clear
737	Dawrpui	Commercial	Aizawl	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	37.7	29.5	26.9	14.8	10.2	4.5	21.0	137	120	114	124	38	217	206	188	203	clear
					05-03-2025	2	2	2	2	2	2	2.0	41.0	28.9	31.7	19.4	12.1	4.5	23.3	139	113	123	125	30	241	195	214	217	clear
					10-03-2025	2	2	2	2	2	2	2.0	38.4	32.2	29.6	18.1	4.5	4.5	22.4	134	158	162	151	50	226	265	259	250	clear
					12-03-2025	2	2	2	2	2	2	2.0	42.5	32.9	41.3	26.4	15.5	4.5	27.6	118	189	157	155	64	188	313	241	251	clear
					17-03-2025	2	2	2	2	2	2	2.0	28.9	25.5	26.9	14.1	12.1	4.5	19.2	126	127	125	126	50	211	211	185	202	clear
					19-03-2025	2	2	2	2	2	2	2.0	25.6	30.2	19.5	15.5	16.2	4.5	19.1	134	100	97	110	43	222	200	187	203	clear
					24-03-2025	2	2	2	2	2	2	2.0	32.9	27.5	28.8	18.8	10.7	4.5	20.9	123	120	120	121	33	203	215	220	213	clear
					26-03-2025	2	2	2	2	2	2	2.0	26.8	35.6	24.2	20.2	10.1	10.1	21.2	103	118	142	121	45	200	219	241	220	clear
					31-03-2025	2	2	2	2	2	2	2.0	38.2	28.2	32.2	18.1	12.1	4.5	22.5	142	135	124	133	62	100	81	91	91	clear
738	Lengpui	Residential	Aizawl	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	88	84	75	82	38	119	110	98	109	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	80	73	79	37	108	100	95	101	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	87	79	74	80	54	141	135	102	126	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	109	100	91	100	54	181	175	160	172	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	88	81	75	81	40	141	135	120	132	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	96	90	81	89	45	167	161	148	159	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	88	81	75	81	39	141	135	120	132	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	169	141	120	143	100	201	168	171	157	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	121	115	92	109	71	185	176	151	171	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - MARCH, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
1014	New Siaha	Commercial	Siaha	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	39	85	32	52	**	77	146	66	96	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	68	32	43	**	66	139	78	94	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	159	102	101	**	56	198	108	121	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	127	111	90	109	**	240	151	160	184	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	87	69	77	78	**	187	184	137	170	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	83	96	35	68	**	87	121	66	91	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	66	90	88	81	**	151	176	211	179	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	57	111	76	81	**	90	168	112	123	clear
1015	ECM Vaih	Residential	Siaha	Mizoram	06-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	102	89	49	80	11	489	479	122	163	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	107	103	33	81	37	207	213	70	163	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	141	163	143	149	63	295	357	229	294	clear
					13-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	70	128	33	77	72	158	267	73	166	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	166	198	129	164	39	349	381	225	318	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	120	118	87	108	56	247	212	149	203	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	142	123	30	98	68	292	240	69	200	clear
					25-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	107	103	33	81	37	207	213	70	163	clear
1016	Bazar Veng	Commercial	Mamit	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	38	35	37	21	73	71	66	70	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	38	31	34	21	68	76	64	69	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	40	38	39	21	96	82	78	79	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	42	40	41	25	78	82	78	79	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	40	38	39	25	78	82	78	79	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	42	40	42	25	90	84	82	85	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	42	40	42	26	90	84	82	85	clear
					27-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	47	44	47	43	26	82	84	84	83	clear
1017	Lungsir Veng	Residential	Mamit	Mizoram	31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	42	40	41	27	82	82	78	81	clear
					03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	20	27	21	8	35	45	56	45	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	17	20	17	9	30	33	39	39	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	27	35	31	10	49	69	71	63	p.clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	17	19	16	11	28	35	37	33	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	16	13	15	10	33	34	28	31	clear
					22-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	25	23	23	15	44	48	47	46	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	17	20	18	13	34	33	38	35	clear
1017	Lungsir Veng	Residential	Mamit	Mizoram	26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	22	35	27	15	61	64	77	57	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	18	24	22	15	56	46	60	54	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - MARCH, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
1018	Bazar Veng	Commercial	Serchhip	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	23	27	25	8	54	54	67	58	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	29	31	30	13	60	58	58	59	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	31	27	29	9	54	58	62	58	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	25	25	27	9	60	32	58	50	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	29	27	28	9	58	54	56	56	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	46	42	42	5	96	84	75	85	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	10	33	23	7	50	41	66	52	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	46	38	43	13	81	94	71	82	clear
1019	P & E Veng	Residential	Serchhip	Mizoram	31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	49	69	52	57	4	80	125	85	97	clear
					03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	27	19	23	4	40	44	38	41	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	29	25	25	13	42	45	42	43	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	31	23	26	13	48	50	44	47	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	35	27	28	17	40	52	50	47	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	32	23	27	13	49	48	40	44	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	29	25	25	8	38	44	40	41	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	19	23	12	40	40	34	38	clear
1020	L-IV,Chandmary	Commercial	Lawngtlai	Mizoram	26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	21	22	8	40	40	34	68	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	21	21	8	38	38	38	38	clear
					03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	98	68	73	85	18	212	184	152	182	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	112	102	95	103	34	229	212	198	213	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	113	95	82	96	39	229	194	171	198	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	115	94	83	97	12	237	192	172	200	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	132	114	97	114	64	269	231	201	233	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	132	124	97	117	65	269	252	223	248	clear
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram	24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	127	112	98	112	67	263	229	210	234	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	124	115	97	112	69	251	238	213	234	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	116	109	94	106	55	229	221	192	214	clear
					03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	104	23	46	75	**	196	140	79	139	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	123	83	52	87	**	233	158	92	162	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	83	125	100	103	**	158	233	196	196	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	94	104	67	89	**	177	202	124	169	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	148	115	88	118	**	273	208	160	214	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	150	119	94	121	**	273	204	160	213	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	154	121	140	139	**	300	231	267	266	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	131	100	104	112	**	248	195	185	208	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	100	104	81	96	**	194	200	148	181	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - MARCH, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
1122	Chhim Veng	Commercial	Saitual	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	33	40	34	15	75	81	90	81	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	33	40	33	17	72	77	81	77	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	33	38	33	23	75	83	92	83	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	38	35	34	15	67	77	73	72	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	27	31	27	15	71	75	79	74	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	33	40	33	18	73	81	88	80	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	33	29	17	79	77	81	79	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	29	33	29	16	73	77	81	77	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	29	29	28	14	60	63	65	62	clear
1123	Keifang	Commercial	Keifang	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	35	42	36	11	56	67	75	66	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	40	44	39	12	58	71	75	68	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	31	38	31	13	63	69	77	70	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	27	33	28	14	50	54	60	55	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	31	33	30	**	58	69	71	66	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	27	31	27	**	60	69	75	68	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	21	25	21	**	54	60	63	59	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	25	27	24	**	52	58	65	58	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	23	31	25	**	54	63	69	62	clear
1124	Darngawn	Residential	Khawzawl	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	90	65	67	72	**	103	69	75	82	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	100	42	31	56	**	16	61	48	72	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	73	108	119	100	**	81	114	125	106	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	38	46	42	**	55	46	56	52	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	117	58	106	94	**	169	79	116	121	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	71	52	69	64	**	136	60	75	90	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	52	52	46	50	**	56	58	50	55	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	98	33	110	80	**	106	50	133	96	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	119	127	152	132	**	152	162	173	162	clear
1125	Electric Veng	Commercial	Khawzawl	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	129	110	77	105	44	158	175	116	149	p.clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	183	133	104	140	110	304	262	302	289	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	146	137	123	135	41	260	179	175	205	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	149	181	131	164	21	217	221	167	201	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	154	129	87	123	42	181	166	135	160	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	148	137	137	140	85	166	210	179	185	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	75	149	83	28	62	91	177	110	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	112	131	116	119	63	131	150	135	138	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	67	179	158	135	80	135	239	167	180	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - MARCH, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition		
1126	Electric Veng	Residential	Hnahthial	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	31	25	30	**	68	62	45	58	clear	
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	37	31	34	**	72	70	60	67	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	33	25	30	**	53	58	47	53	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	33	31	33	**	60	66	56	61	cloudy
					25-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	35	30	**	52	60	68	60	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	47	44	40	44	**	92	88	77	86	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	44	37	42	**	89	84	70	81	clear
					28-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	42	37	41	**	86	82	70	79	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	44	40	43	**	90	86	77	84	clear
1127	Electric Veng DC C	Commercial	Hnahthial	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	29	33	31	12	60	56	66	61	clear	
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	39	33	37	13	70	74	66	70	clear	
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	33	39	36	17	72	66	74	71	clear	
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	35	33	32	13	60	68	64	64	clear	
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	29	33	33	12	68	58	64	63	clear	
					29-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	33	29	31	13	60	64	54	59	clear	
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	35	35	33	13	60	70	68	66	clear	
1128	New Serchhip	Residential	Serchhip	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	20	25	21	**	40	38	45	41	clear	
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	20	22	22	**	45	40	40	41	clear	
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	22	18	21	**	41	42	43	42	clear	
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	22	20	23	**	47	40	42	43	clear	
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	27	25	25	**	42	48	41	44	clear	
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	20	22	23	**	49	38	38	42	clear	
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	27	18	20	**	30	49	38	39	clear	
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	20	25	24	**	52	45	41	46	clear	
1130	Khuangpuiam	Residential	Kolasib	Mizoram	31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	25	20	22	**	44	43	45	44	clear	
					03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	31	33	31	**	51	57	62	57	clear	
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	29	30	29	**	48	52	57	52	clear	
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	34	34	32	**	51	56	49	52	clear	
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	31	36	33	**	49	54	55	53	clear	
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	34	31	33	**	52	55	50	52	clear	
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	32	30	30	**	51	49	53	51	clear	
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	29	32	31	**	50	47	51	49	clear	
26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	32	30	31	**	49	51	48	49	clear						
30-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	27	31	29	**	48	49	49	49	clear						

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - MARCH, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
1131	L-1	Commercial	Lawngtlai	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	48	46	48	**	90	88	84	87	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	49	47	49	**	92	90	85	89	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	50	46	49	**	93	90	85	89	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	50	47	49	**	92	89	86	89	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	74	71	67	71	**	129	112	103	115	cloudy
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	69	67	65	67	**	119	101	98	106	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	68	66	62	65	**	116	100	95	104	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	68	64	60	64	**	120	105	95	107	clear
1133	Dinhtar	Residential	Mamit	Mizoram	31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	67	61	60	63	**	115	109	97	107	clear
					03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	25	21	23	**	46	48	40	44	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	26	19	23	**	48	52	38	46	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	26	19	23	**	48	50	38	45	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	26	21	23	**	44	52	37	44	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	29	21	25	**	55	54	42	50	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	26	21	25	**	52	50	40	47	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	26	21	23	**	48	55	42	48	clear
1247	Aibawk	Residential	Aizawl	Mizoram	26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	34	19	22	**	46	47	35	43	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	26	19	23	**	44	50	38	44	clear
					03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	48	60	49	46	104	68	113	101	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	64	59	65	62	52	112	126	121	119	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	62	89	75	75	72	147	142	123	137	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	83	75	102	86	69	158	149	142	149	clear
					15-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	68	40	43	50	32	128	92	54	92	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	68	40	43	50	32	128	92	57	92	clear
1248	Biate	Commercial	N.Vanlaiphai	Mizoram	19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	100	91	83	91	79	163	161	136	153	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	35	36	37	34	84	56	57	65	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	65	92	99	85	77	108	139	118	121	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	92	88	96	92	89	141	186	136	154	clear
					03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	27	29	28	13	56	54	58	56	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	25	26	12	56	50	52	53	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	27	33	35	13	74	76	68	73	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	37	35	36	15	74	76	78	74	clear
1248	Biate	Commercial	N.Vanlaiphai	Mizoram	17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	31	33	33	13	72	64	70	69	cloudy
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	31	33	32	12	64	62	66	64	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	31	29	30	12	64	60	60	61	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	39	39	37	38	12	78	80	74	77	clear
					31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	40	35	38	11	82	80	75	79	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM -MARCH, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
1249	Rahsi Veng	Commercial	N. Vanlaiphai	Mizoram	03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	14	41	29	**	45	34	61	46	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	39	43	35	39	**	53	53	57	54	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	50	39	43	**	76	89	64	76	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	52	33	43	**	72	85	62	73	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	39	27	28	**	34	61	39	44	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	52	43	45	**	84	91	76	83	clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	10	20	14	**	26	26	28	26	clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	49	37	44	**	62	67	49	59	clear
1250	Theiriati	Commercial	Lunglei	Mizoram	31-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	60	62	57	**	75	89	82	82	clear
					03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	18	15	15	**	20	18	23	20	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	17	16	15	**	23	26	25	24	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	16	19	18	**	30	24	27	27	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	20	19	20	**	30	31	28	29	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	21	20	20	**	32	31	30	30	clear
1251	Siahatla	Commercial	Siaha	Mizoram	22-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	21	33	24	**	30	31	48	36	clear
					03-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	78	85	49	71	**	149	175	105	143	clear
					05-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	66	80	35	60	21	139	168	82	130	clear
					10-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	50	38	44	**	97	112	81	97	clear
					12-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	59	52	54	**	107	127	111	115	clear
					17-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	59	38	49	**	107	127	85	106	clear
					19-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	47	61	29	46	**	99	132	72	101	p.clear
					24-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	54	66	45	55	43	134	151	97	127	p.clear
					26-03-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	73	82	64	73	44	156	177	139	157	p.clear

Analysts :

Scientist -in-charge :

[Signature]

Member Secretary:

[Signature]



LiFE
Lifestyle for
Environment

Mizoram Pollution Control Board

