

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM

MONTH : FEBRUARY, YEAR : 2025

Station Code	Name of monitoring Station	Area class	City	State Name	Sampling Date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
450	Khatla	Residential	Aizawl	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	49	40	45	12	87	92	76	85	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	45	38	42	11	82	89	70	80	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	49	40	45	12	87	93	74	85	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	44	38	41	9	78	84	45	69	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	47	34	42	10	84	89	64	79	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	53	44	48	12	95	109	90	98	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	56	46	51	12	97	105	85	96	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	53	56	49	53	13	104	107	95	102	clear
451	Laipuitlang	Residential	Aizawl	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	9	4.5	4.5	4.5	4.5	85	67	71	74	**	124	90	101	105	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	65	97	108	90	**	91	136	143	123	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	71	72	85	76	**	99	104	112	105	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	64	69	73	67	**	94	104	96	98	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	76	74	72	74	**	102	94	97	98	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	62	46	37	48	**	92	65	51	69	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	49	48	49	**	81	72	62	72	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	42	34	39	**	61	60	46	56	clear
452	Bawngkawn	Commercial	Aizawl	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	12.7	10	4.5	11.4	9.3	4.5	9.9	116	94	106	105	**	155	127	142	141	clear
					05-02-2025	2	2	2	2	2	2	2.0	15.4	14	12	16.7	13.4	11.4	13.8	135	123	149	136	**	180	163	195	179	clear
					10-02-2025	2	2	2	2	2	2	2.0	17.4	14	11.4	12.7	14.7	10.7	13.4	152	77	141	123	**	225	114	201	180	clear
					12-02-2025	2	2	2	2	2	2	2.0	18.7	16.7	13.4	15.4	12.7	10	14.4	138	135	122	132	**	190	180	162	177	clear
					17-02-2025	2	2	2	2	2	2	2.0	17.4	16	14.37	16.7	11.4	4.5	14.0	141	135	107	128	**	199	189	150	179	clear
					19-02-2025	2	2	2	2	2	2	2.0	19.4	16	14	15.4	10	4.5	13.6	266	104	77	149	**	342	153	113	203	clear
					24-02-2025	2	2	2	2	2	2	2.0	12.7	10	11.4	14.7	9.3	4.5	10.6	83	121	97	100	**	126	175	143	148	clear
					26-02-2025	2	2	2	2	2	2	2.0	16.7	14.7	12	13.4	11.4	4.5	12.4	162	143	104	136	**	229	208	150	196	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - FEBRUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition		
731	Champhai Kahrawt	Residential	Champhai	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	31	14	22	11	56	64	23	47	clear	
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	33	13	24	12	59	65	21	48	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	30	15	23	12	53	62	24	46	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	26	13	20	12	52	58	24	44	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	34	18	27	11	61	65	25	50	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	32	14	23	11	49	64	22	45	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	28	11	20	11	48	61	19	42	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	24	15	19	11	46	52	24	40	clear		
732	Champhai Vengthlang	Commercial	Champhai	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	36	20	31	14	82	80	44	68	clear	
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	36	38	22	32	15	84	80	48	70	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	36	22	32	15	86	80	50	72	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	36	22	32	15	86	78	50	71	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	36	22	32	15	86	76	50	70	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	38	24	34	16	90	82	52	74	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	48	28	42	18	108	104	62	91	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	50	21	42	17	104	112	60	92	clear		
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	29	15	26	**	72	65	36	58	clear	
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	13	20	**	57	48	32	46	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	13	20	**	54	48	30	44	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	19	13	19	**	54	44	32	43	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	27	11	22	**	63	56	26	48	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	19	15	19	**	52	46	26	41	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	25	15	23	**	63	56	34	51	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	23	19	13	18	**	50	42	30	41	clear			
734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	24	20	21	**	38	50	42	43	clear	
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	20	22	21	**	44	42	45	44	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	20	24	21	**	38	43	50	44	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	25	21	21	**	36	51	43	43	p.clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	25	23	22	**	38	51	48	46	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	24	26	23	**	43	50	52	48	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	26	28	31	28	**	53	57	64	58	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	26	20	22	**	45	53	42	47	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - FEBRUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition		
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	39	30	30	5	51	58	51	53	clear	
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	70	64	62	65	9	82	76	77	78	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	53	48	47	5	59	72	56	62	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	32	27	28	6	43	39	41	42	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	38	21	28	7	44	51	37	47	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	41	32	31	9	39	57	39	45	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	21	42	31	6	48	51	65	55	clear
736	Lunglei Venglai	Commercial	Lunglei	Mizoram	26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	36	8	20	8	31	101	17	50	clear	
					03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	25	5	14	8	30	88	11	44	clear
					07-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	23	7	15	12	38	89	16	48	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	20	7	14	10	32	75	12	40	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	12	29	6	16	9	28	64	15	36	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	20	5	15	9	42	73	12	43	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	19	6	13	9	33	63	16	38	clear
24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	13	20	5	13	10	39	65	12	39	clear					
737	Dawrpui	Commercial	Aizawl	Mizoram	26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	36	8	20	9	31	101	17	50	clear	
					03-02-2025	2	2	2	2	2	2	2.0	20.9	31.5	26.9	17.5	22.2	4.5	21.1	134	119	148	133	53	226	187	247	220	clear			
					05-02-2025	2	2	2	2	2	2	2.0	29.3	34.2	22.2	18.1	20.2	4.5	21.7	142	89	135	122	46	225	160	232	206	clear			
					10-02-2025	2	2	2	2	2	2	2.0	30.2	39.0	24.9	28.2	14.8	4.5	24.2	129	129	175	144	50	216	224	277	239	clear			
					12-02-2025	2	2	2	2	2	2	2.0	36.9	25.5	30.8	20.1	18.1	4.5	23.0	128	146	155	143	52	228	244	255	242	clear			
					17-02-2025	2	2	2	2	2	2	2.0	36.4	24.8	28.3	16.8	14.1	4.5	87.0	117	119	108	108	32	170	211	221	201	clear			
					19-02-2025	2	2	2	2	2	2	2.0	32.9	29.6	25.6	15.3	15.5	9.4	21.4	97	122	102	107	27	182	224	195	201	clear			
24-02-2025	2	2	2	2	2	2	2.0	35.6	26.8	30.2	18.1	13.4	4.5	21.8	117	108	108	111	37	209	193	180	194	clear								
738	Lengpui	Residential	Aizawl	Mizoram	26-02-2025	2	2	2	2	2	2	2.0	29.6	31.6	25.5	12.1	16.8	4.5	20.2	106	109	121	112	29	190	199	214	201	clear			
					03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	121	109	98	109	61	175	168	141	161	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	152	145	138	145	86	201	195	176	191	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	101	98	90	96	59	159	148	112	140	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	125	108	95	109	51	171	165	142	159	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	101	95	88	95	47	172	161	152	162	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	102	96	58	95	43	166	159	141	155	clear
24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	96	90	81	89	40	162	155	140	152	clear					
26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	78	75	68	74	39	121	115	98	111	clear				

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - FEBRUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition			
1014	New Siaha	Commercial	Siaha	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	53	52	41	48	*	64	71	74	70	clear		
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	71	78	64	*	127	113	115	118	clear	
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	50	84	49	61	*	102	183	71	119	clear	
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	49	67	101	72	*	56	82	177	105	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	59	66	55	*	79	101	101	93	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	47	73	37	52	*	52	92	49	64	p.clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	68	36	49	*	77	139	78	98	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	51	19	36	*	82	110	48	80	clear
1015	ECM Vaih	Residential	Siaha	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	54	35	12	34	*	97	71	17	62	clear		
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	31	12	28	*	86	56	28	57	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	44	38	35	*	56	96	81	78	clear	
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	60	31	43	*	63	112	71	82	clear	
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	102	104	24	78	*	220	181	96	146	clear	
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	92	27	104	74	*	146	53	156	118	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	102	73	31	69	5	200	154	66	140	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	101	82	42	75	6	217	170	79	155	clear
1016	Bazar Veng	Commercial	Mamit	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	38	35	37	21	73	71	66	70	clear		
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	35	33	34	21	70	68	64	67	clear	
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	38	35	37	21	73	71	66	70	clear	
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	38	35	37	25	73	71	66	70	clear	
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	35	33	35	25	73	68	66	69	clear	
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	53	35	33	34	21	66	73	63	69	clear	
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	35	23	34	21	70	73	68	70	clear	
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	35	35	34	21	68	73	68	70	clear	
1017	Lungsir Veng	Residential	Mamit	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	17	20	17	8	33	35	38	35	p.clear		
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	10	7	15	10	8	23	22	27	24	clear	
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	20	18	17	9	37	44	40	40	clear	
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	25	27	24	8	42	49	52	47	clear	
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	47	38	50	45	10	94	84	98	93	clear	
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	47	51	45	12	79	86	46	87	p.clear	
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	42	45	41	11	77	87	97	87	clear	
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	37	42	34	11	83	79	87	83	clear	

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - FEBRUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
1018	Bazar Veng	Commercial	Serchhip	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	15	25	23	9	39	40	50	43	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	25	27	25	13	27	52	56	45	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	23	25	25	4	54	50	54	53	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	23	23	8	52	46	52	50	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	49	27	29	9	46	75	54	58	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	27	23	25	9	44	52	52	49	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	25	29	26	9	50	48	50	49	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	23	21	31	13	73	52	50	58	clear
1019	P & E Veng	Residential	Serchhip	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	21	19	18	4	28	31	24	31	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	23	15	19	5	36	36	28	33	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	17	23	20	4	42	34	38	38	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	19	121	22	8	44	36	35	39	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	15	23	17	18	8	34	38	34	35	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	19	22	8	42	38	36	39	p.clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	27	23	23	13	40	42	40	41	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	21	17	21	8	40	40	36	39	clear
1020	L-IV,Chandmary	Commercial	Lawngtlai	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	102	94	82	92	21	215	193	171	193	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	84	71	57	70	9	172	148	119	146	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	119	94	87	100	30	242	193	179	204	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	87	74	69	76	22	178	152	141	157	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	74	65	51	65	21	162	137	114	137	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	95	81	59	78	16	198	167	121	162	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	97	84	61	80	21	198	172	129	166	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	92	84	74	84	12	191	179	152	174	clear
1021	L-3 Electric Veng	Residential	Lawngtlai	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	44	56	40	47	**	90	108	75	91	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	48	31	40	**	75	100	156	77	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	50	29	41	**	79	102	52	78	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	63	52	38	51	**	119	100	69	96	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	90	104	56	84	**	171	204	98	158	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	108	98	52	87	**	208	181	92	161	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	102	108	56	89	**	196	208	98	168	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	121	77	63	87	**	237	140	113	164	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - FEBRUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
1122	Chhim Veng	Commercial	Saitual	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	33	29	14	69	73	79	73	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	31	35	30	16	70	75	81	75	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	25	29	25	14	60	67	13	66	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	25	29	27	13	67	69	73	69	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	31	33	31	15	71	75	83	76	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	35	29	12	60	69	75	68	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	35	29	15	67	73	81	73	clear
1123	Keifang	Commercial	Keifang	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	23	25	22	7	33	38	42	38	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	27	33	27	12	44	52	56	51	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	31	33	29	8	42	54	63	53	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	21	23	20	6	40	46	52	46	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	33	29	30	11	54	63	69	62	clear
					20-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	29	31	28	8	56	63	71	63	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	33	40	33	10	60	65	73	66	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	23	29	24	8	42	48	54	48	clear
1124	Darngawn	Residential	Khawzawl	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	58	58	94	70	**	66	64	100	77	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	60	79	56	65	**	70	94	87	84	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	52	75	42	56	**	65	108	61	78	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	71	71	102	81	**	106	75	108	96	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	64	54	48	**	50	86	64	67	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	65	63	53	**	39	79	67	50	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	75	65	50	63	**	90	115	56	87	clear
1125	Electric Veng	Commercial	Khawzawl	Mizoram	26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	46	63	52	**	56	67	96	73	clear
					03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	106	139	89	111	31	144	160	96	133	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	169	116	69	118	49	177	144	75	132	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	137	98	64	99	34	146	106	85	110	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	135	173	104	137	37	223	233	202	219	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	108	123	58	96	38	121	171	71	121	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	117	87	67	90	30	156	117	110	128	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	152	81	114	116	17	227	148	162	179	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	52	121	96	89	27	123	173	131	142	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - FEBRUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition			
1126	Electric Veng	Residential	Hnahthial	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	37	29	34	**	68	66	54	63	clear		
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	40	35	36	**	64	71	60	65	clear	
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	37	31	36	**	80	72	58	70	clear	
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	33	27	32	**	70	64	52	62	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	35	29	32	**	62	62	51	58	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	31	25	30	**	68	62	45	58	cloudy
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	33	27	32	**	72	66	52	63	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	33	29	33	**	72	56	56	65	clear
1127	Electric Veng DC CON	Commercial	Hnahthial	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	29	33	31	13	60	56	64	60	clear	
					07-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	33	31	30	12	52	62	62	59	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	31	33	33	12	66	60	66	64	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	29	31	31	14	64	60	62	62	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	33	29	30	13	54	62	60	59	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	33	33	32	12	60	64	62	62	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	29	31	29	13	32	60	64	59	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	27	31	29	13	60	62	62	61	clear
1128	New Serchhip	Residential	Serchhip	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	25	14	20	**	36	41	34	37	clear		
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	20	18	20	**	47	42	38	42	clear	
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	14	25	21	**	46	32	41	39	clear	
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	14	27	22	**	47	32	38	39	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	18	14	17	**	42	36	30	36	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	20	18	21	**	45	38	37	40	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	20	22	20	**	38	36	42	38	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	16	18	19	**	44	36	34	38	clear
1130	Khuangpuiam	Residential	Kolasib	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	21	20	20	**	49	55	48	51	clear		
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	19	22	20	**	51	56	49	52	clear	
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	22	21	20	**	50	47	53	50	clear	
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	19	24	21	**	49	52	55	52	clear	
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	18	22	19	**	43	49	51	48	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	23	21	21	**	47	51	53	50	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	22	20	19	20	**	50	48	51	50	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	25	21	23	**	49	55	53	52	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM - FEBRUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition
1131	L-1	Commercial	Lawngtlai	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	43	40	43	**	78	75	71	75	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	44	40	43	**	77	76	72	75	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	47	41	39	42	**	79	78	75	77	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	48	41	40	43	**	77	71	69	72	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	44	40	43	**	76	73	70	73	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	46	43	41	43	**	77	72	69	73	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	49	44	43	45	**	84	79	76	80	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	49	46	45	47	**	86	80	80	82	clear
1133	Dinthal	Residential	Mamit	Mizoram	03-05-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	21	15	18	**	40	42	31	37	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	25	18	22	**	44	46	35	42	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	21	17	19	**	40	42	31	37	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	23	19	21	**	42	44	38	41	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	17	19	**	42	40	33	38	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	25	21	23	**	46	48	42	45	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	19	21	17	19	**	40	42	35	39	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	23	19	21	**	40	42	35	39	clear
1247	Aibawk	Residential	Aizawl	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	58	56	63	58	49	82	74	77	77	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	83	82	74	79	72	104	109	96	103	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	77	54	63	64	51	130	83	79	97	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	51	61	66	59	48	44	98	90	100	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	40	37	37	36	108	64	98	87	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	45	29	50	41	36	88	56	69	71	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	50	45	41	36	90	107	82	92	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	33	48	38	35	59	67	72	66	clear
1248	Biate	Commercial	N.Vanlaphai	Mizoram	04-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	31	31	30	13	60	58	60	59	clear
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	31	29	30	12	60	62	56	59	clear
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	27	29	28	12	60	56	58	58	clear
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	27	29	27	28	11	56	58	54	56	clear
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	25	21	24	11	52	58	48	51	clear
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	21	23	22	12	50	44	48	47	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	23	23	19	22	11	46	46	42	47	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	23	21	8	44	47	46	45	clear

AMBIENT AIR QUALITY DATA UNDER NAMP FROM 34 STATIONS IN MIZORAM -FEBRUARY, 2025

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	24 Hrs. Average of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	24 Hrs. Average of NO ₂	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	8-Hourly Value of PM ₁₀	24 Hrs. Average - PM ₁₀	24 Hourly Value of PM _{2.5}	8-Hourly Value of TSPM	8-Hourly Value of TSPM	8-Hourly Value of TSPM	24 Hrs. Average of TSPM	Weather Condition			
1249	Rahsi Veng	Commercial	N.Vanlaiphai	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	50	45	42	**	56	81	65	67	clear		
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	39	47	27	37	**	66	69	43	59	clear	
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	41	45	35	**	51	53	70	58	clear	
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	39	42	50	43	**	72	69	68	69	clear	
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	41	50	39	43	**	72	70	64	68	clear	
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	25	41	35	33	**	58	74	55	62	clear
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	22	18	18	**	43	61	38	47	clear
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	39	27	28	**	51	72	54	59	clear
1250	Theiriati	Commercial	Lunglei	Mizoram	03-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	18	20	19	**	31	26	30	29	clear		
					05-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	20	18	19	**	29	30	26	28	clear	
					10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	17	20	18	18	**	26	30	26	27	clear	
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	20	16	18	17	**	30	24	26	26	clear	
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	21	19	18	19	**	31	28	26	28	clear	
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	18	15	20	17	**	26	22	31	26	clear	
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	16	18	18	17	**	23	26	26	25	clear	
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	14	16	19	16	**	30	24	18	23	clear	
1251	Siahatla	Commercial	Siaha	Mizoram	10-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	33	17	26	**	62	69	43	58	clear		
					11-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	31	14	24	**	61	69	35	55	clear	
					12-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	28	35	12	25	**	59	74	31	55	clear	
					13-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	50	24	36	**	73	111	58	81	clear	
					17-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	63	24	41	**	87	130	53	90	clear	
					19-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	38	47	26	37	**	85	97	57	80	clear	
					24-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	40	54	35	43	**	87	113	81	94	clear	
					26-02-2025	2	2	2	2	2	2	2.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	51	19	36	**	82	110	48	80	clear	

* = Monitoring not yet started.

** = No Monitoring due to Machine Failure.

Analysts :

Scientist -in-charge :

[Signature]

Member Secretary:

[Signature]



Mizoram Pollution Control Board

