

MIZORAM WATER DATA

OCTOBER

2025

STATION DETAILS



MIZORAM STATE POLLUTION CONTROL BOARD

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF OCTOBER, 2025

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
1	2050	TLAWNG RIVER, <i>Mid Stream, Reiek Kai, Aizawl, U/S Of Tlawng Bridge</i>	08-10-2025	11.00	C	Municipal Sewage	None	Cultivation	Clear	2	Cultivation	No	Clear	Odour Free	0.3
2	2051	TLAWNG RIVER, <i>Mid Stream, Reiek Kai, Aizawl, D/S Of Tlawng Bridge</i>	08-10-2025	11.15	C	Municipal Sewage	None	Cultivation	Clear	1.5	Cultivation	No	Light Green	Odour Free	0.3
3	2052	TUIRIAL RIVER, <i>Mid Stream, Tuirial Village, U/S Of Tuirial Bridge</i>	01-10-2025	11.00	C	Municipal Sewage	None	Cultivation	Clear	1.5	Cultivation	No	Clear	Odour Free	0.5
4	2053	TUIRIAL RIVER, <i>Mid Stream, Tuirial Village, D/S Of Tuirial Bridge</i>	01-10-2025	11.15	C	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.5
5	2054	RAMHLUN 'N' SPRING WATER, <i>Aizawl</i>	14-10-2025	1.20	C	None	None	Washing	Clear	1	Others	No	Clear	Odour Free	N/A
6	2055	MISSION VENGTHLANG SPRING WATER, <i>Aizawl</i>	08-10-2025	12.30	C	None	None	Washing	Clear	1	Others	No	Clear	Odour Free	N/A
7	3709	TLAWNG RIVER, <i>Sairang</i>	06-10-2025	11.30	C	Municipal Sewage	None	Cultivation	Clear	2	Cultivation	No	Clear	Odour Free	0.5
8	3710	SERLUI STREAM, <i>Reiek Kai, Near Phe Water Treatment Plant, Aizawl</i>	08-10-2025	10.55	B	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.8
9	3711	VAIPUANPHO STREAM, <i>Ailawng, Mamit Dist.</i>	08-10-2025	11.45	A	None	None	Cultivation	Clear	0.5	Cultivation	No	Light Brown	Odour Free	0.5
10	3712	TUIKUAL STREAM, <i>D/S, Reiek Kai, Near Phe Water Treatment Plant, Aizawl</i>	08-10-2025	11.20	C	Municipal Sewage	None	Gardening	Clear	0.5	Cultivation	No	Clear	Odour Free	0.3
11	3713	SAKHISIH STREAM, <i>Mission Vengthlang, Aizawl</i>	08-10-2025	11.20	C	Municipal Sewage	None	Gardening	Clear	0.3	Domestic	No	Clear	Odour Free	0.5
12	3714	TUIRIAL RIVER, <i>UPSTREAM, Sumsuih, Aizawl Dist</i>	10-10-2025	11.00	A	None	None	Cultivation	Clear	0.5	Cultivation	No	Clear	Odour Free	0.5
13	3715	TUIRIAL RIVER, <i>MID STREAM, Airfield, U/S</i>	01-10-2025	11.30	A	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.5
14	3716	DAMDIAI STREAM, <i>AIRFIELD,</i>	01-10-2025	11.45	C	Municipal Sewage	None	Cultivation	Clear	0.5	Cultivation	No	Clear	Odour Free	0.5
15	3717	TUIRIAL RIVER, <i>MID STREAM, AIRFIELD, D/S</i>	01-10-2025	12.00	C	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.5
16	3718	CHITE STREAM, <i>Armed Veng, Near Mini Sports Complex, Aizawl</i>	01-10-2025	10.30	D	Municipal Sewage	None	Gardening	Clear	0.4	Domestic	No	Light Brown	Odour Free	0.3
17	3719	TUIRINI RIVER, <i>Seling, Saitual Dist</i>	23-10-2025	3.45	A	None	None	Cultivation	Clear	1.5	Cultivation	No	Light Brown	Odour Free	1
18	3720	TUIVAWL RIVER, <i>Keifang Village, Near Tuivawl Bridge, Saitual Dist</i>	23-10-2025	12.15	A	None	None	Cultivation	Clear	1.6	Cultivation	No	Light Brown	Odour Free	1.2
19	3721	LAWIBUAL STREAM, <i>I.T.I Veng, Aizawl</i>	13-10-2021	11.30	D	Municipal Sewage	None	Gardening	Clear	0.3	Domestic	No	Clear	Odour Free	0.4
20	3722	LAWIBUAL FISHPOND, <i>I.T.I Veng, Aizawl</i>	13-10-2025	11.40	C	None	None	Fishing	Clear	2.5	Fishing	No	Clear	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF OCTOBER, 2025

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
21	3723	TAMDIL LAKE, <i>Saitual</i>	23-10-2025	3.45	A	None	None	Fishing	Clear	2.5	Fishing	No	Clear	Odour Free	N/A
22	3724	CHALLUI STREAM, LENGPUI, <i>Aizawl Dist</i>	06-10-2025	12.15	B	None	None	Cultivation	Clear	0.6	Cultivation	No	Clear	Odour Free	0.5
23	3725	LUNGLI SPRING WATER, <i>Republic Veng, Aizawl</i>	13-10-2025	11.15	A	None	None	Bathing, Washing	Clear	1	Domestic	No	Clear	Odour Free	N/A
24	3726	RAMHLUN 'S' SPRING WATER, <i>Near Community Hall, Aizawl</i>	14-10-2025	1.30	C	None	None	Bathing, Washing	Clear	1	Others	No	Clear	Odour Free	N/A
25	3727	TUITHIANG VENG SPRING WATER, <i>Aizawl</i>	13-10-2025	11.50	A	None	None	Bathing, Washing	Clear	0.2	Domestic	No	Clear	Odour Free	N/A
26	3728	KHURPUI SPRING WATER, <i>South Hlimen, Aizawl</i>	23-10-2025	12.15	B	None	None	Washing	Clear	0.4	Domestic	No	Clear	Odour Free	N/A
27	3729	CHAWNUI HAND PUMP, <i>Aizawl</i>	21-10-2025	11.00	D	None	None	Washing	Clear	N/A	Domestic	No	Clear	Odour Free	N/A
28	3730	SELESIH HAND PUMP, <i>Aizawl</i>	14-10-2025	11.20	D	None	None	Washing	Clear	N/A	Domestic	No	Clear	Odour Free	N/A
29	3731	TUIKUAL HAND PUMP, <i>Aizawl</i>	21-10-2025	10.45	E	None	None	Washing	Cloudy	N/A	Domestic	No	Clear	Odour Free	N/A
30	3732	CHALTLANG HAND PUMP, <i>Near Remi Tyre Works, Aizawl</i>	14-10-2025	10.50	D	None	None	Washing	Clear	N/A	Domestic	No	Clear	Odour Free	N/A
31	3733	SOUTH HLIMEN HAND PUMP, <i>Aizawl</i>	23-10-2025	12.30	E	None	None	Washing	Clear	N/A	Domestic	No	Clear	Odour Free	N/A
32	3734	TLAWNG RIVER, U/S, ZOBAWK VILLAGE, <i>Lunglei Dist.</i>	13-10-2025	8.00	A	Municipal Sewage	Municipal Sewage	Tourism Spot	Clear	1	Domestic	No	Clear	Odour Free	0.3
33	3735	MAT RIVER, <i>Dawn Village, Near Mat Bridge,Lunglei Dist.</i>	13-10-2025	10.00	A	Municipal Sewage	None	Bathing, Washing, Fishing	Clear	1.1	Domestic, Fishing	No	Clear	Odour Free	0.3
34	3736	TLAWNG RIVER, U/S, <i>Pialthleng Zotlang, Lunglei</i>	13-10-2025	11.00	A	Municipal Sewage	None	Bathing, Washing, Fishing	Clear	3.2	Drinking Water Source	No	Clear	Odour Free	0.1
35	3737	VAITUI SPRING WATER, <i>Theiriati , Lunglei</i>	13-10-2025	3.00	A	None	None	Bathing, Washing	Clear	3.00	Domestic	No	Clear	Odour Free	N/A
36	3738	SAP TUIKHUR SPRING WATER, <i>Serkawn, Lunglei</i>	13-10-2025	11.30	A	None	None	Bathing, Washing	Clear	1.10	Domestic	No	Clear	Odour Free	N/A
37	3739	ZOBAWK VENG HAND PUMP, <i>Lunglei (Sap Tuikhur-II)</i>	13-10-2025	10.00	B	None	None	Bathing, Washing	Clear	N/A	Others	No	Clear	Odour Free	N/A
38	3740	SAIKAH STREAM, <i>Lawngtlai</i>	30-10-2025	9.45	B	None	None	Bathing, Washing, Cultivation	Clear	0.6	Drinking Water Source	No	Clear	Odour Free	2
39	3741	KHURPUI SPRING WATER, <i>Lawngtlai</i>	30-10-2025	11.00	D	None	None	Washing	Clear	2, 1	Drinking Water Source	No	Clear	Odour Free	N/A
40	3742	CHANMARI HAND PUMP, <i>Lawngtlai</i>	30-10-2025	10.00	D	None	None	Bathing, Washing	Clear	15, N/A	Domestic	No	Light Brown	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF OCTOBER, 2025

SL No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
41	3743	PHE RESERVOIR (ZOTLANG STREAM), <i>Helipad, New Saiha</i>	12-10-2025	1.30	B	None	None	Others	Clear	0.3	Drinking Water Source	No	Clear	Odour free	N/A
42	3744	CHHIMTUIPUI RIVER, KAWLCHAW, <i>Near Chhintupui Bridge, Saiha Dist.</i>	13-10-2025	11.30	B	Municipal Sewage	None	Fishing	Clear	2.2	Fishing	No	Brown	Odour Free	0.6
43	3745	CHHOCHHOPA SPRING WATER, <i>New Colony, Saiha</i>	12-10-2025	2.00	B	None	None	Bathing, Washing	Clear	0.3	Drinking Water Source	No	Clear	Odour Free	N/A
44	3746	TUIKUM RIVER, NEAR PHE WATER TREATMENT PLANT, <i>Serchhip</i>	16-10-2025	1.30	A	None	None	Washing, Cultivation	Clear	0.6	Drinking Water Source	No	Light Brown	Odour Free	0.3
45	3747	SESAH STREAM, DINTHAR, <i>Serchhip</i>	16-10-2025	4.45	A	None	None	Washing	Clear	0.3	Domestic	No	Clear	Odour Free	0.3
46	3748	SIHPHIR VENG SPRING WATER, <i>Serchhip</i>	16-10-2025	4.15	A	None	None	Washing	Clear	0.50	Domestic	No	Clear	Odour Free	N/A
47	3749	PHE RESERVIOR (LAHMUN RIVER), <i>Mizo Veng, Mamit</i>	21-10-2025	7.15	B	None	None	Bathing, Washing	Clear	4.5	Drinking Water Source	No	Clear	Odour Free	N/A
48	3750	TEIREI RIVER, BAWNGVA, <i>Mamit Dist.</i>	21-10-2025	1.37	A	None	None	Bathing, Washing	Clear	2.6	Cultivation	No	Clear	Odour Free	0.38
49	3751	TUT RIVER, DAPCHHUAH, <i>Mamit Dist.</i>	21-10-2025	11.54	A	None	None	Bathing, Washing	Clear	3.1	Drinking Water Source	No	Clear	Odour Free	0.33
50	3752	TUICHHUAHEN STREAM, <i>Near Phe Water Treatment Plant, Kolasib</i>	04-10-2025	9.40	A	None	None	Cultivation	Clear	1.1	Drinking Water Source	No	Clear	Odour Free	1.8
51	3753	HMAR VENG SPRING WATER, <i>Kolasib</i>	04-10-2025	1.40	A	None	None	Bathing, Washing	Clear	0.7	Domestic	No	Clear	Odour Free	N/A
52	3754	TLAWNG RIVER, <i>D/S, Rimawi Veng, Bairabi, Kolasib Dist .</i>	05-10-2025	4.30	A	Municipal Sewage	None	Washing, Bathing, Cultivation, Fishing, Boating	Clear	4	tivation, Fishing, Drinking Water Source	No	Light Brown	Odour Free	0.8
53	3755	FISHPOND, RAIL CROSSING, <i>Near Thermal Power Plant, Bairabi, Kolasib</i>	05-10-2025	6.00	A	None	None	Fishing	Clear	1.5	Fishing	No	Clear	Odour Free	N/A
54	3756	TIAU RIVER, ZOKHAWTHAR, <i>Near Tiau Bridge, Champhai Dist.</i>	20-10-2025	3.30	A	Municipal Sewage	None	Washing	Clear	1.22	Cultivation	No	Light Brown	Odour Free	0.62
55	3757	TUIPUI RIVER, <i>Near Phe Water Treatment Plant, Champhai Dist.</i>	20-10-2025	11.00	B	Municipal Sewage	None	Cultivation	Clear	2.13	Drinking Water Source	No	Clear	Odour Free	0.55
56	3758	BETHEL VENG HAND PUMP, <i>Champhai</i>	21-10-2025	8.00	C	None	None	Washing	Clear	N/A	Others	No	Clear	Odour Free	N/A
57	4114	CHITE STREAM, <i>Near Sipmiu's Stp, Bethlehem Vengthlang, Aizawl</i>	01-10-2025	10.40	D	Municipal Sewage	None	Gardening	Clear	0.3	Domestic	No	Light Brown	Odour Free	0.3
58	4115	TUIKUAL STREAM, <i>U/S, Mizoram New Capital Complex , Dintnar, Aizawl</i>	21-10-2025	11.45	D	Municipal Sewage	None	Gardening	Clear	0.3	Others	No	Brown	H2s/Rotten Egg	0.3
59	4116	PHE RESERVOIR (TLAWNG RIVER), <i>Tuikhuahtlang, Aizawl</i>	13-10-2025	10.45	B	None	None	Bathing, Washing	Clear	2	Drinking Water Source	No	Clear	Odour Free	N/A
60	4117	PHE RESERVOIR (TAWIZO STREAM), <i>Rulchawm, Saitual Dist.</i>	23-10-2025	4.45	A	None	None	Bathing, Washing	Clear	3.3	Drinking Water Source	No	Clear	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF OCTOBER, 2025

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
61	4118	TUIRIAL RIVER D/S, Hepp Dam, Saipum, Kolasib Dist.	16-10-2025	10.00	A	None	None	Cultivation	Clear	3	Cultivation, Fishing	No	Clear	Odour Free	N/A
62	4119	SERLUI RIVER D/S, Serlui 'B' Hepp Dam, Bilkhawthlir, Kolasib Dist.	16-10-2025	11.00	A	None	None	Cultivation	Clear	3	Cultivation, Fishing	No	Clear	Odour Free	N/A
63	4120	TEIREI RIVER D/S Nr Confluence Pt With Tlawng River,	05-10-2025	4.00	A	None	None	Bathing, Washing, Cultivation, Fishing	Clear	2	Cultivation, Fishing	No	Clear	Odour Free	1.5
64	4121	TLAWNG RIVER D/S, Suarpui, Bairabi Hepp Dam Site, Bairabi,Kolasib Dist.	05-10-2025	1.30	A	None	None	Cultivation, Fishing, Boating, Gardening	Clear	3.5	Cultivation, Fishing, Domestic	No	Clear	Odour Free	1
65	4122	KHAWTHLANGTUIPUI RIVER, Tlabung, Lunglei Dist .	21-10-2025	10.00	A	None	None	Bathing, Cultivation, Fishing	Clear	2.5	Cultivation, Fishing	No	Clear	Odour Free	0.3
66	4123	TUIPUI D RIVER, Darzokai,Hnahthial Dist.	14-10-2025	11.30	A	Municipal Sewage	None	Cultivation, Gardening	Clear	1	Irrigation, Fishing	No	Brown	Odour Free	0.3
67	4124	ELECTRIC VENG SPRING WATER, Lunglei	13-10-2025	11.30	A	None	None	Washing	Clear	0.50	Domestic	No	Clear	Odour Free	N/A
68	4125	TUIPUI RIVER U/S, Nr Confluence Pt Keilungliah Stream, Vengthar,Champhai	21-10-2025	10.00	B	Municipal Sewage	None	Cultivation, Fishing	Clear	0.61	Cultivation, Fishing	No	Clear	Odour Free	0.62
69	4126	PAWHHAWN SPRING WATER, Nr Gm Hss, Vengsang, Champhai	21-10-2025	11.00	C	None	None	Washing	Clear	0.5	Domestic	No	Clear	Odour Free	N/A
70	4127	KHURPUI SPRING WATER, New Colony, Saiha	12-10-2025	2.40	A	None	None	Washing	Clear	0.3	Drinking Water Source	No	Clear	Odour Free	N/A
71	4128	F LALLAWMAWMA WELL, New Saiha, Saiha Dist.	12-10-2025	1.00	B	None	None	Washing	Clear	0.3	Domestic	No	Clear	Odour Free	N/A
72	4129	TUIVAMIT SPRING WATER, AOC VENG, Lawngtlai	30-10-2025	11.30	C	None	None	Bathing, Washing	Clear	2.1	Drinking Water Source	No	Clear	None	N/A
73	4130	NGENGPUI STREAM, Nr Kaladan Multi Modal Rd, Lawngtlai Dist.	30-10-2025	12.00	C	None	None	Cultivation, Fishing	Clear	1.5	Fishing, Cultivation	No	Light Brown	Odour Free	1
74	4131	PHE RESERVOIR (CHENGKAWL LUI), Chawnhu Village,Lawngtlai Dist.	30-10-2025	9.00	C	None	None	Bathing, Washing	Clear	5.5	Domestic, Drinking Water Source	No	Clear	Odour Free	N/A
75	4132	VANTAWNG WATER FALL, Thenzawl, Serchhip Dist.	07-10-2025	3.17	C	None	None	Tourism Spot	Clear	N/A	Cultivation	No	Clear	Odour Free	N/A
76	4133	NGHARPET VENG SPRING WATER, Lungsir, Mamit	21-10-2025	9.07	A	None	None	Bathing, Washing	Clear	0.3	Drinking Water Source	No	Clear	Odour Free	N/A
77	5513	PALAK LAKE, Phura, Siaha	30-10-2025	10.30	A	None	None	Tourism Spot	Clear	15	Fishing	No	Clear	Odour Free	N/A
78	5718	RIVER DIALDAWK (Perennial Stream) at/near Lengpui Village	06-10-2025	12.30	A	None	None	Cultivation	Clear	0.7	Cultivation, Fishing	No	Clear	Odour Free	0.5
79	5719	RIVER TUIRIAL at/near Muallungthu Village area (upper stretches of	23-10-2025	11.30	B	None	None	Cultivation	Clear	0.5	Fishing	No	Light Brown	Odour Free	0.4
80	5720	P.H.E WATER RESERVOIR (Tlawng river water) at Laipuitlang,	14-10-2025	10.40	B	None	None	Others	Clear	2	Drinking Water Source	No	Clear	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF OCTOBER, 2025

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
81	5721	P.H.E WATER RESERVOIR (Tlawng river water) at Durtlang	14-10-2025	11.00	B	None	None	Others	Clear	2	Drinking Water Source	No	Clear	Odour Free	N/A
82	5722	KHAWTLANGDIL/KHUAHPUIDIL (POND) at Sialsuk Village	10-10-2025	1.00	A	None	None	Fishing	Clear	1.5	Fishing	No	Clear	Odour Free	N/A
83	5723	KURUNG LUI (PERENNIAL STREAM) at Sairang Village	06-10-2025	11.40	A	Municipal Sewage	None	Cultivation	Clear	0.5	Cultivation	No	Light Brown	Odour Free	0.5
84	5724	RIVER TLAWNG at/near Buarpui Village	07-10-2025	12.48	B	None	None	Cultivation, Fishing	Clear	1.6	Cultivation, Fishing	No	Light Brown	Odour Free	2.5
85	5725	RIVER MAT, near Serchhip Town (lower stream of serchhip)	07-10-2025	10.36	B	Municipal Sewage	None	Bathing, Washing, Cultivation	Clear	1.4	Irrigation	No	Clear	Odour Free	1.5
86	5726	PHE RESERVIOR (Zote and Bawite river water)	07-10-2025	11.37	A	None	None	Bathing	Clear	1.2	Drinking Water Source	No	Clear	Odour Free	N/A
87	5727	HMAWNGAWN LUI (Perennial Stream)	16-10-2025	3.00	A	None	None	Cultivation	Clear	0.4	Cultivation, Fishing	No	Light Brown	Odour Free	0.3
88	5728	LAKE AT NEC PARK, Thenzawl Village	07-10-2025	2.16	C	None	None	Boating, Tourism Spot	Clear	1.5	Fishing	No	Light Brown	Odour Free	N/A
89	5729	POND AT BUARPUI ROAD, Thenzawl Village, Serchhip District	07-10-2025	11.59	C	None	None	Fishing	Clear	1.4	Fishing	No	Light Brown	Odour Free	N/A
90	5730	LAU LUI (Perennial Stream) At Thenzawl Village	07-10-2025	11.12	C	None	None	Bathing, Washing	Clear	1.5	Domestic	No	Clear	Odour Free	2.2
91	5731	POND -I, Zobawk Village	13-10-2025	8.00	C	None	None	Tourism Spot	Clear	1.5	Fishing	No	Clear	Odour Free	N/A
92	5732	BUALSENDIL (POND) At Ramlaitui, Lunglei District ,	07-10-2025	3.31	C	None	None	Fishing	Clear	1.3	Fishing	No	Clear	Odour Free	N/A
93	5733	RIVER TUICHAWNG At Tuichawng Village Area	21-10-2025	12.00	A	None	None	Bathing, Cultivation	Clear	0.5	Cultivation, Fishing	No	Clear	Odour Free	0.3
94	5734	TUIDAI STREAM (Perennial Stream) Near Mamit Town	21-10-2025	1.15	A	None	None	Bathing, Washing	Clear	0.91	Drinking Water Source	No	Clear	Odour Free	0.42
95	5735	RIVER DAMPUI (Perennial Stream) At Dampui Village	21-10-2025	10.15	A	None	None	Bathing	Clear	0.79	Drinking Water Source	No	Clear	Odour Free	0.34
96	5736	POND-ZS at Vengpui, Zawlnuam Village	21-10-2025	3.52	B	None	None	Fishing	Clear	2	Fishing	No	Clear	Odour Free	N/A
97	5737	RENGDIL at Zamuang Village	21-10-2025	2.44	A	None	None	Fishing	Clear	2.74	Fishing	No	Clear	Odour Free	N/A
98	5738	BAWRAI STREAM (Perennial Stream)	21-10-2025	4.03	B	None	None	Bathing, Washing	Clear	2.4	Irrigation	No	Clear	Odour Free	0.22
99	5739	FALLUI (Perennial Stream)	20-10-2025	11.00	B	None	None	Cultivation	Clear	0.5	Cultivation	No	Clear	Odour Free	0.3
100	5740	PHE RESERVIOR At Vengsang, Below Helipad, Champhai Town ,	21-10-2025	9.30	B	None	None	Bathing, Washing	Clear	2.5	Drinking Water Source	No	Clear	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF OCTOBER, 2025

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
101	5741	SIHZAUDIL (POND) <i>Zotlang, Champhai District, Mizoram</i>	21-10-2025	7.30	B	None	None	Fishing	Clear	1.5	Fishing	No	Light Brown	Odour Free	N/A
102	5742	STORAGE POND <i>At Kolasib Town, Kolasib District, Mizoram</i>	04-10-2025	1.20	A	None	None	Fishing	Clear	2.3	Fishing	No	Clear	Odour Free	N/A
103	5743	POND <i>AT BUHCHANGPHAI VILLAGE, Kolasib District, Mizoram</i>	03-10-2025	6.00	A	None	None	Gardening	Clear	1.5	Cultivation, Fishing	No	Clear	Odour Free	N/A
104	5744	STORAGE POND <i>At Chemphai Village</i>	04-10-2025	10.45	A	None	None	Fishing	Clear	1.1	Fishing	No	Clear	Odour Free	N/A
105	5745	CHEMLUI <i>(Perennial Stream) At Chemphai, Near Phe Pump House</i>	04-10-2025	10.30	A	None	None	Cultivation	Clear	1.7	Drinking Water Source	No	Clear	Odour Free	1.9
106	5746	CHITE LUI <i>(Perennial Stream) At Vairengte Village</i>	03-10-2025	12.15	A	None	None	Cultivation	Clear	2.5	Irrigation, Cultivation, Fishing	No	Light Brown	Odour Free	2
107	5747	CHHIMLUANG <i>(Perennial Stream) At Meidumvillage</i>	03-10-2025	7.30	A	None	None	Gardening	Clear	0.5	Cultivation, Fishing	No	Light Brown	Odour Free	1
108	5748	PHE PUMP HOUSE/TUIVAWL PUMP HOUSE <i>At Saitual Town</i>	14-10-2025	9.00	A	None	None	Others	Clear	5	Drinking Water Source	No	Clear	Odour Free	N/A
109	5749	PHAIPUI LUI (PERENNIAL STREAM) <i>At Saitual Town</i>	14-10-2025	10.30	A	Municipal Sewage	None	Cultivation, Gardening	Clear	1	Irrigation, Cultivation	No	Clear	Odour Free	0.5
110	5750	RUNGDIL-I (LAKE), <i>Suangpuilawn, Village</i>	08-10-2025	12.00	A	None	None	Tourism Spot	Clear	7	Fishing	No	Turbid Green	Odour Free	N/A
111	5751	RUNGDIL-II (LAKE), <i>Suangpuilawn, Village</i>	08-10-2025	12.10	A	None	None	Tourism Spot	Clear	2.5	Fishing	No	Turbid Green	Odour Free	N/A
112	5752	DAMDIAICHHUAH LUI (PERRENIAL STREAM) <i>Tuichang</i>	13-10-2025	10.59	A	None	None	Cultivation	Clear	0.3	Cultivation	No	Clear	Odour Free	1.56
113	5753	CHANGEL LUI <i>(Perennial Stream) at Chawngtlai Ram (Waterfall)</i>	14-10-2025	6.57	A	None	None	Cultivation	Clear	N/A	Drinking Water Source	No	Clear	Odour Free	N/A
114	5754	TUIMUK RIVER <i>(Perennial Stream) at/ Near Khawzawl Town</i>	13-10-2025	4.50	A	None	None	Cultivation	Clear	0.2	Cultivation	No	Clear	Odour Free	1.59
115	5755	PHAISEN LUI <i>(Perennialstream) at/ Near Khawzawl Town</i>	16-10-2025	4.07	B	None	None	Cultivation	Clear	0.3	Cultivation	No	Light Brown	Odour Free	1.02
116	5756	SANGTEA DIL, KEIFANG, <i>Saitual District, Mizoram</i>	14-10-2025	3.30	A	None	None	Fishing	Clear	3	Fishing	No	Brown	Odour Free	N/A
117	5757	PAZIKA DIL (POND), <i>Khawzawl, Khawzawl District, Mizoram</i>	17-10-2025	10.11	B	None	None	Fishing	Clear	1.1	Fishing	No	Light Brown	Odour Free	N/A
118	5758	TUICHANG RIVER <i>at Pang Darchhuah Ram, Hnahthial Town Area</i>	13-10-2025	11.00	A	None	None	Cultivation	Clear	0.5	Fishing	No	Turbid Green	Odour Free	0.3
119	5759	RIVER TUICHANG <i>Near Hnahthial Town</i>	13-10-2025	11.30	A	Municipal Sewage	None	Fishing, Gardening	Clear	1	Irrigation, Fishing, Drinking Water Source	No	Clear	Odour Free	0.3
120	5760	HNAHCHANG LUI, <i>Darzo Village, Hnahthial District, Mizoram</i>	14-10-2025	12.00	A	None	None	Cultivation, Gardening	Clear	1	Irrigation, Fishing	No	Turbid Green	Odour Free	0.25
121	5761	TUITLAWK RIVER <i>(Perennial Stream) Near Saihatown</i>	13-10-2025	9.00	B	Municipal Sewage	None	Fishing	Clear	0.3	Drinking Water Source	No	Clear	Odour Free	1.8

MIZORAM WATER DATA

OCTOBER

2025

CORE & GENERAL PARAMETERS



MIZORAM STATE POLLUTION CONTROL BOARD

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF OCTOBER, 2025

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS															
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
1	2050	21	5.64	7.45	98.1	1.2	9.51	0.03	170	920	110		38	50	15.3			0.04	109	22.72	12.7	33	60	57	0.3	1.22	6	2.99
2	2051	21	5.94	7.3	95.6	1.2	9.92	0.05	170	920	110		59	52	15.8			0.04	105	17	14.8	33	62	52	0.03	0.49	6	4.27
3	2052	21	6.4	7.16	100.2	1.2	4.56	0.04	84	920	84		31	22	2			0.04	79	10	13.2	17	76	43	0.38	0.981	3	2.5
4	2053	22	8	7.19	101.8	0.6	4	0.02	84	920	84		40	56	5.6			0.05	75	10	12.2	17	79	54	0.28	1.22	3	5.3
5	2054	20	4.1	6.86	191	1.1	30.49	0.1					1	62	54.4			1.4	188	53	13.7	72	115	1	0.15	0.93	22	3.17
6	2055	20	4.23	7.57	95	2.3	29.74	0.03					3	60	42.8			0.02	189	37	23.5	60	57	7	0.19	1.32	10	4.88
7	3709	22	8.39	6.88	112.8	1.2	3.54	0.05	150	540	70		54	44	3.6			0.04	75	14	9.6	13	76	56	0.34	0.49	2	1.83
8	3710	21	5.1	7.53	95.2	1.1	10.11	0.08					39	52	13.3			0.1	120	30	10.7	29	59	48	0.31	0.78	5	3.11
9	3711	21	7.25	7.61	94.8	1.2	9.86	0.06					61	62	12.8			0.08	147	29	18.4	30	70	68	0.28	1.42	5	3.17
10	3712	21	7.05	7.47	98.8	1	9.65	0.04	110	540	63		51	76	13.8			0.06	118	17	18.5	27	65	48	0.25	0.88	5	3.6
11	3713	18	4.8	7	430	1.2	31	0.03					1	10	44			0.54	164	33	20	58	259	3	0.14	1.422	9	5.24
12	3714	17	7.1	6.5	22.3	1.1	0.205	0.008					1	10	1			0.011	83	11	13.7	3				0.29	1	2.99
13	3715	22	7	7.09	106.8	1	1.77	0.01					15	50	3			0.05	94	17	12.2	16	101	8	0.12	0.73	2	2.8
14	3716	21	4	6.99	464	1	12.58	0					3	154	44.4			0.03	102	25	9.6	17	362	4	0.13	0.93	1	5.4
15	3717	21	4.9	7.02	202	1.6	8.95	0.001					8	66	9.6			0.05	158	29	20.8	26	175	11	0.13	1.27	7	2.7
16	3718	21	7	7.17	527	3.1	23.48	3.98	170	920	94		2	110	48.5			4.48	173	28	24.8	68	375	11	1.37	1.71	18	3.96
17	3719	20	7.1	8	80	1.3	1.722	0.035					60	40	2.5			0.028	100	17	14.2	2				0.93	1	2.25
18	3720	20	7.6	8.4	80.8	1.1	2.09	0.018					79	44	2			0.02	113	17	17.2	2				1.17	1	3.9
19	3721	20	3	6.9	486	9	24.7	2.83					5	126	53	30		5.07	183	25	29.2	30	298	12	1.64	1.56	7	3.66
20	3722	19	4	6.65	312	1.9	19.29	0.14					18	56	38.1	30		0.027	111	22	13.7	29	180	35	0.1	1.71	5	3.35

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF OCTOBER, 2025

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS															
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
21	3723	19	8.1	8.7	135	1.1	2.63	0.019					1	48	5			0.019	25	8	1	1			0.072	0.73	1	2.68
22	3724	19	5.93	6.7	106	0.7	4.57	0.06					33	56	2.1			0.05	73	12	11	16	87	16	0.14	0.59	2	3.05
23	3725	18	8	6.8	289	1	29.6	0.03					4	72	29.2			0	137	34	13	48	170	9	0.2	0.73	5	3.47
24	3726	20	4.4	6.5	187	2.2	30.8	0.09					1	60	56.8			1.39	150	33	16	69	113	1	0.42	0.58	23	2.62
25	3727	16	6	6.5	293	1.1	29.7	0.02					2	36	22.8			0	97	17	13	45	175	5	2.29	0.34	9	2.68
26	3728	20	5	6.53	420	1.3	30.3	0.02					5	20	32.7			0.09	146	19	24	33	261	5	0.24	0.93	5	3.17
27	3729	19	4	6.65	312	9	19.3	0.14					18	56	38.1			0.027	111	22	14	29	180	35	0.1	1.71	5	3.35
28	3730	22	1.5	6.84	193	1.2	30.4	1.56					2	58	21.4			1.01	104	20	13	32	116	2	0.13	0.83	12	3.29
29	3731	21	2.5	6	585	1.5	2.12	0.01					43	88	35.1			0.102	250	48	31	91	360	86	0.128	1.76	30	3.35
30	3732	22	1.6	7.4	191	1.3	29.9	3.56					8	56	45.6			8.8	202	37	27	54	115	8	0.17	1.18	3	3.72
31	3733	19	2.4	6	276	1.5	27.9	0.06					29	38	14.9			0.12	127	25	16	27	170	30	0.1	0.73	1	2.86
32	3734	15	7	6.7	31	1.4	27.5	0.020					2.6	88	2			0.008	46	8	6.1	6			0.072	1.13	1	3.17
33	3735	17	6.6	6.5	208	1	24.1	0.009					1.8	88	17.5			0.019	104	17	15	34			0.01	0.73	7	2.68
34	3736	20	6.6	6.8	100	1	1.55	0.012					0.7	83	8.5			0.036	56	10	7.6	19			0.09	1.27	2	3.66
35	3737	20	6.1	6.5	121	1.1	1.234	0.007					1.2	74	5			0.001	87	12	11	16			0.08	0.672	2	2.781
36	3738	17	6.5	6.5	176	1.2	9.68	0.01					0.6	83.3	13			0.085	63	8	10	11			0.142	0.73	3	2.62
37	3739	14	5	6.9	71	1.3	26.3	0.01					0.9	72.9	6			0.08	52	8	7.6	11			0.101	0.83	2	2.44
38	3740	16	5.6	6.3	211	0.7	1.11	0.009					1.9	242	1.5			0.028	21	8	0	4			0.072	1.22	1	3.96
39	3741	17	0.9	6.5	322	0.3	29.4	0.01					1	143	4.5			0.106	104	13	18	11			0.105	1.18	1	3.11
40	3742	15	2.2	7.2	97	0.9	0.96	0.02					16	143	2.5			0.023	119	25	14	12			0.064	0.73	2	2.99

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF OCTOBER, 2025

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS															
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-No ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	3743	15	5.8	6.7	60	1.1	1.296	0.02					0.6	127	2			0.01	52	9	7.1	2			0.174	0.88	1	5.79
42	3744	18	5.9	6.7	111	1.4	16.65	0.02					505	175	2			0.01	83	19	8.6	6			0.174	1.17	2	2.86
43	3745	14	5.6	6.4	250	1.1	27.99	0.015					0.3	114.2	23.5			0.06	135	23	19.2	15			0.162	0.931	8	4.45
44	3746	19	9	6.7	76.8	1.2	1.483	0.012					22.4	56	6.5			0.04	113	18	16.7	12			0.109	1.03	2	2.8
45	3747	18	9	6.9	80	1.3	1.142	0.009					3.3	28	2.5			0.04	100	14	15.7	13			0.14	0.58	1	2.9
46	3748	19	9	6.7	83	1.4	3.76	0.012					4.3	40	3			0.09	83	9	14.7	11			0.169	0.49	2	4.82
47	3749	19	5.5	7.4	208	1.4	3.615	0.02					1.2	142	11			0.18	108	20	14.2	14			0.184	0.98	3	3.6
48	3750	19	6	6.8	29	1.2	5.32	0.1					2.3	140	2			0.05	31	8	3	13			0.14	1.12	4	2.56
49	3751	21	6.4	6.8	106	1.5	1.756	0.019					9.3	148	3.5			0.06	54	12	6.1	14			0.079	1.177	2	3.84
50	3752	14	7.6	6.9	48	1	3.56	0.017					2.9	46	3.5			0.04	117	18	17.2	9			0.174	0.588	1	4.14
51	3753	13	8.4	6.7	46.8	1.3	4.255	0.05					2.8	56	4			0.06	85	8	15.7	9			0.115	0.58	1	4.82
52	3754	23	9.5	6.7	122	1.4	3.632	0.06					87	60	2.5			0.04	125	20	18.2	16			0.26	1.17	3	2.38
53	3755	25	8.4	6.6	247	1.4	2.285	0.247					7.7	100	8			0.28	200	31	29.9	18			0.297	1.03	11	2.56
54	3756	18	6.5	6.9	145	1.4	0.22	0.008					33.7	64	3.5			0.03	125	18	19.2	5			0.26	1.03	1	3.35
55	3757	18	5.3	7.6	65	1	2.234	0.018					3.3	36	2			0	48	8	6.6	2			0.297	1.22	1	3.66
56	3758	19	4	6.8	235	1.1	3.25	0.008					2.2	140	9			0.02	150	17	26.3	1			0.064	0.39	1	4.14
57	4114	21	6.2	7.3	523	3.2	24.96	4.01	280	920	110		2	140	42.4			4.33	148	25	20.8	69	403	7	1.4	1.61	18	3.9
58	4115	22	2	6.7	740	8	10.89	0.028	430	1600	350		30	246	70.2	40		10.4	146	28	18.7	91	463	71	3.77	1.422	2	3.05
10	4116	21	5.4	7.2	91.5	1.1	6.35	0.01				BDL	2	40	8.9			0.04	86	17	10.7	21	60	3	0.08	1.03	3	2.92
60	4117	20	7.1	6.6	121	1.1	1.67	0.009					1	36	16.5			0.03	115	17	17.7	6			0.085	1.03	2	2.8

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF OCTOBER, 2025

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS															
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
61	4118	21	7.8	7	72	1.3	1.296	0.009					1	40	3.5			0.019	96	8	18.2	6			0.079	0.63	2	3.41
62	4119	21	7.8	7	95	1.1	1.211	0.009					2.6	48	2			0.024	98	11	17.2	1			0.184	1.177	1	3.78
63	4120	25	9.3	6.6	122	1.1	3.188	0.043					70	64	3			0.034	104	20	13.2	6			0.14	1.17	3	3.23
64	4121	25	9.6	6.7	123	1.2	1.56	0.032					70	54	3.5			0.025	83	11	13.7	16			0.14	1.32	3	2.31
65	4122	22	8	6.9	124	1.1	0.529	0.055					15	106	19.5			0.087	125	17	20.3	2			0.376	1.37	1	3.06
66	4123	25	6.8	6.7	123	1.4	11.44	0.171					247	66	2			0.099	113	14	18.7	12			0.748	0.039	4	3.66
67	4124	16	6.8	6.6	286	1.1	28.92	0.011					0.3	66.7	23			0.064	104	19	13.7	16			0.118	0.981	14	3.112
68	4125	18	5.5	7.5	120	1.5	5.32	0.021					5.4	50	4.5			0.03	67	8	11.1	1			0.07	1.422	1	3.29
69	4126	17	4.9	6.7	234	1.6	1.453	0.035					1.2	20	30.5			0.01	150	17	26.3	1			0.097	1.12	1	3.6
70	4127	16	6.5	6.8	252	1.4	29.36	0.006					0.7	104	24			0.106	96	19	11.6	7			0.105	0.93	3	3.78
71	4128	15	5.3	6.5	303	1.5	29.32	0.01					0.4	116.8	25.5			0.08	146	28	18.7	7			0.122	0.88	2	2.68
72	4129	16	4.1	6.8	170	1.1	1.649	0.046					0.9	114.5	2			0.023	88	8	16.2	2			0.094	1.42	1	4.63
73	4130	21	4.9	7.7	78.6	1	5.32	0.001					31.5	115	2			0.028	83	8	15.2	2			0.106	0.78	2	3.6
74	4131	18	4.1	7.8	377	1.1	1.483	0.009					1.2	178	2.5			0.072	42	8	5.1	1			0.208	1.128	1	2.74
75	4132	17	4.2	7.1	36	1.3	1.142	0.008					1.7	20	2.5			0.012	75	12	11.1	6			0.164	0.78	1	5.06
76	4133	18	6.9	6.5	119	1.4	10.26	0.007					1	136	8.05			0.038	83	13	12.2	11			0.199	1.03	2	5.06
77	5513	20	7.6	6.6	72	1.3	1.04	0.014					1.4	30	2.5			0.087	63	8	10.1	2			0.208	1.37	1	3.35
78	5718	19	6.5	7.16	223	0.4	0.061	0.04					25	108	2.1			0.01	129	23	17.2	21	141	4	0.24	0.68	3	2.74
79	5719	18	5.9	6.09	341	1.2	30.16	0.02					46	32	30.3			0.14	129	25	21.3	17	208	68	0.16	1.12	4	3.417
80	5720	21	5.6	7.03	98.9	1.3	1.59	0.01				BDL	4	40	2.9			0.04	83	18	9.1	14	66	7	0.11	0.78	2	3.17

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF OCTOBER, 2025

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS																
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity μs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate	
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
81	5721	22	5	7.31	109.8	1	4.99	0.02				BDL	3	38	2.4			0.07	73	10	11.6	14	60	5	0.13	0.88	2	3.41	
82	5722	23	7.6	7.1	21	1.2	0.14	0.009					5.2	10	3			0.019	75	8	13.2	1			0.191	1.27	1	3.35	
83	5723	21	8.19	7.08	137.7	1.1	2.93	0.1					35	56	6.2			0.07	88	11	14.7	20	122	21	0.03	0.98	3	5.06	
84	5724	21	5.5	7	114	0.8	0.66	0.002					16.2	60	4			0.008	104	17	15.2	11			0.082	0.73	3	3.47	
85	5725	19	5.1	7.1	70	1.1	1.14	0.018					5	40	2.5			0.036	63	10	9.1	12			0.082	0.686	1	2.99	
86	5726	20	6.8	7.2	126	1	0.14	0.003					11.3	46	2			0.008	83	12	13.2	13			0.106	0.784	1	3.966	
87	5727	18	9	6.9	77	1.2	1.93	0.012					21.4	36	1.5			0.028	117	16	18.7	13			0.072	1.32	1	3.78	
88	5728	20	4.9	6.8	27	1.4	0.92	0.001					2.4	16	2			0.015	56	8	8.6	5			0.079	1.17	1	2.44	
89	5729	20	4.7	7.4	20.8	1.5	2.4	0.008					2.8	10	2.5			0.019	29	7	3	4			0.096	0.49	1	3.35	
90	5730	20	4.2	7.1	30	1.5	13.8	0.007					4.5	16	1.5			0.001	142	25	19.2	6			0.099	0.833	2	2.44	
91	5731	16	4	7	31	1.1	3.38	0.008					2.9	83	2.5			0.003	83	13	12.2	6			0.072	0.686	1	3.05	
92	5732	20	4	7.2	38	0.8	0.32	0.019					2.7	20	2			0.023	90	8	16.7	2			0.082	0.83	1	3.05	
93	5733	21	7	6.9	88	1.4	1.41	0.015					4	108	15			0.022	125	17	20.3	1			0.173	1.22	1	3.66	
94	5734	18	6.1	7.2	31.8	1.3	0.92	0.015					9.6	148	2.5			0.019	56	13	6.1	6			0.106	0.784	2	3.53	
95	5735	17	7	7.6	81	1	1.67	0.012					3.6	146	3			0.011	115	17	17.7	9			0.072	0.73	1	3.41	
96	5736	23	5.7	6.9	76	1	4.11	0.035					3.5	120	4			0.185	94	18	11.6	17			0.106	0.833	5	4.21	
97	5737	19	6.4	6.8	69	1.2	2.62	0.037					4.4	128	1.5			0.011	73	12	10.6	5			0.106	0.833	2	3.11	
98	5738	22	5.5	7.1	139	1.1	3.19	0.026					1	124	8.5			0.008	125	31	11.6	10			0.072	1.22	4	4.33	
99	5739	18	5.7	6.8	86	1.5	3.62	0.035					2	40	3.5			0.063	98	17	13.7	4			0.331	0.882	1	2.86	
100	5740	17.5	5.9	7.4	55.3	1.2	0.7	0.007					1	38	4			0.028	19	7	0.5	5			0.243	0.49	2	3.41	

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF OCTOBER, 2025

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS															
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
101	5741	18	5.1	7.9	23	1.2	0.597	0.009					10.7	16	2.5			0.03	69	17	6.6	1			0.26	0.93	1	3.66
102	5742	14	8	6.7	49	1.3	3.63	0.017					3.5	42	4			0.07	88	8	16.2	9			0.21	1.27	1	3.35
103	5743	28	9.1	6.6	114	1.4	1.228	0.019					4.7	40	1.5			0.02	83	10	14.2	15			0.11	0.49	4	4.27
104	5744	15	8.1	6.5	48	1	3.63	0.016					4.3	40	4			0.05	96	10	17.2	9			0.29	0.93	1	2.62
105	5745	13	8.5	6.7	48	0.9	3.615	0.015					2.2	40	4.5			0.04	67	10	10.1	10			0.17	0.69	2	4.33
106	5746	24	9.5	6.5	69	1.5	5.32	0.078					169	30	2			0.05	90	9	16.2	8			0.31	1.32	4	3.53
107	5747	25	9.3	6.7	105	1.4	1.108	0.019					50	52	2			0.03	108	13	18.7	11			0.11	0.59	3	2.07
108	5748	20	6.7	6.9	54	1.3	2.626	0.032					11.7	28	6			0.04	116	18	17	5			0.11	1.18	1	3.9
109	5749	22	7	6.5	70	0.9	2.847	0.008					13.3	28	2			0.03	88	8	16.2	4			0.13	1.03	2	2.38
110	5750	28	7.2	6.7	159	1.5	1.91	0.0262					1.4	48	1.5			0.13	142	25	19.2	6			0.14	1.22	2	3.66
111	5751	28	7.4	6.8	231	1.1	2.217	0.019					1.3	52	1.5			0.12	140	28	16.7	7			0.17	0.83	2	3.66
112	5752	24	7.2	6.8	57	1.3	3.41	0.066					13.5	46	3.5			0.02	88	11	14.7	14			0.23	0.53	2	2.68
113	5753	21	6.4	6.8	55	1.1	1.48	0.019					1.8	70	2			0.02	63	10	9.1	6			0.14	1.03	2	2.99
114	5754	24	6.4	6.6	129	1.5	17.05	0.073					8.2	40	3			0.07	67	9	10.6	14			0.26	1.32	2	2.92
115	5755	24	5.9	6.5	464	1.2	8.73	0.016					46.4	72	4.5			0.02	83	11	13.7	14			0.07	0.93	5	3.05
116	5756	22	7.5	6.7	97	1.2	4.1	0.06					57	26	2			0.05	92	11	15.7	10			0.38	1.37	2	5.55
117	5757	26	5.8	6.5	24.5	0.9	1.91	0.033					110	40	2			0.03	50	8	7.1	3			0.15	1.07	1	3.47
118	5758	24	8	6.6	101	1	1.296	0.018					19.5	60	1			0.02	110	18	16.2	12			0.11	1.28	2	3.05
119	5759	25	8.3	6.5	67	1.3	25.74	0.421					189	50	1.5			0.27	90	10	15.7	13			1.07	0.53	2	5.06
120	5760	25	7.8	6.8	74.5	1.1	1.296	0.021					12	40	3			0.02	67	9	10.6	14			0.11	0.59	2	4.63
121	5761	16	5.4	6.5	91	1.3	0.87	0.017					7.3	162	3			0.03	83	12	13.2	4			0.07	0.49	2	2.13

MIZORAM WATER DATA

2025

LIST OF OLD AND NEW NWMP STATIONS FOR MIZORAM



MIZORAM STATE POLLUTION CONTROL BOARD

Sl. No	STATION CODE	NAME OF MONITORING STATION	<i>f</i>	District	Type of Water Body
1	2050	TLAWNG RIVER, <i>Mid Stream, Reiek Kai, Aizawl, U/S Of Tlawng Bridge</i>	M	Aizawl	Surface Water
2	2051	TLAWNG RIVER, <i>Mid Stream, Reiek Kai, Aizawl, D/S Of Tlawng Bridge</i>	M	Aizawl	Surface Water
3	2052	TUIRIAL RIVER, <i>Mid Stream, Tuirial Village, U/S Of Tuirial Bridge</i>	M	Aizawl	Surface Water
4	2053	TUIRIAL RIVER, <i>Mid Stream, Tuirial Village, D/S Of Tuirial Bridge</i>	M	Aizawl	Surface Water
5	2054	RAMHLUN 'N' SPRING WATER, <i>Aizawl</i>	H	Aizawl	Ground Water
6	2055	MISSION VENGTHLANG SPRING WATER, <i>Aizawl</i>	H	Aizawl	Ground Water
7	3709	TLAWNG RIVER, <i>Sairang</i>	M	Aizawl	Surface Water
8	3710	SERLUI STREAM, <i>Reiek Kai, Near Phe Water Treatment Plant, Aizawl</i>	M	Aizawl	Surface Water
9	3711	VAIPUANPHO STREAM, <i>Ailawng, Mamit Dist.</i>	M	Aizawl	Surface Water
10	3712	TUIKUAL STREAM, <i>D/S, Reiek Kai, Near Phe Water Treatment Plant, Aizawl</i>	M	Aizawl	Surface Water
11	3713	SAKHISIH STREAM, <i>Mission Vengthlang, Aizawl</i>	M	Aizawl	Surface Water
12	3714	TUIRIAL RIVER, <i>UPSTREAM, Sumsuih, Aizawl Dist</i>	M	Aizawl	Surface Water
13	3715	TUIRIAL RIVER, <i>MID STREAM, Airfield, U/S Of Tuirial Waste Management Centre, Aizawl</i>	M	Aizawl	Surface Water
14	3716	DAMDIAI STREAM, <i>AIRFIELD, Near Tuirial Waste Management Centre, Aizawl Dist</i>	M	Aizawl	Surface Water
15	3717	TUIRIAL RIVER, <i>MID STREAM, AIRFIELD, D/S Of Tuirial Waste Management Centre, Aizawl</i>	M	Aizawl	Surface Water
16	3718	CHITE STREAM, <i>Armed Veng, Near Mini Sports Complex, Aizawl</i>	M	Aizawl	Surface Water
17	3719	TUIRINI RIVER, <i>Seling, Saitual Dist</i>	M	Saitual	Surface Water
18	3720	TUIVAWL RIVER, <i>Keifang Village, Near Tuivawl Bridge, Saitual Dist</i>	M	Saitual	Surface Water
19	3721	LAWIBUAL STREAM, <i>I.T.I Veng, Aizawl</i>	M	Aizawl	Surface Water
20	3722	LAWIBUAL FISHPOND, <i>I.T.I Veng, Aizawl</i>	M	Aizawl	Surface Water
21	3723	TAMDIL LAKE, <i>Saitual</i>	M	Saitual	Surface Water
22	3724	CHALLUI STREAM, <i>LENGPUI, Aizawl Dist</i>	M	Aizawl	Surface Water
23	3725	LUNGLI SPRING WATER, <i>Republic Veng, Aizawl</i>	H	Aizawl	Ground Water
24	3726	RAMHLUN 'S' SPRING WATER, <i>Near Community Hall, Aizawl</i>	H	Aizawl	Ground Water

25	3727	TUITHIANG VENG SPRING WATER, <i>Aizawl</i>	H	Aizawl	Ground Water
26	3728	KHURPUI SPRING WATER, <i>South Hlimen, Aizawl</i>	H	Aizawl	Ground Water
27	3729	CHAWNPUI HAND PUMP, <i>Aizawl</i>	H	Aizawl	Ground Water
28	3730	SELESIH HAND PUMP, <i>Aizawl</i>	H	Aizawl	Ground Water
29	3731	TUIKUAL HAND PUMP, <i>Aizawl</i>	H	Aizawl	Ground Water
30	3732	CHALTLANG HAND PUMP, <i>Near Remi Tyre Works, Aizawl</i>	H	Aizawl	Ground Water
31	3733	SOUTH HLIMEN HAND PUMP, <i>Aizawl</i>	H	Aizawl	Ground Water
32	3734	TLAWNG RIVER, U/S, ZOBARK VILLAGE, <i>Lunglei Dist.</i>	M	Lunglei	<i>Surface Water</i>
33	3735	MAT RIVER, <i>Dawn Village, Near Mat Bridge,Lunglei Dist.</i>	M	Lunglei	<i>Surface Water</i>
34	3736	TLAWNG RIVER, U/S, Pialthleng Zotlang, <i>Lunglei</i>	M	Lunglei	<i>Surface Water</i>
35	3737	VAITUI SPRING WATER, <i>Theiriat , Lungei</i>	H	Lunglei	Ground Water
36	3738	SAP TUIKHUR SPRING WATER, <i>Serkawn, Lunglei</i>	H	Lunglei	Ground Water
37	3739	ZOBARK VENG HAND PUMP, <i>Lunglei</i>	H	Lunglei	Ground Water
38	3740	SAIKAH STREAM, <i>Lawngtlai</i>	M	Lawngtlai	<i>Surface Water</i>
39	3741	KHURPUI SPRING WATER, <i>Lawngtlai</i>	H	Lawngtlai	Ground Water
40	3742	CHANMARI HAND PUMP, <i>Lawngtlai</i>	H	Lawngtlai	Ground Water
41	3743	PHE RESERVOIR (ZOTLANG STREAM), <i>Helipad, New Saiha</i>	M	Saiha	<i>Surface Water</i>
42	3744	CHHIMTUIPUI RIVER, KAWLCHAW, <i>Near Chhimtupui Bridge, Saiha Dist.</i>	M	Saiha	<i>Surface Water</i>
43	3745	CHHOCHHOPA SPRING WATER, <i>New Colony, Saiha</i>	H	Saiha	Ground Water
44	3746	TUIKUM RIVER, NEAR PHE WATER TREATMENT PLANT, <i>Serchhip</i>	M	Serchhip	<i>Surface Water</i>
45	3747	SESAH STREAM, DINTHAR, <i>Serchhip</i>	M	Serchhip	<i>Surface Water</i>
46	3748	SIHPHIR VENG SPRING WATER, <i>Serchhip</i>	H	Serchhip	Ground Water
47	3749	PHE RESERVIOR (LAHMUN RIVER), <i>Mizo Veng, Mamit</i>	M	Mamit	<i>Surface Water</i>
48	3750	TEIREI RIVER, BAWNGVA, <i>Mamit Dist.</i>	M	Mamit	<i>Surface Water</i>
49	3751	TUT RIVER, DAPCHHUAH, <i>Mamit Dist.</i>	M	Mamit	<i>Surface Water</i>
50	3752	TUICHHUAHEN STREAM, <i>Near Phe Water Treatment Plant, Kolasib</i>	M	Kolasib	<i>Surface Water</i>

51	3753	HMAR VENG SPRING WATER, <i>Kolasib</i>	H	Kolasib	Ground Water
52	3754	TLAWNG RIVER, <i>D/S, Rimawi Veng, Bairabi, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
53	3755	FISHPOND, RAIL CROSSING, <i>Near Thermal Power Plant, Bairabi, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
54	3756	TIAU RIVER, ZOKHAWTHAR, <i>Near Tiau Bridge, Champhai Dist.</i>	M	Champhai	<i>Surface Water</i>
55	3757	TUIPUI RIVER, <i>Near Phe Water Treatment Plant, Champhai Dist.</i>	M	Champhai	<i>Surface Water</i>
56	3758	BETHEL VENG HAND PUMP, <i>Champhai</i>	H	Champhai	Ground Water
57	4114	CHITE STREAM, <i>Near Sipmiu's Stp, Bethlehem Vengthlang, Aizawl</i>	M	Aizawl	<i>Surface Water</i>
58	4115	TUIKUAL STREAM, <i>U/S, Mizoram New Capital Complex , Dinthar, Aizawl</i>	M	Aizawl	<i>Surface Water</i>
59	4116	PHE RESERVOIR (TLAWNG RIVER), <i>Tuikhuahtlang, Aizawl</i>	M	Aizawl	<i>Surface Water</i>
60	4117	PHE RESERVOIR (TAWIZO STREAM), <i>Rulchawm, Saitual Dist.</i>	M	Aizawl	<i>Surface Water</i>
61	4118	TUIRIAL RIVER <i>D/S, Hepp Dam, Saipum, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
62	4119	SERLUI RIVER <i>D/S, Serlui 'B' Hepp Dam, Bilkhawthlir, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
63	4120	TEIREI RIVER <i>D/S Nr Confluence Pt With Tlawng River, Sapmara, Bairabi, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
64	4121	TLAWNG RIVER <i>D/S, Suarpui, Bairabi Hepp Dam Site, Bairabi, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
65	4122	KHAWTHLANGTUIPUI RIVER, <i>Tlabung, Lunglei Dist.</i>	M	Lunglei	<i>Surface Water</i>
66	4123	TUIPUI D RIVER, <i>Darzokai, Hnahthial Dist.</i>	M	Hnahthial	<i>Surface Water</i>
67	4124	ELECTRIC VENG SPRING WATER, <i>Lunglei</i>	H	Lunglei	Ground Water
68	4125	TUIPUI RIVER <i>U/S, Nr Confluence Pt Keihungliah Stream, Vengthar, Champhai</i>	M	Champhai	<i>Surface Water</i>
69	4126	PAWHHAWN SPRING WATER, <i>Nr Gm Hss, Vengsang, Champhai</i>	H	Champhai	Ground Water
70	4127	KHURPUI SPRING WATER, <i>New Colony, Saiha</i>	H	Saiha	Ground Water
71	4128	F LALLAWMAWMA WELL, <i>New Saiha, Saiha Dist.</i>	H	Saiha	Ground Water
72	4129	TUIVAMIT SPRING WATER, AOC VENG, <i>Lawngtlai</i>	H	Lawngtlai	Ground Water
73	4130	NGENGPUI STREAM, <i>Nr Kaladan Multi Modal Rd, Lawngtlai Dist.</i>	M	Lawngtlai	<i>Surface Water</i>
74	4131	PHE RESERVOIR (CHENGKAWL LUI), <i>Chawnhu Village, Lawngtlai Dist.</i>	M	Lawngtlai	<i>Surface Water</i>
75	4132	VANTAWNG WATER FALL, <i>Thenzawl, Serchhip Dist.</i>	M	Serchhip	<i>Surface Water</i>
76	4133	NGHARPET VENG SPRING WATER, <i>Lungsir, Mamit</i>	H	Mamit	Ground Water

77	5513	PALAK LAKE, <i>Phura Village, Siaha</i>	M	Siaha	Surface Water
78	5718	RIVER DIALDAWK (Perennial Stream) <i>At/ Near Lengpui Village</i>	M	Aizawl	Surface Water
79	5719	RIVER TUIRIAL <i>At/Near Muallungthu Village Area (Upper Stretches Of River Tuirial)</i>	M	Aizawl	Surface Water
80	5720	P.H.E WATER RESERVOIR (TLAWNG RIVER WATER) <i>At Laipuitlang</i>	M	Aizawl	Surface Water
81	5721	P.H.E WATER RESERVOIR (TLAWNG RIVER WATER) <i>At Durtlang</i>	M	Aizawl	Surface Water
82	5722	KHAWTLANGDIL/KHUAHPUIDIL (POND) <i>At Sialsuk Village</i>	M	Aizawl	Surface Water
83	5723	KURUNG LUI (PERENNIAL STREAM) <i>At Sairang Village, Before Confluencing With River Tlawng</i>	M	Aizawl	Surface Water
84	5724	RIVER TLAWNG AT/NEAR BUARPUI VILLAGE <i>Area (Upper Stream Of Buarpui Village)</i>	M	Serchhip	Surface Water
85	5725	RIVER MAT, NEAR SERCHHIP TOWN (L/S of SERCHHIP), <i>Before Confluencing With River Kolodyne</i>	M	Serchhip	Surface Water
86	5726	PHE RESERVIOR (ZOTE AND BAWITE RIVER WATER) <i>Vengsang, Thenzawl Village</i>	M	Serchhip	Surface Water
87	5727	HMAWNGAWN LUI (PERENNIALSTREAM), <i>Before Confluencing With River Mat, Hmar Veng, Serchhip Town</i>	M	Serchhip	Surface Water
88	5728	LAKE AT NEC PARK, <i>Thenzawl Village, Serchhip District, Mizoram</i>	M	Serchhip	Surface Water
89	5729	POND AT BUARPUI ROAD, <i>Thenzawl Village</i>	M	Serchhip	Surface Water
90	5730	LAU LUI (PERENNIAL STREAM) <i>At Thenzawl Village, Before Confluencing With River Tlawng</i>	M	Serchhip	Surface Water
91	5731	POND -I, ZOBAWK VILLAGE,	M	Lunglei	Surface Water
92	5732	BUALSENDIL (POND) <i>AT RAMLAITUI</i>	M	Lunglei	Surface Water
93	5733	RIVER TUICHAWNG <i>At Tuichawng Village Area, Before Confluencing With River Khawthlangtuipui</i>	M	Lunglei	Surface Water
94	5734	TUIDAISTREAM (PERENNIAL STREAM) <i>Near Mamit Town, Before Confluencing With Tlawng River</i>	M	Mamit	Surface Water
95	5735	RIVER DAMPUI (PERENNIAL STREAM) <i>At Dampui Village, Before Confluencing With River Tlawng</i>	M	Mamit	Surface Water
96	5736	POND-Z5 AT VENGPUI, ZAWLNUAM VILLAGE	M	Mamit	Surface Water
97	5737	RENGDIL AT ZAMUANG VILLAGE	M	Mamit	Surface Water
98	5738	BAWRAI STREAM (PERENNIAL STREAM) <i>At Bawrai Village, Before Confluence With River Tlawng</i>	M	Mamit	Surface Water
99	5739	FALLUI (PERENNIAL STREAM) <i>At Boundary Betwwen Champhai Town And Neihdawn Village, Before Confluencing With River Tuipui</i>	M	Champhai	Surface Water
100	5740	PHE RESERVIOR AT VENGSAWNG, <i>Below Helipad, Champhai Town</i>	M	Champhai	Surface Water
101	5741	SIHZAUDIL (POND) ZOTLANG	M	Champhai	Surface Water
102	5742	STORAGE POND <i>At Kolasib Town</i>	M	Kolasib	Surface Water

103	5743	POND <i>At Buhchangphai Village</i>	M	Kolasib	<i>Surface Water</i>
104	5744	STORAGE POND <i>At Chemphai Village</i>	M	Kolasib	<i>Surface Water</i>
105	5745	CHEMLUI (PERENNIAL STREAM) <i>At Chemphai, Near Phe Pump House, Bilkhawthlir Village, Before Confluence With River Serlui</i>	M	Kolasib	<i>Surface Water</i>
106	5746	CHITE LUI (PERENNIAL STREAM) <i>At Vairengte Village, Before Confluencing With River Serlui</i>	M	Kolasib	<i>Surface Water</i>
107	5747	CHHIMLUANG (PERENNIAL STREAM) <i>At Meidumvillage, Before Confluencing With River Tlawng</i>	M	Kolasib	<i>Surface Water</i>
108	5748	PHE PUMP HOUSE/TUIVAWL PUMP HOUSE <i>At Saitual Town</i>	M	Saitual	<i>Surface Water</i>
109	5749	PHAIPUI LUI (PERENNIAL STREAM) <i>At Saitual Town, Before Confluencing With River Tuivawl</i>	M	Saitual	<i>Surface Water</i>
110	5750	RUNGDIL-I (LAKE), <i>Suangpuilawn Village</i>	M	Saitual	<i>Surface Water</i>
111	5751	RUNGDIL-II (LAKE), <i>Suangpuilawn Village</i>	M	Saitual	<i>Surface Water</i>
112	5752	DAMDIAICHHUAH LUI (PERRENIAL STREAM) <i>At Damdiai Chhuah, Before Confuencing With River Tuichang</i>	M	Khawzawl	<i>Surface Water</i>
113	5753	CHANGEL LUI (PERENNIAL STREAM) <i>At Chawngtlai Ram, Before Confluencing With River Tuichang</i>	M	Khawzawl	<i>Surface Water</i>
114	5754	TUIMUK RIVER(PERENNIAL STREAM) <i>At/ Near Khawzawl Town, Before Confluencing With River Tuipui</i>	M	Khawzawl	<i>Surface Water</i>
115	5755	PHAISEN LUI (PERENNIALSTREAM) <i>At/ Near Khawzawl Town, Before Confluencing With River Tuichang</i>	M	Khawzawl	<i>Surface Water</i>
116	5756	TUIKHAWHTHLA HNAR DAM <i>At Ngopa Village</i>	M	Khawzawl	<i>Surface Water</i>
117	5757	TLANGDIL <i>At Khawhai Village</i>	M	Khawzawl	<i>Surface Water</i>
118	5758	TUICHANG RIVER <i>At Pang Darchhuah Ram, Hnahthial Town Area, Before Confluencing With River Kolodyne</i>	M	Hnahthial	<i>Surface Water</i>
119	5759	RIVER TUICHANG <i>Near Hnahthial Town, Before Confluencing With River Kolodyne</i>	M	Hnahthial	<i>Surface Water</i>
120	5760	DILLUITUI (PERENNIAL STREAM) <i>At Darzo Village, Before Confluencing With River Mat</i>	M	Hnahthial	<i>Surface Water</i>
121	5761	TUITLAWK RIVER (PERENNIAL STREAM) <i>Near Saihatown, Before Confluencing With River Kolodyne</i>	M	Saiha	<i>Surface Water</i>