

MIZORAM WATER DATA

MAY

2026

STATION DETAILS



MIZORAM STATE POLLUTION CONTROL BOARD

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF MAY, 2026

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
1	2050	TLAWNG RIVER, <i>Mid Stream, Reiek Kai, Aizawl, U/S Of Tlawng Bridge</i>	11-05-2026	11.15	C	Municipal Sewage	None	Cultivation	Clear	1.5	Cultivation	No	Light Brown	Odour Free	0.3
2	2051	TLAWNG RIVER, <i>Mid Stream, Reiek Kai, Aizawl, D/S Of Tlawng Bridge</i>	11-05-2026	11.30	C	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.5
3	2052	TUIRIAL RIVER, <i>Mid Stream, Tuirial Village, U/S Of Tuirial Bridge</i>	18-05-2026	12.00	C	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.5
4	2053	TUIRIAL RIVER, <i>Mid Stream, Tuirial Village, D/S Of Tuirial Bridge</i>	18-05-2026	12.20	C	Municipal Sewage	None	Cultivation	Clear	0.5	Cultivation	No	Light Brown	Odour Free	0.3
5	2054	RAMHLUN 'N' SPRING WATER, <i>Aizawl</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
6	2055	MISSION VENGTHLANG SPRING WATER, <i>Aizawl</i>													
7	3709	TLAWNG RIVER, <i>Sairang</i>	04-05-2026	11.30	C	Municipal Sewage	None	Cultivation	Clear	2	Cultivation	No	Light Brown	Odour Free	0.5
8	3710	SERLUI STREAM, <i>Reiek Kai, Near Phe Water Treatment Plant, Aizawl</i>	11-05-2026	11.00	B	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.5
9	3711	VAIPUANPHO STREAM, <i>Ailawng, Mamit Dist.</i>	11-05-2026	12.15	A	None	None	Cultivation	Clear	0.5	Cultivation	No	Light Brown	Odour Free	0.3
10	3712	TUIKUAL STREAM, <i>D/S, Reiek Kai, Near Phe Water Treatment Plant, Aizawl</i>	11-05-2026	11.40	C	Municipal Sewage	None	Gardening	Clear	0.5	Cultivation	No	Light Brown	Odour Free	0.5
11	3713	SAKHISIH STREAM, <i>Mission Vengthlang, Aizawl</i>	25-05-2026	11.45	A	Municipal Sewage	None	Gardening	Clear	0.5	Cultivation	No	Clear	Odour Free	0.5
12	3714	TUIRIAL RIVER, <i>UPSTREAM, Sumsuih, Aizawl Dist</i>	20-05-2026	4.30	A	None	None	Cultivation	Clear	0.6	Cultivation	No	Clear	Odour Free	0.5
13	3715	TUIRIAL RIVER, <i>MID STREAM, Airfield, U/S Of Tuirial Waste Management</i>	18-05-2026	11.00	A	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.3
14	3716	DAMDIAI STREAM, <i>AIRFIELD, Near Tuirial Waste Management Centre, Aizawl</i>	18-05-2026	11.35	C	Municipal Sewage	None	Cultivation	Clear	0.5	Cultivation	No	Light Brown	Odour Free	0.3
15	3717	TUIRIAL RIVER, <i>MID STREAM, AIRFIELD, D/S Of Tuirial Waste Management</i>	18-05-2026	11.20	A	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.3
16	3718	CHITE STREAM, <i>Armed Veng, Near Mini Sports Complex, Aizawl</i>	18-05-2026	10.18	D	Municipal Sewage	None	Gardening	Clear	0.3	Domestic	No	Light Brown	Odour Free	0.5
17	3719	TUIRINI RIVER, <i>Seling, Saitual Dist</i>	20-05-2026	8.35	A	Municipal Sewage	None	Cultivation	Clear	1.5	Cultivation	No	Clear	Odour Free	0.6
18	3720	TUIVAWL RIVER, <i>Keifang Village, Near Tuivawl Bridge, Saitual Dist</i>	20-05-2026	12.15	A	Municipal Sewage	None	Cultivation	Clear	1.7	Cultivation	No	Clear	Odour Free	0.7
19	3721	LAWIBUAL STREAM, <i>I.T.I Veng, Aizawl</i>	25-05-2026	10.45	D	Municipal Sewage	None	Cultivation	Clear	0.7	Cultivation	No	Light Brown	Odour Free	0.5
20	3722	LAWIBUAL FISHPOND, <i>I.T.I Veng, Aizawl</i>	25-05-2026	11.00	C	None	None	Fishing	Clear	2	Fishing	No	Light Brown	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF MAY, 2020

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
21	3723	TAMDIL LAKE, Saitual	20-05-2026	3.15	A	None	None	Tourism Spot	Clear	2.5	Fishing	No	Clear	Odour Free	N/A
22	3724	CHALLUI STREAM, LENGPUI, Aizawl Dist	04-05-2026	12.15	A	None	None	Cultivation	Clear	0.8	Cultivation	No	Light Brown	Odour Free	0.5
23	3725	LUNGLI SPRING WATER, Republic Veng, Aizawl	This station is underground source of water which required to analyze during April and October only												
24	3726	RAMHLUN 'S' SPRING WATER, Near Community Hall, Aizawl													
25	3727	TUITHIANG VENG SPRING WATER, Aizawl													
26	3728	KHURPUI SPRING WATER, South Hlimen, Aizawl													
27	3729	CHAWNPUI HAND PUMP, Aizawl													
28	3730	SELESIH HAND PUMP, Aizawl	05-05-2026	12.45	C	None	None	Others	Clear	N/A	Others	No	Clear	Odour Free	N/A
29	3731	TUIKUAL HAND PUMP, Aizawl	This station is underground source of water which required to analyze during April and October only												
30	3732	CHALTLANG HAND PUMP, Near Remi Tyre Works, Aizawl	05-05-2026	11.00	D	None	None	Others	Clear	N/A	Others	No	Clear	Odour Free	N/A
31	3733	SOUTH HLIMEN HAND PUMP, Aizawl	This station is underground source of water which required to analyze during April and October only												
32	3734	TLAWNG RIVER, U/S, ZOBAWK VILLAGE, Lunglei Dist.	01-05-2026	9.00	A	Municipal Sewage	None	Tourism Spot	Cloudy	0.5	Domestic	No	Light Brown	Odour Free	0.2
33	3735	MAT RIVER, Dawn Village, Near Mat Bridge,Lunglei Dist.	01-05-2026	11.00	A	Municipal Sewage	None	Cultivation	Cloudy	1	Cultivation	No	Light Brown	Odour Free	1.2
34	3736	TLAWNG RIVER, U/S, Pialthleng Zotlang, Lunglei	01-05-2026	12.15	A	Municipal Sewage	None	Others	Cloudy	2.1	Drinking Water Source	No	Clear	Odour Free	0.2
35	3737	VAITUI SPRING WATER, Theiriat , Lunglei	This station is underground source of water which required to analyze during April and October only												
36	3738	SAP TUIKHUR SPRING WATER, Serkawn, Lunglei													
37	3739	ZOBAWK VENG HAND PUMP, Lunglei													
38	3740	SAIKAH STREAM, Lawngtlai	14-05-2026	11.00	B	None	None	Bathing, Washing, Cultivation	Clear	0.5	Drinking Water Source	No	Clear	Odour Free	0.5
39	3741	KHURPUI SPRING WATER, Lawngtlai	This station is underground source of water which required to analyze during April and October only												
40	3742	CHANMARI HAND PUMP, Lawngtlai													

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF MAY, 2026

SL No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
41	3743	PHE RESERVOIR (ZOTLANG STREAM), <i>Helipad, New Saiha</i>	14-05-2026	4.00	A	None	None	Bathing, Washing	Clear	2	Drinking Water Source	No	Clear	Odour Free	N/A
42	3744	CHHIMTUIPUI RIVER, KAWLCHAW, <i>Near Chhintupui Bridge, Saiha Dist.</i>	14-05-2026	10.00	A	Municipal Sewage	None	Fishing, Boating	Clear	1.90	Fishing	No	Clear	Odour Free	0.4
43	3745	CHHOCHHOPA SPRING WATER, <i>New Colony, Saiha</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
44	3746	TUIKUM RIVER, NEAR PHE WATER TREATMENT PLANT, <i>Serchhip</i>	27-05-2026	1.30	A	None	None	Washing, Cultivation	Clear	0.4	Drinking Water Source	No	Clear	Odour Free	0.3
45	3747	SESAH STREAM, DINTHAR, <i>Serchhip</i>	27-05-2026	5.30	A	None	None	Washing	Clear	0.2	Domestic	No	Clear	Odour Free	0.4
46	3748	SIHPHIR VENG SPRING WATER, <i>Serchhip</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
47	3749	PHE RESERVIOR (LAHMUN RIVER), <i>Mizo Veng, Mamit</i>	13-05-2026	7.00	A	None	None	Bathing, Washing	Clear	3	Drinking Water Source	No	Clear	Odour Free	N/A
48	3750	TEIREI RIVER, BAWNGVA, <i>Mamit Dist.</i>	13-05-2026	11.19	A	None	None	Bathing, Washing	Clear	2.7	Cultivation	No	Light Brown	Odour Free	0.3
49	3751	TUT RIVER, DAPCHHUAH, <i>Mamit Dist.</i>	13-05-2026	9.21	A	None	None	Bathing, Washing	Clear	2.5	Drinking Water Source	No	Light Brown	Odour Free	0.3
50	3752	TUICHHUAHEN STREAM, <i>Near Phe Water Treatment Plant, Kolasib</i>	13-05-2026	9.20	A	None	None	Gardening	Clear	1.1	Drinking Water Source	No	Clear	Odour Free	1.2
51	3753	HMAR VENG SPRING WATER, <i>Kolasib</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
52	3754	TLAWNG RIVER, <i>D/S, Rimawi Veng, Bairabi, Kolasib Dist .</i>	10-05-2026	3.30	A	Municipal Sewage	None	Fishing, Boating, Gardening	Clear	3.3	Cultivation	No	Light Brown	Odour Free	1
53	3755	FISHPOND, RAIL CROSSING, <i>Near Thermal Power Plant, Bairabi, Kolasib</i>	11-5-20260	5.30	A	None	None	Fishing	Clear	2	Fishing	No	Clear	Odour Free	N/A
54	3756	TIAU RIVER, ZOKHAWTHAR, <i>Near Tiau Bridge, Champhai Dist.</i>	22-05-2026	11.00	B	Municipal Sewage	None	Washing	Clear	0.9	Cultivation	No	Clear	Odour Free	0.4
55	3757	TUIPUI RIVER, <i>Near Phe Water Treatment Plant, Champhai Dist.</i>	22-05-2026	2.00	B	Municipal Sewage	None	Cultivation	Clear	2.1	Drinking Water Source	No	Clear	Odour Free	0.3
56	3758	BETHEL VENG HAND PUMP, <i>Champhai</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
57	4114	CHITE STREAM, <i>Near Sipmiu's Stp, Bethlehem Vengthlang, Aizawl</i>	18-05-2026	10.20	D	Municipal Sewage	None	Gardening	Clear	0.3	Domestic	No	Light Brown	Odour Free	0.3
58	4115	TUIKUAL STREAM, <i>U/S, Mizoram New Capital Complex , Dinthar, Aizawl</i>	12-05-2026	11.00	D	Municipal Sewage	None	Gardening	Clear	0.3	Others	No	Brown	Fishy	0.3
59	4116	PHE RESERVOIR (TLAWNG RIVER), <i>Tuikhuahtlang, Aizawl</i>	19-05-2026	1.45	B	None	None	Bathing, Washing	Clear	2.1	Drinking Water Source	No	Clear	Odour Free	N/A
60	4117	PHE RESERVOIR (TAWIZO STREAM), <i>Rulchawm, Saitual Dist.</i>	20-05-2026	4.50	A	None	None	Bathing, Washing	Clear	3.1	Drinking Water Source	No	Clear	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF MAY, 2026

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
61	4118	TUIRIAL RIVER D/S, Hepp Dam, Saipum, Kolasib Dist.	20-05-2026	10.00	A	Municipal Sewage	None	Cultivation	Clear	3	Cultivation, Fishing	No	Clear	Odour Free	N/A
62	4119	SERLUI RIVER D/S, Serlui 'B' Hepp Dam, Bilkhawthlir, Kolasib Dist.	20-05-2026	12.00	A	Municipal Sewage	None	Cultivation	Clear	3	Cultivation, Fishing	No	Clear	Odour Free	N/A
63	4120	TEIREI RIVER D/S Nr Confluence Pt With Tlawng River,	11-05-2026	8.45	A	None	None	Bathing, Washing, Cultivation, Fishing	Clear	2.5	Cultivation, Fishing	No	Brown	Odour Free	1.7
64	4121	TLAWNG RIVER D/S, Suarpui, Bairabi Hepp Dam Site, Bairabi,Kolasib Dist.	11-05-2026	8.00	A	Municipal Sewage	None	Cultivation, Fishing, Boating, Gardening	Clear	3	Cultivation, Fishing, Domestic	No	Brown	Odour Free	1.3
65	4122	KHAWTHLANGTUIPUI RIVER, Tlabung, Lunglei Dist .	02-05-2026	10.00	A	None	None	Bathing, Cultivation, Fishing	Clear	1.5	Cultivation, Fishing	No	Brown	Odour Free	0.5
66	4123	TUIPUI D RIVER, Darzokai,Hnahthial Dist.	06-05-2026	7.45	B	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Brown	Odour Free	0.3
67	4124	ELECTRIC VENG SPRING WATER, Lunglei	This station is underground source of water which required to analyze during April and October only												
68	4125	TUIPUI RIVER U/S, Nr Confluence Pt Keilungliah Stream, Vengthar,Champhai	22-05-2026	8.00	B	Municipal Sewage	None	Cultivation, Fishing	Clear	0.7	Cultivation, Fishing	No	Light Brown	Odour Free	0.3
69	4126	PAWHHAWN SPRING WATER, Nr Gm Hss, Vengsang, Champhai	This station is underground source of water which required to analyze during April and October only												
70	4127	KHURPUI SPRING WATER, New Colony, Saiha													
71	4128	F LALLAWMAWMA WELL, New Saiha, Saiha Dist.													
72	4129	TUIVAMIT SPRING WATER, AOC VENG, Lawngtlai													
73	4130	NGENGPUI STREAM, Nr Kaladan Multi Modal Rd, Lawngtlai Dist.	14-05-2026	11.00	A	None	None	Cultivation, Fishing	Clear	1.8	Fishing, Cultivation	No	Clear	Odour Free	1
74	4131	PHE RESERVOIR (CHENGKAWL LUI), Chawnhu Village,Lawngtlai Dist.	14-05-2026	11.10	B	None	None	Bathing, Washing	Clear	5.7	Domestic, Drinking Water Source	No	Clear	Odour Free	N/A
75	4132	VANTAWNG WATER FALL, Thenzawl, Serchhip Dist.	11-05-2026	10.00	B	None	None	Tourism Spot	Clear	N/A	Cultivation	No	Clear	Odour Free	N/A
76	4133	NGHARPET VENG SPRING WATER, Lungsir, Mamit	This station is underground source of water which required to analyze during April and October only												
77	5513	PALAK LAKE, Phura, Siaha	05-10-2026	11.17	A	None	None	Tourism Spot	Clear	15	Fishing	No	Clear	Odour Free	N/A
78	5718	RIVER DIALDAWK (Perennial Stream) at/near Lengpui Village	04-05-2026	12.30	B	None	None	Cultivation	Clear	1	Cultivation, Fishing	No	Light Brown	Odour Free	0.5
79	5719	RIVER TUIRIAL at/near Muallungthu Village area (upper stretches of	25-05-2026	12.15	A	None	None	Cultivation	Clear	0.9	Fishing	No	Clear	Odour Free	0.5
80	5720	P.H.E WATER RESERVOIR (Tlawng river water) at Laipuitlang, Aizawl,	05-05-2026	10.30	B	None	None	Others	Clear	2.3	Others	No	Clear	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF MAY, 2026

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
81	5721	P.H.E WATER RESERVOIR (Tlawng river water) at Durtlang	05-05-2026	12.30	B	None	None	Others	Clear	2	Drinking Water Source	No	Clear	Odour Free	N/A
82	5722	KHAWTLANGDIL/KHUAHPUIDIL (POND) at Sialsuk Village	20-05-2026	2.30	B	None	None	Fishing	Clear	1.5	Fishing	No	Clear	Odour Free	N/A
83	5723	KURUNG LUI (PERENNIAL STREAM) at Sairang Village	04-05-2026	11.20	B	Municipal Sewage	None	Cultivation	Clear	0.7	Cultivation	No	Brown	Odour Free	0.5
84	5724	RIVER TLAUNG at/near Buarpui Village	11-05-2026	1.41	B	Municipal Sewage	None	Cultivation, Fishing	Clear	1.2	Cultivation, Fishing	No	Clear	Odour Free	1.2
85	5725	RIVER MAT, near Serchhip Town (lower stream of serchhip)	11-05-2026	11.37	B	Municipal Sewage	None	Bathing, Washing, Cultivation	Clear	1.2	Irrigation	No	Clear	Odour Free	1.3
86	5726	PHE RESERVIOR (Zote and Bawite river water)	11-05-2026	12.09	B	None	None	Washing	Clear	1	Drinking Water Source	No	Clear	Odour Free	N/A
87	5727	HMAWNGAWN LUI (Perennial Stream)	27-05-2026	3.00	A	None	None	Cultivation	Clear	0.4	Cultivation, Fishing	No	Clear	Odour Free	0.3
88	5728	LAKE AT NEC PARK, Thenzawl Village	11-05-2026	2.39	C	None	None	Boating, Tourism Spot	Clear	1.2	Fishing	No	Clear	Odour Free	N/A
89	5729	POND AT BUARPUI ROAD, Thenzawl Village, Serchhip District	11-05-2026	1.17	C	None	None	Fishing	Clear	1.1	Fishing	No	Clear	Odour Free	N/A
90	5730	LAU LUI (Perennial Stream) At Thenzawl Village	11-05-2026	10.59	B	None	None	Bathing, Washing	Clear	1.2	Domestic	No	Light Brown	Odour Free	0.5
91	5731	POND -I, Zobawk Village	01-05-2026	9.30	A	None	None	Tourism Spot	Clear	1	Fishing	No	Clear	Odour Free	N/A
92	5732	BUALSENDIL (POND) At Ramlaitui, Lunglei District ,	11-05-2026	3.24	B	None	None	Fishing	Clear	1.2	Fishing	No	Clear	Odour Free	N/A
93	5733	RIVER TUICHAWNG At Tuichawng Village Area	02-05-2026	11.00	A	None	None	Bathing, Cultivation	Clear	1	Cultivation, Fishing	No	Light Brown	Odour Free	0.3
94	5734	TUIDAI STREAM (Perennial Stream) Near Mamit Town	13-05-2026	11.00	A	None	None	Bathing, Washing	Clear	0.7	Drinking Water Source	No	Light Brown	Odour Free	0.4
95	5735	RIVER DAMPUI (Perennial Stream) At Dampui Village	13-05-2026	10.32	A	None	None	Bathing	Clear	0.4	Drinking Water Source	No	Clear	Odour Free	0.4
96	5736	POND-Z5 at Vengpui, Zawlnuam Village	13-05-2026	1.43	A	None	None	Fishing	Clear	1.2	Fishing	No	Clear	Odour Free	N/A
97	5737	RENGDIL at Zamuang Village	13-05-2026	12.50	A	None	None	Fishing	Clear	3.7	Fishing	No	Clear	Odour Free	N/A
98	5738	BAWRAI STREAM (Perennial Stream)	13-05-2026	2.10	A	None	None	Bathing, Washing	Clear	1.7	Irrigation	No	Clear	Odour Free	0.4
99	5739	FALLUI (Perennial Stream)	22-05-2026	2.00	B	None	None	Cultivation	Clear	0.4	Cultivation	No	Clear	Odour Free	0.3
100	5740	PHE RESERVIOR At Vengsang, Below Helipad, Champhai Town ,	22-05-2026	10.00	A	None	None	Bathing, Washing	Clear	2.1	Drinking Water Source	No	Clear	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF MAY, 2026

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
101	5741	SIHZAUDIL (POND) Zotlang, Champhai District, Mizoram	22-05-2026	3.00	B	None	None	Fishing	Clear	1.4	Fishing	No	Light Brown	Odour Free	N/A
102	5742	STORAGE POND At Kolasib Town, Kolasib District, Mizoram	13-05-2026	1.20	A	None	None	Fishing	Clear	1.5	Fishing	No	Clear	Odour Free	N/A
103	5743	POND AT BUHCHANGPHAI VILLAGE, Kolasib District, Mizoram	13-05-2026	6.40	A	None	None	Fishing	Clear	1.5	Fishing	No	Clear	Odour Free	N/A
104	5744	STORAGE POND At Chemphai Village	13-05-2026	10.50	A	None	None	Fishing	Clear	0.6	Fishing	No	Clear	Odour Free	N/A
105	5745	CHEMLUI (Perennial Stream) At Chemphai, Near Phe Pump House	13-05-2026	11.15	A	None	None	Cultivation	Clear	1.2	Drinking Water Source	No	Clear	Odour Free	1.1
106	5746	CHITE LUI (Perennial Stream) At Vairengte Village	13-05-2026	4.30	A	None	None	Cultivation	Clear	2	Irrigation, Cultivation, Fishing	No	Light Brown	Odour Free	1.5
107	5747	CHHIMLUANG (Perennial Stream) At Meidumvillage	13-05-2026	8.30	A	None	None	Gardening	Clear	0.5	Cultivation, Fishing	No	Clear	Odour Free	2
108	5748	PHE PUMP HOUSE/TUIVAWL PUMP HOUSE At Saitual Town	23-05-2026	9.30	A	None	None	Others	Clear	3	Drinking Water Source	No	Clear	Odour Free	N/A
109	5749	PHAIPUI LUI (PERENNIAL STREAM) At Saitual Town	23-05-2026	10.40	A	Municipal Sewage	None	Cultivation, Gardening	Clear	2	Irrigation, Cultivation	No	Clear	Odour Free	0.8
110	5750	RUNGDIL-I (LAKE), Suangpuilawn, Village	14-05-2026	1.00	A	None	None	Tourism Spot	Clear	6	Fishing	No	Clear	Odour Free	N/A
111	5751	RUNGDIL-II (LAKE), Suangpuilawn, Village	14-05-2026	1.50	A	None	None	Tourism Spot	Clear	2	Fishing	No	Clear	Odour Free	N/A
112	5752	DAMDIAICHHUAH LUI (PERRENIAL STREAM) Tuichang	11-05-2026	8.21	A	None	None	Cultivation	Clear	0.2	Cultivation	No	Clear	Odour Free	1
113	5753	CHANGEL LUI (Perennial Stream) at Chawngtlai Ram (Waterfall)	08-05-2026	4.30	A	None	None	Cultivation	Clear	N/A	Drinking Water Source	No	Clear	Odour Free	N/A
114	5754	TUIMUK RIVER(Perennial Stream) at/ Near Khawzawl Town	09-05-2026	11.13	A	None	None	Cultivation	Clear	0.1	Cultivation	No	Clear	Odour Free	1.5
115	5755	PHAISEN LUI (Perennialstream) at/ Near Khawzawl Town	08-05-2026	3.55	A	None	None	Cultivation	Clear	0.1	Cultivation	No	Light Brown	Odour Free	1.3
116	5756	SANGTEA DIL, KEIFANG, Saitual District, Mizoram	23-05-2026	3.00	A	None	None	Fishing	Clear	2	Fishing	No	Brown	Odour Free	N/A
117	5757	PAZIKA DIL (POND), Khawzawl, Khawzawl District, Mizoram	09-05-2026	12.42	A	None	None	Fishing	Clear	1.4	Fishing	No	Brown	Odour Free	N/A
118	5758	TUICHANG RIVER at Pang Darchhuah Ram, Hnahthial Town Area	05-05-2026	12.30	A	None	None	Cultivation	Clear	0.5	Cultivation	No	Clear	Odour Free	0.3
119	5759	RIVER TUICHANG Near Hnahthial Town	05-05-2026	11.50	A	Municipal Sewage	None	Fishing, Gardening	Clear	1	Irrigation, Fishing, Drinking Water Source	No	Brown	Odour Free	0.3
120	5760	HNAHCHANG LUI, Darzo Village, Hnahthial District, Mizoram	06-05-2026	7.00	A	None	None	Cultivation, Gardening	Clear	1	Irrigation, Fishing	No	Clear	Odour Free	0.5
121	5761	TUITLAWK RIVER (Perennial Stream) Near Saihatown	14-05-2026	2.00	A	Municipal Sewage	None	Fishing	Clear	0.3	Drinking Water Source	No	Clear	Odour Free	1.4

MIZORAM WATER DATA

MAY

2026

CORE & GENERAL PARAMETERS



MIZORAM STATE POLLUTION CONTROL BOARD

MONITORING PERIOD FOR THE MONTH OF MAY, 2026

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS																	D. METAL																							
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-No3) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate	Arsenic (Total) (mg/L)	Cadmium (mg/L)	Copper(mg/L)	Lead(mg/L)	Chromium (Total) (mg/L)	Nickel(mg/L)	Zinc(mg/L)	Mercury (mg/L)	Iron (Total) (mg/L)	Aluminium (mg/L)	Cobalt(mg/L)	Manganese (mg/L)													
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52													
1	2050	21	5.7	7.67	269	0.1	13.88	0.05	220	920	210		37.86	96	20.4			0.08	96.82	23.79	9.4	24	251	30	0.6		3.6																										
2	2051	21	5.7	7.74	271	0.4	11.78	0.06	240	540	220		45.9	106	20.4			0.05	82	22.94	10.3	24	245	35	0.31		3.6																										
3	2052	22	6.7	7.71	204.1	1.6	1.86	0.01	150	920	140		33.98	110	8.16			0.02	78.28	16.51	9.2	22.4	127	13	0.1		2.8																										
4	2053	23	5.1	7.81	204	2.2	2.01	0.01	170	540	150		34.33	110	7.14			0.02	76.22	20.64	6.2	23.6	137	20	0.12		2.8																										
5	2054	This station is underground source of water which required to analyze during April and October only																																																			
6	2055																																																				
7	3709	21	5.1	8.22	64.2	0.9	26.46	0.43	240	920	220		290.7	64	4.04			0.2	37	11.89	1.9	9.2	315	45	0.39		4																										
8	3710	20	5.1	7.49	272	0.3	11.51	0.06					41.97	100	20.4			0.03	89	30.58	3.7	24.4	228	23	0.27		3.2																										
9	3711	22	7	6.8	273	0.4	11.5	0.06					37.64	58	20.4			0.04	88.58	24.64	7.3	24	181	31	0.29		3.6																										
10	3712	21	7.2	7.29	272	0.1	11.59	0.06	150	920	120		42.78	100	19.4			0.04	93	24.76	7.8	24	212	25	0.41		3.6																										
11	3713	20	6.2	6.5	377	1.9	68.22	0.07					0.2	26	48.4			0.02	109.2	18.16	15.8	42.4	295	1	0.25		4.8																										
12	3714	21	6.7	6.7	64	1.6	2.37	0.012					2.2	45	5			0.006	21	5	2	22.4			0.215		2.8																										
13	3715	23	8.1	7.8	204	1	15.45	0.038					186.6	110	17			0.084	77	21	6.1	24			0.441		0.172																										
14	3716	23	4.8	7.37	680	1.1	14.13	0.037					19	260	73			0.05	229	79	7.6	40.4			0.673		19.2																										
15	3717	23	6.1	7.71	202	1.1	31.41	0.0532					482.5	110	12			0.508	79	17	9.1	20.8			2.183		3.6																										
16	3718	22	4	7.55	537	5	68.22	0.04	240	920	210		34.37	190	50			0.01	133.9	37.15	10.4	54.4	276	26	0.64		11.2																										
17	3719	21	8.9	7	157	0.8	0.716	0.004					1	100	3			0.006	67	9	10.6	12.8			0.178		1.6																										
18	3720	21	8.3	7.6	156	0.8	0.938	0.007					0.3	126	2			0.004	63	13	7.6	12.4			0.154		1.6																										
19	3721	21	4.9	6.82	557	4.2	67.12	5.99	540	1600	430		28.59	100	59.8			1	125.7	35.5	9.4	48.4	327	3	0.7		10																										
20	3722	23	6.4	6.98	445	2.5	66.98	0.43					44.84	96	46.4			0.13	94.76	28.89	5.8	35.6	219	39	0.25		8																										

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF MAY, 2020

Sl. No	Station Code	B. CORE PARAMETERS										C. GENERAL PARAMETERS										D. METAL																													
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-No ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate	Arsenic (Total) (mg/L)	Cadmium (mg/L)	Copper(mg/L)	Lead(mg/L)	Chromium (Total) (mg/L)	Nickel(mg/L)	Zinc(mg/L)	Mercury (mg/L)	Iron (Total) (mg/L)	Aluminium (mg/L)	Cobalt(mg/L)	Manganese (mg/L)											
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52											
21	3723	20	8.9	6.6	100	0.8	2.68	0.015				5.4	66	1			0.01	52	13	5.1	7.2			0.12		0.8																									
22	3724	18	6.4	7.12	50.6	0.8	7.71	0.06				42	78	2			0.03	41	11	3.4	8	41	12	0.21		1.6																									
23	3725																																																		
24	3726																																																		
25	3727																																																		
26	3728																																																		
27	3729																																																		
28	3730	20	4	7.59	194	0.4	68.2	0.37					1.2	24	34			0.05	132	37	9.7	24	118	7	0.12		1.2																								
29	3731																																																		
30	3732	21	3.6	7.46	198	0.2	68.1	0.6					1.3	22	34			0.09	130	50	1.5	24	120	1	0.13		1.2																								
31	3733																																																		
32	3734	18	8.15	6.6	251	0.8	5.03	0.001					15	74	3			0.01	106	25	11	13			0.4		2.8																								
33	3735	19	8.15	6.8	216	0.9	5.32	0.007					16	54	1			0.03	94	23	9.1	10			0.21		2.4																								
34	3736	19	7.08	6.7	163	0.9	1.35	0.002					0.3	82	9			0.02	58	17	4	16			0.42		2.4																								
35	3737																																																		
36	3738																																																		
37	3739																																																		
38	3740	21	5.02	7.5	434	0.8	8.2	0.184					1	59	34			0.04	63	22	2	37			0.24		13																								
39	3741																																																		
40	3742																																																		

**WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF MAY, 2026**

Sl. No	Station Code	B. CORE PARAMETERS										C. GENERAL PARAMETERS																D. METAL																									
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity μs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate	Arsenic (Total) (mg/L)	Cadmium (mg/L)	Copper (mg/L)	Lead (mg/L)	Chromium (Total) (mg/L)	Nickel (mg/L)	Zinc (mg/L)	Mercury (mg/L)	Iron (Total) (mg/L)	Aluminium (mg/L)	Cobalt (mg/L)	Manganese (mg/L)													
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52													
41	3743	19	7.61	6.7	108	0.7	0.7	0.008				0.8	116	2			0.04	40	8	4.6	5.2			0.202		0.8																											
42	3744	22	8.46	6.7	218	0.9	0.73	0.047				12.5	130	2			0.07	85	17	10.7	12			0.266		1.6																											
43	3745	This station is underground source of water which required to analyze during April and October only																																																			
44	3746	20	8.1	6.7	98	0.9	1.82	0.005				2.3	102	2			0.02	48	16	2.1	7.2			0.28		1.2																											
45	3747	18	8.2	6.7	96	0.9	1.18	0.007				1.2	98				0.03	52	9	7.1	6			0.191		0.8																											
46	3748	This station is underground source of water which required to analyze during April and October only																																																			
47	3749	22	6.4	7.4	235	0.8	0.12	0.01				3	124	9			0.01	106	26	10.1	19.6			0.154		1.6																											
48	3750	24	8	6.6	169	0.9	1.33	0.006				16	115	1			0.02	81	16	10.1	10.8			0.26		2																											
49	3751	22	6.7	6.6	155	1	1.07	0.007				10	115	1			0	73	13	10.1	9.6			0.287		2																											
50	3752	16	7.1	6.7	65	0.9	5.64	0.01				3.7	76	7			0.01	35	4	6.1	6			0.096		0.8																											
51	3753	This station is underground source of water which required to analyze during April and October only																																																			
52	3754	24	7.3	6.5	164	0.8	2.63	0.005				68	100	8			0.01	77	14	10.1	8.8			0.147		2.8																											
53	3755	29	8.2	6.9	280	1.1	6.27	0.005				8.6	170	4			0.29	150	32	17.2	11.6			0.342		4.4																											
54	3756	18	5.56	8.2	264	1.2	0.56	0.005				6.6	192	10			0.01	119	23	15.2	20			0.212		1.6																											
55	3757	18	5.12	7.4	123	1.1	1.16	0.002				0.5	121	5			0.02	44	6	7.1	10.8			0.417		1.6																											
56	3758	This station is underground source of water which required to analyze during April and October only																																																			
57	4114	22	4.4	7.4	533	4.4	68.1	5.99	540	1600	430		24.8	180	49			0.04	206	49.53	20.6	52.4	255	10	0.58		11.6																										
58	4115	22	2.7	7.8	751	19	18.6	2.1	1600	430	350		216	272	77.5	88		1.72	164.8	43.75	14	53.6	357	218	1.48		14.4																										
59	4116	23	5.2	7.1	361	2.3	3.49	0.09				BDL	2.3	60	15.5			0.04	59.74	14.86	5.7	7.6	105	1	0.2		6																										
60	4117	21	7.7	7.1	163	0.8	1.96	0.004					1	68	7			0.01	71	14	8.7	11.6			0.294		1.6																										

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF MAY, 2026

Sl. No	Station Code	B. CORE PARAMETERS										C. GENERAL PARAMETERS																		D. METAL																							
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N No2) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate	Arsenic (Total) (mg/L)	Cadmium (mg/L)	Copper(mg/L)	Lead(mg/L)	Chromium (Total) (mg/L)	Nickel(mg/L)	Zinc(mg/L)	Mercury (mg/L)	Iron (Total) (mg/L)	Aluminium (mg/L)	Cobalt(mg/L)	Manganese (mg/L)													
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52													
61	4118	23	7.5	6.6	98	1	1.023	0.038				0.5	71	7			0.045	48	9	6.1	6.8			0.15		2																											
62	4119	22	8.4	6.5	106	1	1.023	0.003				0.7	60	3			0.019	48	9	6.1	6.4			0.15		2.4																											
63	4120	25	6.8	6.5	158	0.9	2.489	0.009				119	104	2			0.017	79	14	10.6	7.6			0.133		2.8																											
64	4121	24	7.8	7.1	176	0.9	5.49	0.024				159	100	3			0.122	92	15	13.2	9.6			0.311		2.8																											
65	4122	22	7.8	6.5	143	0.9	6.121	0.019				64.7	85.5	3			0.066	117	18	17.3	10.4			0.239		3.6																											
66	4123	25	5.2	7.2	200	1.1	3.581	0.019				104	110	2			0.018	81	16	10.1	13.6			0.222		2																											
67	4124	This station is underground source of water which required to analyze during April and October only																																																			
68	4125	18	5.1	7.8	231	1	1.159	0.002				17.5	100	25			0.02	69	13	8.6	18			0.417		3.2																											
69	4126	This station is underground source of water which required to analyze during April and October only																																																			
70	4127																																																				
71	4128																																																				
72	4129																																																				
73	4130	19	7.4	6.6	108	0.9	3.376	0.02				20	90	1			0.029	69	11	10.1	11.6			0.26		3.2																											
74	4131	20	5.9	7.1	332	0.9	1.262	0.003				12.7	112	2			0.009	140	29	16.2	34			0.307		2.4																											
75	4132	23	5.8	6.5	53	1	3.853	0.007				12.2	38	1			0.001	31	9	2	4			0.335		2.4																											
76	4133	This station is underground source of water which required to analyze during April and October only																																																			
77	5513	29	7.3	6.9	105	1.2	1.074	0.001				0.6	64	2			0.111	40	9	4	8			0.154		2.4																											
78	5718	18	5.5	6.97	40.5	0.3	9.06	0.08				44.55	50	1.01			0.09	41.2	6.79	6	6.4	26	4.1	0.17		2																											
79	5719	18	7.7	6.5	89	1.9	18.2	0.04				0.4	50	40			0.058	83	19	8.6	35.6			0.277		6.4																											
80	5720	20	5.4	7.67	146.8	1	3.67	0.01				BDL	0.5	64	11.11		0.02	67.96	10.19	10.5	9.6	107	1	0.1		2																											

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF MAY, 2026

Sl. No	Station Code	B. CORE PARAMETERS										C. GENERAL PARAMETERS																D. METAL													
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate	Arsenic (Total) (mg/L)	Cadmium (mg/L)	Copper(mg/L)	Lead(mg/L)	Chromium (Total) (mg/L)	Nickel(mg/L)	Zinc(mg/L)	Mercury (mg/L)	Iron (Total) (mg/L)	Aluminium (mg/L)	Cobalt(mg/L)	Manganese (mg/L)	
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	
81	5721	20	5.3	7.4	143.6	0.3	3.89	0.02				BDL	0.3	88	10.1			0.03	63.86	16.99	5.4	11.6	36	5	0.11		2														
82	5722	23	5.1	6.9	46	1	3	0.38					1.4	62	2			0.004	19	3	2.5	3.6			0.307		0.8														
83	5723	20	5.8	7.9	310	0.4	29.4	0.5					290	110	2.02			0.22	82.4	9.34	14.6	9.2	125	37.5	0.39		4														
84	5724	24	5.1	6.5	160	1	1.28	0.016					5.6	88	3			0.001	73	14	9.1	11.6			0.642		2														
85	5725	28	5.4	6.5	102	1	20	0					2	54	3			0.001	46	8	6.6	9.6			0.396		1.2														
86	5726	22	5.2	6.6	191	0.8	20	0.002					0.3	108	3			0.004	90	22	8.6	9.2			0.161		0.8														
87	5727	19	8	6.6	95	0.8	1.48	0.012					1	62	1			0.058	58	8	9.2	6			0.072		0.8														
88	5728	25	4.7	6.5	42.7	1	21.7	0.005					5.9	16	2			0.008	27	4	4	3.6			0.133		2.8														
89	5729	23	4.7	6.5	35	1.1	3.24	0.005					3.1	22	1			0.000	42	12	3	2.4			0.178		2.8														
90	5730	25	5.8	6.5	72	1.1	21.6	0.116					7.3	36	4			0.002	27	5	3.5	6.8			0.659		2														
91	5731	17	6.73	7	25	1	2.32	0.011					5.3	169	1			0.482	58	8	9.2	0.4			0.219		0														
92	5732	24	5.6	6.6	34	1	20.3	0.004					5.5	30	1			0.004	42	12	3	3.2			0.164		1.6														
93	5733	22	8.9	6.8	240	0.8	3.99	0.007					53	110	3			0.075	125	23	16.4	17.6			0.403		4.4														
94	5734	22	6.6	6.7	81	1	2.81	0.011					16.7	156	3			0.008	35	7	4.6	7.2			0.765		2														
95	5735	20	7.3	6.6	113	0.9	0.24	0.002					4.9	154	1			0.001	56	11	7.1	7.2			0.147		0.8														
96	5736	23	7	7.5	105	1.1	1.67	0.044					5	138	5			0.123	52	10	6.6	5.6			0.202		2.4														
97	5737	21	7	6.7	69	0.8	1.23	0.008					2	136	1			0.022	50	13	4.6	6			0.225		1.6														
98	5738	22	7.2	6.7	80	0.9	0.1	0.004					4.6	118	1			0.001	44	3	8.6	6.8			0.273		1.2														
99	5739	18	5.6	8.2	169	1.2	4.13	0.002					0.6	180	1			0.051	69	24	2	10			0.335		2.4														
100	5740	18	6.00	7.9	18	0.7	0.29	0.003					1	160	1			0.051	19	2	3.5	0.4			0.13		0.4														

**WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF MAY, 2026**

Sl. No	Station Code	B. CORE PARAMETERS										C. GENERAL PARAMETERS																D. METAL																																
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₃) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate	Arsenic (Total) (mg/L)	Cadmium (mg/L)	Copper(mg/L)	Lead(mg/L)	Chromium (Total) (mg/L)	Nickel(mg/L)	Zinc(mg/L)	Mercury (mg/L)	Iron (Total) (mg/L)	Aluminium (mg/L)	Cobalt(mg/L)	Manganese (mg/L)																				
		14	15	16	17	18	20	21	22	23	24	25	26	27	28	29	30	31	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52																				
101	5741	18	5.9	7.7	31	1.3	1.313	0.01				28.8	94	1			0.05	21	3	3.5	1.6			0.58		0.4																																		
102	5742	17	8	6.7	66.3	0.9	5.95	0.012				3.8	62	2			0.03	25	4	3.5	5.6			0.15		0.8																																		
103	5743	30	6.4	6.6	136	1.1	7.38	0.083				6.6	94	1			0.12	67	13	8.1	4.4			0.22		3.6																																		
104	5744	16	8.2	6.8	66	1.1	5.763	0.012				4.3	32	4			0.04	58	6	10.6	6			0.11		0.8																																		
105	5745	16	8.6	6.6	64	0.9	6.019	0.007				5.1	30	3			0.01	31	4	5.1	6			0.11		0.8																																		
106	5746	26	8.6	6.9	143	1	14.85	0.073				15.7	82	2			0.01	65	8	11.1	9.6			0.75		2.4																																		
107	5747	27	8	6.8	212	0.8	1.705	0.002				2.8	112	8			0.02	75	17	8.1	16.4			0.12		2.4																																		
108	5748	22	8.6	6.8	169	0.8	0.46	0.004				5.3	56	2			0.03	71	13	9.6	11.6			0.19		1.6																																		
109	5749	20	6.9	6.9	74	1	1.705	0				5.6	62	6			0.04	27	3	4.6	6.4			0.23		1.2																																		
110	5750	29	7.2	6.9	149	0.8	2.438	0.006				8.1	104	1			0.1	69	14	8.1	5.2			0.24		3.2																																		
111	5751	28	6.7	6.5	284	1	1.347	0.006				1.5	196	3			0.03	146	30	17.2	11.2			0.16		2																																		
112	5752	25	6.5	6.6	131	1.5	0.721	0.005				1.7	94	2			0.07	58	12	7.2	9.6			0.2		2.4																																		
113	5753	21	7.4	6.7	80	1	0.409	0.001				0.5	56	1			0	40	8	4.6	5.6			0.21		0.4																																		
114	5754	27	7.3	6.9	119	1	1.245	0.003				1.4	80	1			0.01	44	8	6.1	12.8			0.22		1.2																																		
115	5755	28	7	6.7	160	1	1.381	0.004				13.7	86	7			0.02	52	11	6.1	17.6			0.16		2																																		
116	5756	22	8.07	7.1	149	1.1	2.182	0.014				38.3	68	1			0.1	58	12	7.2	6.8			0.25		4																																		
117	5757	29	6.4	6.9	50	1.2	2.54	0.021				28.6	40	1			0.16	29	5	4.1	3.2			0.22		1.6																																		
118	5758	24	7.29	6.9	127	0.9	1.313	0.002				4.7	76	2			0.02	50	10	6.1	12.8			0.15		0.8																																		
119	5759	26	8.2	7.2	106	0.8	16.32	0.147				934	70	2			0.1	44	5	7.6	10			0.47		4																																		
120	5760	26	7.7	6.7	114	0.8	13.23	0.006				4.3	60	1			0.03	46	8	6.6	10.4			0.17		1.2																																		
121	5761	20	7.7	6.8	125	1	0.153	0.001				0.3	128	2			0.05	42	11	3.5	10.8			0.22		0.8																																		
MPCB S-1		22	3.1	7.74	749	19	19.18	2.2				180	276	74.5	120		1.86	171	50.4	11.5	57.2	447	249	2.33		14.8																																		
MPCB S-2		17	6.1	7.08	41.2	0.6	8.96	0.08				42.7	54	2.02			0.1	37.1	5.94	5.5	6.4	26	38	0.17		2																																		
MPCB S-3		DRIED UP																																																										
MPCBS- 4		22	3	7.79	751	19	19.41	2.38				216	280	75.5	144		2.04	167	41.3	16	55.2	410	256	2.07		14.8																																		

MIZORAM WATER DATA

2026

LIST OF OLD AND NEW NWMP STATIONS FOR MIZORAM



MIZORAM STATE POLLUTION CONTROL BOARD

Sl. No	STATION CODE	NAME OF MONITORING STATION	<i>f</i>	District	Type of Water Body
1	2050	TLAWNG RIVER, <i>Mid Stream, Reiek Kai, Aizawl, U/S Of Tlawng Bridge</i>	M	Aizawl	Surface Water
2	2051	TLAWNG RIVER, <i>Mid Stream, Reiek Kai, Aizawl, D/S Of Tlawng Bridge</i>	M	Aizawl	Surface Water
3	2052	TUIRIAL RIVER, <i>Mid Stream, Tuirial Village, U/S Of Tuirial Bridge</i>	M	Aizawl	Surface Water
4	2053	TUIRIAL RIVER, <i>Mid Stream, Tuirial Village, D/S Of Tuirial Bridge</i>	M	Aizawl	Surface Water
5	2054	RAMHLUN 'N' SPRING WATER, <i>Aizawl</i>	H	Aizawl	Ground Water
6	2055	MISSION VENGTHLANG SPRING WATER, <i>Aizawl</i>	H	Aizawl	Ground Water
7	3709	TLAWNG RIVER, <i>Sairang</i>	M	Aizawl	Surface Water
8	3710	SERLUI STREAM, <i>Reiek Kai, Near Phe Water Treatment Plant, Aizawl</i>	M	Aizawl	Surface Water
9	3711	VAIPUANPHO STREAM, <i>Ailawng, Mamit Dist.</i>	M	Aizawl	Surface Water
10	3712	TUIKUAL STREAM, <i>D/S, Reiek Kai, Near Phe Water Treatment Plant, Aizawl</i>	M	Aizawl	Surface Water
11	3713	SAKHISIH STREAM, <i>Mission Vengthlang, Aizawl</i>	M	Aizawl	Surface Water
12	3714	TUIRIAL RIVER, <i>UPSTREAM, Sumsuih, Aizawl Dist</i>	M	Aizawl	Surface Water
13	3715	TUIRIAL RIVER, <i>MID STREAM, Airfield, U/S Of Tuirial Waste Management Centre, Aizawl</i>	M	Aizawl	Surface Water
14	3716	DAMDIAI STREAM, <i>AIRFIELD, Near Tuirial Waste Management Centre, Aizawl Dist</i>	M	Aizawl	Surface Water
15	3717	TUIRIAL RIVER, <i>MID STREAM, AIRFIELD, D/S Of Tuirial Waste Management Centre, Aizawl</i>	M	Aizawl	Surface Water
16	3718	CHITE STREAM, <i>Armed Veng, Near Mini Sports Complex, Aizawl</i>	M	Aizawl	Surface Water
17	3719	TUIRINI RIVER, <i>Seling, Saitual Dist</i>	M	Saitual	Surface Water
18	3720	TUIVAWL RIVER, <i>Keifang Village, Near Tuivawl Bridge, Saitual Dist</i>	M	Saitual	Surface Water
19	3721	LAWIBUAL STREAM, <i>I.T.I Veng, Aizawl</i>	M	Aizawl	Surface Water
20	3722	LAWIBUAL FISHPOND, <i>I.T.I Veng, Aizawl</i>	M	Aizawl	Surface Water
21	3723	TAMDIL LAKE, <i>Saitual</i>	M	Saitual	Surface Water
22	3724	CHALLUI STREAM, <i>LENGPUI, Aizawl Dist</i>	M	Aizawl	Surface Water
23	3725	LUNGLI SPRING WATER, <i>Republic Veng, Aizawl</i>	H	Aizawl	Ground Water
24	3726	RAMHLUN 'S' SPRING WATER, <i>Near Community Hall, Aizawl</i>	H	Aizawl	Ground Water

25	3727	TUITHIANG VENG SPRING WATER, <i>Aizawl</i>	H	Aizawl	Ground Water
26	3728	KHURPUI SPRING WATER, <i>South Hlimen, Aizawl</i>	H	Aizawl	Ground Water
27	3729	CHAWNPUI HAND PUMP, <i>Aizawl</i>	H	Aizawl	Ground Water
28	3730	SELESIH HAND PUMP, <i>Aizawl</i>	H	Aizawl	Ground Water
29	3731	TUIKUAL HAND PUMP, <i>Aizawl</i>	H	Aizawl	Ground Water
30	3732	CHALTLANG HAND PUMP, <i>Near Remi Tyre Works, Aizawl</i>	H	Aizawl	Ground Water
31	3733	SOUTH HLIMEN HAND PUMP, <i>Aizawl</i>	H	Aizawl	Ground Water
32	3734	TLAWNG RIVER, U/S, ZOBARK VILLAGE, <i>Lunglei Dist.</i>	M	Lunglei	<i>Surface Water</i>
33	3735	MAT RIVER, <i>Dawn Village, Near Mat Bridge,Lunglei Dist.</i>	M	Lunglei	<i>Surface Water</i>
34	3736	TLAWNG RIVER, U/S, <i>Pialthleng Zotlang, Lunglei</i>	M	Lunglei	<i>Surface Water</i>
35	3737	VAITUI SPRING WATER, <i>Theiriat , Lungei</i>	H	Lunglei	Ground Water
36	3738	SAP TUIKHUR SPRING WATER, <i>Serkawn, Lunglei</i>	H	Lunglei	Ground Water
37	3739	ZOBARK VENG HAND PUMP, <i>Lunglei</i>	H	Lunglei	Ground Water
38	3740	SAIKAH STREAM, <i>Lawngtlai</i>	M	Lawngtlai	<i>Surface Water</i>
39	3741	KHURPUI SPRING WATER, <i>Lawngtlai</i>	H	Lawngtlai	Ground Water
40	3742	CHANMARI HAND PUMP, <i>Lawngtlai</i>	H	Lawngtlai	Ground Water
41	3743	PHE RESERVOIR (ZOTLANG STREAM), <i>Helipad, New Saiha</i>	M	Saiha	<i>Surface Water</i>
42	3744	CHHIMTUIPUI RIVER, KAWLCHAW, <i>Near Chhimtupui Bridge, Saiha Dist.</i>	M	Saiha	<i>Surface Water</i>
43	3745	CHHOCHHOPA SPRING WATER, <i>New Colony, Saiha</i>	H	Saiha	Ground Water
44	3746	TUIKUM RIVER, NEAR PHE WATER TREATMENT PLANT, <i>Serchhip</i>	M	Serchhip	<i>Surface Water</i>
45	3747	SESAH STREAM, DINTHAR, <i>Serchhip</i>	M	Serchhip	<i>Surface Water</i>
46	3748	SIHPHIR VENG SPRING WATER, <i>Serchhip</i>	H	Serchhip	Ground Water
47	3749	PHE RESERVIOR (LAHMUN RIVER), <i>Mizo Veng, Mamit</i>	M	Mamit	<i>Surface Water</i>
48	3750	TEIREI RIVER, BAWNGVA, <i>Mamit Dist.</i>	M	Mamit	<i>Surface Water</i>
49	3751	TUT RIVER, DAPCHHUAH, <i>Mamit Dist.</i>	M	Mamit	<i>Surface Water</i>
50	3752	TUICHHUAHEN STREAM, <i>Near Phe Water Treatment Plant, Kolasib</i>	M	Kolasib	<i>Surface Water</i>

51	3753	HMAR VENG SPRING WATER, <i>Kolasib</i>	H	Kolasib	Ground Water
52	3754	TLAWNG RIVER, <i>D/S, Rimawi Veng, Bairabi, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
53	3755	FISHPOND, RAIL CROSSING, <i>Near Thermal Power Plant, Bairabi, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
54	3756	TIAU RIVER, ZOKHAWTHAR, <i>Near Tiau Bridge, Champhai Dist.</i>	M	Champhai	<i>Surface Water</i>
55	3757	TUIPUI RIVER, <i>Near Phe Water Treatment Plant, Champhai Dist.</i>	M	Champhai	<i>Surface Water</i>
56	3758	BETHEL VENG HAND PUMP, <i>Champhai</i>	H	Champhai	Ground Water
57	4114	CHITE STREAM, <i>Near Sipmiu's Stp, Bethlehem Vengthlang, Aizawl</i>	M	Aizawl	<i>Surface Water</i>
58	4115	TUIKUAL STREAM, <i>U/S, Mizoram New Capital Complex , Dinthar, Aizawl</i>	M	Aizawl	<i>Surface Water</i>
59	4116	PHE RESERVOIR (TLAWNG RIVER), <i>Tuikhuahtlang, Aizawl</i>	M	Aizawl	<i>Surface Water</i>
60	4117	PHE RESERVOIR (TAWIZO STREAM), <i>Rulchawm, Saitual Dist.</i>	M	Aizawl	<i>Surface Water</i>
61	4118	TUIRIAL RIVER <i>D/S, Hepp Dam, Saipum, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
62	4119	SERLUI RIVER <i>D/S, Serlui 'B' Hepp Dam, Bilkhawthlir, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
63	4120	TEIREI RIVER <i>D/S Nr Confluence Pt With Tlawng River, Sapmara, Bairabi, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
64	4121	TLAWNG RIVER <i>D/S, Suarpui, Bairabi Hepp Dam Site, Bairabi, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
65	4122	KHAWTHLANGTUIPUI RIVER, <i>Tlabung, Lunglei Dist.</i>	M	Lunglei	<i>Surface Water</i>
66	4123	TUIPUI D RIVER, <i>Darzokai, Hnahthial Dist.</i>	M	Hnahthial	<i>Surface Water</i>
67	4124	ELECTRIC VENG SPRING WATER, <i>Lunglei</i>	H	Lunglei	Ground Water
68	4125	TUIPUI RIVER <i>U/S, Nr Confluence Pt Keihungliah Stream, Vengthar, Champhai</i>	M	Champhai	<i>Surface Water</i>
69	4126	PAWHHAWN SPRING WATER, <i>Nr Gm Hss, Vengsang, Champhai</i>	H	Champhai	Ground Water
70	4127	KHURPUI SPRING WATER, <i>New Colony, Saiha</i>	H	Saiha	Ground Water
71	4128	F LALLAWMAWMA WELL, <i>New Saiha, Saiha Dist.</i>	H	Saiha	Ground Water
72	4129	TUIVAMIT SPRING WATER, AOC VENG, <i>Lawngtlai</i>	H	Lawngtlai	Ground Water
73	4130	NGENGPUI STREAM, <i>Nr Kaladan Multi Modal Rd, Lawngtlai Dist.</i>	M	Lawngtlai	<i>Surface Water</i>
74	4131	PHE RESERVOIR (CHENGKAWL LUI), <i>Chawnhu Village, Lawngtlai Dist.</i>	M	Lawngtlai	<i>Surface Water</i>
75	4132	VANTAWNG WATER FALL, <i>Thenzawl, Serchhip Dist.</i>	M	Serchhip	<i>Surface Water</i>
76	4133	NGHARPET VENG SPRING WATER, <i>Lungsir, Mamit</i>	H	Mamit	Ground Water

77	5513	PALAK LAKE, <i>Phura Village, Siaha</i>	M	Siaha	<i>Surface Water</i>
78	5718	RIVER DIALDAWK (Perennial Stream) <i>At/ Near Lengpui Village</i>	M	Aizawl	<i>Surface Water</i>
79	5719	RIVER TUIRIAL <i>At/Near Muallungthu Village Area (Upper Stretches Of River Tuirial)</i>	M	Aizawl	<i>Surface Water</i>
80	5720	P.H.E WATER RESERVOIR (TLAWNG RIVER WATER) <i>At Laipuitlang</i>	M	Aizawl	<i>Surface Water</i>
81	5721	P.H.E WATER RESERVOIR (TLAWNG RIVER WATER) <i>At Durtlang</i>	M	Aizawl	<i>Surface Water</i>
82	5722	KHAWTLANGDIL/KHUAHPUIDIL (POND) <i>At Sialsuk Village</i>	M	Aizawl	<i>Surface Water</i>
83	5723	KURUNG LUI (PERENNIAL STREAM) <i>At Sairang Village, Before Confluencing With River Tlawng</i>	M	Aizawl	<i>Surface Water</i>
84	5724	RIVER TLAWNG AT/NEAR BUARPUI VILLAGE <i>Area (Upper Stream Of Buarpui Village)</i>	M	Serchhip	<i>Surface Water</i>
85	5725	RIVER MAT, NEAR SERCHHIP TOWN (L/S of SERCHHIP), <i>Before Confluencing With River Kolodyne</i>	M	Serchhip	<i>Surface Water</i>
86	5726	PHE RESERVIOR (ZOTE AND BAWITE RIVER WATER) <i>Vengsang, Thenzawl Village</i>	M	Serchhip	<i>Surface Water</i>
87	5727	HMAWNGAWN LUI (PERENNIALSTREAM), <i>Before Confluencing With River Mat, Hmar Veng, Serchhip Town</i>	M	Serchhip	<i>Surface Water</i>
88	5728	LAKE AT NEC PARK, <i>Thenzawl Village, Serchhip District, Mizoram</i>	M	Serchhip	<i>Surface Water</i>
89	5729	POND AT BUARPUI ROAD, <i>Thenzawl Village</i>	M	Serchhip	<i>Surface Water</i>
90	5730	LAU LUI (PERENNIAL STREAM) <i>At Thenzawl Village, Before Confluencing With River Tlawng</i>	M	Serchhip	<i>Surface Water</i>
91	5731	POND -I, ZOBAWK VILLAGE,	M	Lunglei	<i>Surface Water</i>
92	5732	BUALSENDIL (POND) <i>AT RAMLAITUI</i>	M	Lunglei	<i>Surface Water</i>
93	5733	RIVER TUICHAWNG <i>At Tuichawng Village Area, Before Confluencing With River Khawthlangtuipui</i>	M	Lunglei	<i>Surface Water</i>
94	5734	TUIDAISTREAM (PERENNIAL STREAM) <i>Near Mamit Town, Before Confluencing With Tlawng River</i>	M	Mamit	<i>Surface Water</i>
95	5735	RIVER DAMPUI (PERENNIAL STREAM) <i>At Dampui Village, Before Confluencing With River Tlawng</i>	M	Mamit	<i>Surface Water</i>
96	5736	POND-Z5 AT VENGPUI, ZAWLNUAM VILLAGE	M	Mamit	<i>Surface Water</i>
97	5737	RENGDIL AT ZAMUANG VILLAGE	M	Mamit	<i>Surface Water</i>
98	5738	BAWRAI STREAM (PERENNIAL STREAM) <i>At Bawrai Village, Before Confluence With River Tlawng</i>	M	Mamit	<i>Surface Water</i>
99	5739	FALLUI (PERENNIAL STREAM) <i>At Boundary Betwwen Champhai Town And Neihdawn Village, Before Confluencing With River Tuipui</i>	M	Champhai	<i>Surface Water</i>
100	5740	PHE RESERVIOR AT VENGSAWNG, <i>Below Helipad, Champhai Town</i>	M	Champhai	<i>Surface Water</i>
101	5741	SIHZAUDIL (POND) ZOTLANG	M	Champhai	<i>Surface Water</i>
102	5742	STORAGE POND <i>At Kolasib Town</i>	M	Kolasib	<i>Surface Water</i>

103	5743	POND <i>At Buhchangphai Village</i>	M	Kolasib	Surface Water
104	5744	STORAGE POND <i>At Chemphai Village</i>	M	Kolasib	Surface Water
105	5745	CHEMLUI (PERENNIAL STREAM) <i>At Chemphai, Near Phe Pump House, Bilkhawthlir Village, Before Confluence With River Serlui</i>	M	Kolasib	Surface Water
106	5746	CHITE LUI (PERENNIAL STREAM) <i>At Vairengte Village, Before Confluencing With River Serlui</i>	M	Kolasib	Surface Water
107	5747	CHHIMLUANG (PERENNIAL STREAM) <i>At Meidumvillage, Before Confluencing With River Tlawng</i>	M	Kolasib	Surface Water
108	5748	PHE PUMP HOUSE/TUIVAWL PUMP HOUSE <i>At Saitual Town</i>	M	Saitual	Surface Water
109	5749	PHAIPUI LUI (PERENNIAL STREAM) <i>At Saitual Town, Before Confluencing With River Tuivawl</i>	M	Saitual	Surface Water
110	5750	RUNGDIL-I (LAKE), <i>Suangpuilawn Village</i>	M	Saitual	Surface Water
111	5751	RUNGDIL-II (LAKE), <i>Suangpuilawn Village</i>	M	Saitual	Surface Water
112	5752	DAMDIAICHHUAH LUI (PERRENIAL STREAM) <i>At Damdiai Chhuah, Before Confuencing With River Tuichang</i>	M	Khawzawl	Surface Water
113	5753	CHANGEL LUI (PERENNIAL STREAM) <i>At Chawngtlai Ram, Before Confluencing With River Tuichang</i>	M	Khawzawl	Surface Water
114	5754	TUIMUK RIVER(PERENNIAL STREAM) <i>At/ Near Khawzawl Town, Before Confluencing With River Tuipui</i>	M	Khawzawl	Surface Water
115	5755	PHAISEN LUI (PERENNIALSTREAM) <i>At/ Near Khawzawl Town, Before Confluencing With River Tuichang</i>	M	Khawzawl	Surface Water
116	5756	TUIKHAWHTHLA HNAR DAM <i>At Ngopa Village</i>	M	Khawzawl	Surface Water
117	5757	TLANGDIL <i>At Khawhai Village</i>	M	Khawzawl	Surface Water
118	5758	TUICHANG RIVER <i>At Pang Darchhuah Ram, Hnahthial Town Area, Before Confluencing With River Kolodyne</i>	M	Hnahthial	Surface Water
119	5759	RIVER TUICHANG <i>Near Hnahthial Town, Before Confluencing With River Kolodyne</i>	M	Hnahthial	Surface Water
120	5760	DILLUITUI (PERENNIAL STREAM) <i>At Darzo Village, Before Confluencing With River Mat</i>	M	Hnahthial	Surface Water
121	5761	TUITLAWK RIVER (PERENNIAL STREAM) <i>Near Saihatown, Before Confluencing With River Kolodyne</i>	M	Saiha	Surface Water