

MIZORAM WATER DATA

JUNE

2026

STATION DETAILS



MIZORAM STATE POLLUTION CONTROL BOARD

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF JUNE, 2026

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
1	2050	TLAWNG RIVER, <i>Mid Stream, Reiek Kai, Aizawl, U/S Of Tlawng Bridge</i>	16-06-2026	11.20	C	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Brown	Odour Free	0.5
2	2051	TLAWNG RIVER, <i>Mid Stream, Reiek Kai, Aizawl, D/S Of Tlawng Bridge</i>	16-06-2026	11.30	C	Municipal Sewage	None	Cultivation	Clear	2	Cultivation	No	Brown	Odour Free	0.5
3	2052	TUIRIAL RIVER, <i>Mid Stream, Tuirial Village, U/S Of Tuirial Bridge</i>	09-06-2026	12.00	C	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.3
4	2053	TUIRIAL RIVER, <i>Mid Stream, Tuirial Village, D/S Of Tuirial Bridge</i>	09-06-2026	12.15	C	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.3
5	2054	RAMHLUN 'N' SPRING WATER, <i>Aizawl</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
6	2055	MISSION VENGTHLANG SPRING WATER, <i>Aizawl</i>													
7	3709	TLAWNG RIVER, <i>Sairang</i>	08-06-2026	10.30	C	Municipal Sewage	None	Cultivation	Clear	1.5	Cultivation	No	Brown	Odour Free	0.5
8	3710	SERLUI STREAM, <i>Reiek Kai, Near Phe Water Treatment Plant, Aizawl</i>	16-06-2026	11.00	B	Municipal Sewage	None	Cultivation	Clear	0.5	Cultivation	No	Light Brown	Odour Free	0.3
9	3711	VAIPUANPHO STREAM, <i>Ailawng, Mamit Dist.</i>	16-06-2026	12.00	B	None	None	Cultivation	Clear	0.5	Cultivation	No	Light Brown	Odour Free	0.3
10	3712	TUIKUAL STREAM, <i>D/S, Reiek Kai, Near Phe Water Treatment Plant, Aizawl</i>	16-06-2026	11.40	C	Municipal Sewage	None	Gardening	Clear	0.5	Cultivation	No	Brown	Odour Free	0.3
11	3713	SAKHISIH STREAM, <i>Mission Vengthlang, Aizawl</i>	02-06-2026	1.15	A	Municipal Sewage	None	Gardening	Clear	0.4	Cultivation	No	Clear	Odour Free	0.5
12	3714	TUIRIAL RIVER, <i>UPSTREAM, Sumsuih, Aizawl Dist</i>	09-06-2026	4.00	A	None	None	Cultivation	Clear	0.8	Cultivation	No	Clear	Odour Free	0.5
13	3715	TUIRIAL RIVER, <i>MID STREAM, Airfield, U/S Of Tuirial Waste Management</i>	09-06-2026	12.30	A	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.5
14	3716	DAMDIAI STREAM, <i>AIRFIELD, Near Tuirial Waste Management Centre, Aizawl</i>	09-06-2026	1.00	B	Municipal Sewage	None	Cultivation	Clear	0.5	Cultivation	No	Light Brown	Odour Free	0.3
15	3717	TUIRIAL RIVER, <i>MID STREAM, AIRFIELD, D/S Of Tuirial Waste Management</i>	09-06-2026	12.45	A	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.5
16	3718	CHITE STREAM, <i>Armed Veng, Near Mini Sports Complex, Aizawl</i>	09-06-2026	11.00	D	Municipal Sewage	None	Gardening	Clear	0.5	Domestic	No	Clear	Odour Free	0.3
17	3719	TUIRINI RIVER, <i>Seling, Saitual Dist</i>	22-06-2026	8.45	A	Municipal Sewage	None	Cultivation	Clear	2.2	Cultivation	No	Clear	Odour Free	1.1
18	3720	TUIVAWL RIVER, <i>Keifang Village, Near Tuivawl Bridge, Saitual Dist</i>	22-06-2026	11.35	A	Municipal Sewage	None	Cultivation	Clear	2.3	Cultivation	No	Clear	Odour Free	1.3
19	3721	LAWIBUAL STREAM, <i>I.T.I Veng, Aizawl</i>	02-06-2026	11.00	D	Municipal Sewage	None	Cultivation	Clear	0.4	Cultivation	No	Clear	Odour Free	0.5
20	3722	LAWIBUAL FISHPOND, <i>I.T.I Veng, Aizawl</i>	02-06-2026	11.10	B	None	None	Fishing	Clear	2	Fishing	No	Light Brown	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF JUNE, 2024

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
21	3723	TAMDIL LAKE, <i>Saitual</i>	22-06-2026	2.35	A	None	None	Tourism Spot	Clear	2.5	Fishing	No	Clear	Odour Free	N/A
22	3724	CHALLUI STREAM, LENGPUI, <i>Aizawl Dist</i>	08-06-2026	11.15	A	None	None	Cultivation	Clear	0.8	Cultivation	No	Clear	Odour Free	0.5
23	3725	LUNGLI SPRING WATER, <i>Republic Veng, Aizawl</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
24	3726	RAMHLUN 'S' SPRING WATER, <i>Near Community Hall, Aizawl</i>													
25	3727	TUITHIANG VENG SPRING WATER, <i>Aizawl</i>													
26	3728	KHURPUI SPRING WATER, <i>South Hlimen, Aizawl</i>													
27	3729	CHAWNPUI HAND PUMP, <i>Aizawl</i>													
28	3730	SELESIH HAND PUMP, <i>Aizawl</i>	01-06-2026	12.50	A	None	None	Others	Cloudy	N/A	Domestic	No	Light Brown	Odour Free	N/A
29	3731	TUIKUAL HAND PUMP, <i>Aizawl</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
30	3732	CHALTLANG HAND PUMP, <i>Near Remi Tyre Works, Aizawl</i>													
31	3733	SOUTH HLIMEN HAND PUMP, <i>Aizawl</i>													
32	3734	TLAWNG RIVER, U/S, ZOBAWK VILLAGE, <i>Lunglei Dist.</i>													
33	3735	MAT RIVER, <i>Dawn Village, Near Mat Bridge, Lunglei Dist.</i>													
34	3736	TLAWNG RIVER, U/S, <i>Pialthleng Zotlang, Lunglei</i>	06-06-2026	12.30	A	Municipal Sewage	None	Tourism Spot	Clear	0.6	Domestic	No	Clear	Odour Free	0.4
35	3737	VAITUI SPRING WATER, <i>Theiriat, Lunglei</i>	06-06-2026	1.00	A	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Brown	Odour Free	1.1
36	3738	SAP TUIKHUR SPRING WATER, <i>Serkawn, Lunglei</i>	06-06-2026	10.00	A	Municipal Sewage	None	Others	Clear	2.2	Drinking Water Source	No	Light Brown	Odour Free	0.2
37	3739	ZOBAWK VENG HAND PUMP, <i>Lunglei</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
38	3740	SAIKAH STREAM, <i>Lawngtlai</i>													
39	3741	KHURPUI SPRING WATER, <i>Lawngtlai</i>													
40	3742	CHANMARI HAND PUMP, <i>Lawngtlai</i>													
			06-06-2026	11.00	B	None	None	Bathing, Washing, Cultivation	Clear	0.6	Drinking Water Source	No	Clear	Odour Free	0.4
			<i>This station is underground source of water which required to analyze during April and October only</i>												

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF JUNE, 2026

SL No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
41	3743	PHE RESERVOIR (ZOTLANG STREAM), <i>Helipad, New Saiha</i>	05-06-2026	8.00	A	None	None	Bathing, Washing	Clear	2	Drinking Water Source	No	Clear	Odour Free	N/A
42	3744	CHHIMTUIPUI RIVER, KAWLCHAW, <i>Near Chhintupui Bridge, Saiha Dist.</i>	05-06-2026	12.00	A	Municipal Sewage	None	Fishing, Boating	Clear	2.00	Fishing	No	Brown	Odour Free	0.7
43	3745	CHHOCHHOPA SPRING WATER, <i>New Colony, Saiha</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
44	3746	TUIKUM RIVER, NEAR PHE WATER TREATMENT PLANT, <i>Serchhip</i>	18-06-2026	1.00	A	None	None	Washing, Cultivation	Cloudy	0.5	Drinking Water Source	No	Clear	Odour Free	0.4
45	3747	SESAH STREAM, DINTHAR, <i>Serchhip</i>	18-06-2026	5.30	A	None	None	Washing	Cloudy	0.3	Domestic	No	Clear	Odour Free	0.5
46	3748	SIHPHIR VENG SPRING WATER, <i>Serchhip</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
47	3749	PHE RESERVIOR (LAHMUN RIVER), <i>Mizo Veng, Mamit</i>	23-06-2026	6.45	A	None	None	Bathing, Washing	Clear	3.14	Drinking Water Source	No	Clear	Odour Free	N/A
48	3750	TEIREI RIVER, BAWNGVA, <i>Mamit Dist.</i>	23-06-2026	11.08	A	None	None	Bathing, Washing	Clear	3.04	Cultivation	No	Light Brown	Odour Free	0.25
49	3751	TUT RIVER, DAPCHHUAH, <i>Mamit Dist.</i>	23-06-2026	9.20	A	None	None	Bathing, Washing	Clear	2.7	Drinking Water Source	No	Clear	Odour Free	0.28
50	3752	TUICHHUAHEN STREAM, <i>Near Phe Water Treatment Plant, Kolasib</i>	06-06-2026	9.40	A	None	None	Gardening	Clear	1.1	Drinking Water Source	No	Light Brown	Odour Free	1.1
51	3753	HMAR VENG SPRING WATER, <i>Kolasib</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
52	3754	TLAWNG RIVER, <i>D/S, Rimawi Veng, Bairabi, Kolasib Dist .</i>	03-06-2026	5.00	A	Municipal Sewage	None	Fishing, Boating, Gardening	Clear	3	Cultivation	No	Brown	Odour Free	1.1
53	3755	FISHPOND, RAIL CROSSING, <i>Near Thermal Power Plant, Bairabi, Kolasib</i>	03-06-2026	7.00	A	None	None	Fishing	Clear	2	Fishing	No	Light Brown	Odour Free	N/A
54	3756	TIAU RIVER, ZOKHAWTHAR, <i>Near Tiau Bridge, Champhai Dist.</i>	26-06-2026	11.00	B	Municipal Sewage	None	Washing	Clear	1.22	Cultivation	No	Brown	Odour Free	0.5
55	3757	TUIPUI RIVER, <i>Near Phe Water Treatment Plant, Champhai Dist.</i>	26-06-2026	12.00	B	Municipal Sewage	None	Cultivation	Clear	2.13	Drinking Water Source	No	Light Brown	Odour Free	0.4
56	3758	BETHEL VENG HAND PUMP, <i>Champhai</i>	<i>This station is underground source of water which required to analyze during April and October only</i>												
57	4114	CHITE STREAM, <i>Near Sipmiu's Stp, Bethlehem Vengthlang, Aizawl</i>	09-06-2026	11.20	D	Municipal Sewage	None	Gardening	Clear	0.5	Domestic	No	Clear	Odour Free	0.4
58	4115	TUIKUAL STREAM, <i>U/S, Mizoram New Capital Complex , Dinthar, Aizawl</i>	22-06-2026	11.00	D	Municipal Sewage	None	Gardening	Clear	0.4	Others	No	Light Brown	Soapy	0.3
59	4116	PHE RESERVOIR (TLAWNG RIVER), <i>Tuikhuahtlang, Aizawl</i>	02-06-2026	10.30	A	None	None	Bathing, Washing	Clear	1.5	Drinking Water Source	No	Clear	Odour Free	N/A
60	4117	PHE RESERVOIR (TAWIZO STREAM), <i>Rulchawm, Saitual Dist.</i>	22-06-2026	4.45	A	None	None	Bathing, Washing	Clear	3.3	Drinking Water Source	No	Clear	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF JUNE, 2026

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
61	4118	TUIRIAL RIVER D/S, Hepp Dam, Saipum, Kolasib Dist.	22-06-2026	2.00	A	None	None	Cultivation	Clear	3	Cultivation, Fishing	No	Clear	Odour Free	N/A
62	4119	SERLUI RIVER D/S, Serlui 'B' Hepp Dam, Bilkhawthlir, Kolasib Dist.	22-06-2026	10.00	A	None	None	Cultivation	Clear	3	Cultivation, Fishing	No	Clear	Odour Free	N/A
63	4120	TEIREI RIVER D/S Nr Confluence Pt With Tlawng River,	04-06-2026	6.45	A	None	None	Bathing, Washing, Cultivation, Fishing	Clear	1.5	Cultivation, Fishing	No	Light Brown	Odour Free	1.5
64	4121	TLAWNG RIVER D/S, Suarpui, Bairabi Hepp Dam Site, Bairabi,Kolasib Dist.	04-06-2026	5.00	A	Municipal Sewage	None	Cultivation, Fishing, Boating, Gardening	Clear	2	Cultivation, Fishing, Domestic	No	Light Brown	Odour Free	1.2
65	4122	KHAWTHLANGTUIPUI RIVER, Tlabung, Lunglei Dist .	06-06-2026	10.00	A	None	None	Bathing, Cultivation, Fishing	Clear	1.5	Cultivation, Fishing	No	Light Brown	Odour Free	0.6
66	4123	TUIPUI D RIVER, Darzokai,Hnahthial Dist.	08-06-2026	12.40	A	Municipal Sewage	None	Cultivation	Clear	1	Cultivation	No	Light Brown	Odour Free	0.25
67	4124	ELECTRIC VENG SPRING WATER, Lunglei	This station is underground source of water which required to analyze during April and October only												
68	4125	TUIPUI RIVER U/S, Nr Confluence Pt Keilungliah Stream, Vengthar,Champhai	27-06-2026	7.00	B	Municipal Sewage	None	Cultivation, Fishing	Clear	0.6	Cultivation, Fishing	No	Light Brown	Odour Free	0.8
69	4126	PAWHHAWN SPRING WATER, Nr Gm Hss, Vengsang, Champhai	This station is underground source of water which required to analyze during April and October only												
70	4127	KHURPUI SPRING WATER, New Colony, Saiha													
71	4128	F LALLAWMAWMA WELL, New Saiha, Saiha Dist.													
72	4129	TUIVAMIT SPRING WATER, AOC VENG, Lawngtlai													
73	4130	NGENGPUI STREAM, Nr Kaladan Multi Modal Rd, Lawngtlai Dist.	06-06-2026	8.00	A	None	None	Cultivation, Fishing	Clear	1.7	Fishing, Cultivation	No	Clear	Odour Free	1.1
74	4131	PHE RESERVOIR (CHENGKAWL LUI), Chawnhu Village,Lawngtlai Dist.	06-06-2026	10.00	A	None	None	Bathing, Washing	Clear	6.0	Domestic, Drinking Water Source	No	Clear	Odour Free	N/A
75	4132	VANTAWNG WATER FALL, Thenzawl, Serchhip Dist.	06-06-2026	11.26	A	None	None	Tourism Spot	Clear	N/A	Cultivation	No	Clear	Odour Free	N/A
76	4133	NGHARPET VENG SPRING WATER, Lungsir, Mamit	This station is underground source of water which required to analyze during April and October only												
77	5513	PALAK LAKE, Phura, Siaha	07-06-2026	10.35	A	None	None	Tourism Spot	Clear	15	Fishing	No	Clear	Odour Free	N/A
78	5718	RIVER DIALDAWK (Perennial Stream) at/near Lengpui Village	08-06-2026	12.05	A	None	None	Cultivation	Clear	0.8	Cultivation, Fishing	No	Clear	Odour Free	0.4
79	5719	RIVER TUIRIAL at/near Muallungthu Village area (upper stretches of	02-06-2026	12.10	A	None	None	Cultivation	Clear	0.8	Fishing	No	Clear	Odour Free	0.5
80	5720	P.H.E WATER RESERVOIR (Tlawng river water) at Laipuitlang, Aizawl,	01-06-2026	11.00	A	None	None	Others	Clear	3	Others	No	Clear	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF JUNE, 2026

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
81	5721	P.H.E WATER RESERVOIR <i>(Tlawng river water) at Durtlang</i>	01-06-2026	11.30	A	None	None	Others	Clear	3	Drinking Water Source	No	Clear	Odour Free	N/A
82	5722	KHAWTLANGDIL/KHUAHPUIDIL (POND) <i>at Sialsuk Village</i>	09-06-2026	2.00	B	None	None	Fishing	Clear	1.4	Fishing	No	Clear	Odour Free	N/A
83	5723	KURUNG LUI (PERENNIAL STREAM) <i>at Sairang Village</i>	08-06-2026	10.40	A	Municipal Sewage	None	Cultivation	Clear	0.8	Cultivation	No	Clear	Odour Free	0.5
84	5724	RIVER TLAUNG <i>at/near Buarpui Village</i>	06-06-2026	2.33	A	Municipal Sewage	None	Cultivation, Fishing	Clear	1.4	Cultivation, Fishing	No	Brown	Odour Free	1.5
85	5725	RIVER MAT, near Serchhip Town <i>(lower stream of serchhip)</i>	06-06-2026	12.19	A	Municipal Sewage	None	Bathing, Washing, Cultivation	Clear	1.2	Irrigation	No	Clear	Odour Free	1.3
86	5726	PHE RESERVIOR <i>(Zote and Bawite river water)</i>	06-06-2026	1.21	A	None	None	Washing	Clear	1	Drinking Water Source	No	Clear	Odour Free	N/A
87	5727	HMAWNGAWN LUI <i>(Perennial Stream)</i>	18-06-2026	3.30	A	None	None	Cultivation	Clear	1	Cultivation, Fishing	No	Clear	Odour Free	0.3
88	5728	LAKE AT NEC PARK, <i>Thenzawl Village</i>	06-06-2026	11.09	B	None	None	Boating, Tourism Spot	Clear	1.4	Fishing	No	Clear	Odour Free	N/A
89	5729	POND AT BUARPUI ROAD, <i>Thenzawl Village, Serchhip District</i>	06-06-2026	1.39	A	None	None	Fishing	Clear	1.5	Fishing	No	Clear	Odour Free	N/A
90	5730	LAU LUI (Perennial Stream) <i>At Thenzawl Village</i>	06-06-2026	11.57	B	None	None	Bathing, Washing	Clear	1.2	Domestic	No	Light Brown	Odour Free	0.9
91	5731	POND -I, <i>Zobawk Village</i>	06-06-2026	11.45	A	None	None	Tourism Spot	Clear	1.1	Fishing	No	Clear	Odour Free	N/A
92	5732	BUALSENDIL (POND) <i>At Ramlaitui, Lunglei District ,</i>	06-06-2026	11.37	B	None	None	Fishing	Clear	1.2	Fishing	No	Clear	Odour Free	N/A
93	5733	RIVER TUICHAWNG <i>At Tuichawng Village Area</i>	06-06-2026	9.30	A	None	None	Bathing, Cultivation	Clear	1.1	Cultivation, Fishing	No	Brown	Odour Free	0.4
94	5734	TUIDAI STREAM <i>(Perennial Stream) Near Mamit Town</i>	23-06-2026	10.47	A	None	None	Bathing, Washing	Clear	0.91	Drinking Water Source	No	Light Brown	Odour Free	0.4
95	5735	RIVER DAMPUI <i>(Perennial Stream) At Dampui Village</i>	23-06-2026	10.14	A	None	None	Bathing	Clear	0.6	Drinking Water Source	No	Clear	Odour Free	0.3
96	5736	POND-Z5 <i>at Vengpui, Zawlnuam Village</i>	23-06-2026	2.04	A	None	None	Fishing	Clear	1.52	Fishing	No	Light Brown	Odour Free	N/A
97	5737	RENGDIL <i>at Zamuang Village</i>	23-06-2026	1.30	B	None	None	Fishing	Clear	2.43	Fishing	No	Clear	Odour Free	N/A
98	5738	BAWRAI STREAM <i>(Perennial Stream)</i>	23-06-2026	2.22	A	None	None	Bathing, Washing	Clear	1.82	Irrigation	No	Light Brown	Odour Free	0.3
99	5739	FALLUI <i>(Perennial Stream)</i>	26-06-2026	11.00	B	None	None	Cultivation	Clear	0.4	Cultivation	No	Light Brown	Odour Free	0.4
100	5740	PHE RESERVIOR <i>At Vengsang, Below Helipad, Champhai Town ,</i>	26-06-2026	10.00	B	None	None	Bathing, Washing	Clear	2.5	Drinking Water Source	No	Clear	Odour Free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF JUNE, 2026

Sl. No	Station Code	Name and location of Stations	A. STATIONS DETAILS												
			Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream	Weather	Depth of Water Body (m)	Human activities	Floating matter	Colour	Odour	Flow (m/s)
			1	2	3	4	5	6	7	8	9	10	11	12	13
101	5741	SIHAUDIL (POND) <i>Zotlang, Champhai District, Mizoram</i>	27-06-2026	8.00	A	None	None	Fishing	Clear	1.5	Fishing	No	Light Brown	Odour Free	N/A
102	5742	STORAGE POND <i>At Kolasib Town, Kolasib District, Mizoram</i>	06-06-2026	1.30	A	None	None	Fishing	Clear	1.6	Fishing	No	Clear	Odour Free	N/A
103	5743	POND AT BUHCHANGPHAI VILLAGE, <i>Kolasib District, Mizoram</i>	01-06-2026	4.56	A	None	None	Fishing	Clear	1.5	Fishing	No	Clear	Odour Free	N/A
104	5744	STORAGE POND <i>At Chemphai Village</i>	06-06-2026	11.15	A	None	None	Fishing	Clear	1	Fishing	No	Clear	Odour Free	N/A
105	5745	CHEMLUI (<i>Perennial Stream</i>) <i>At Chemphai, Near Phe Pump House</i>	06-06-2026	10.55	A	None	None	Cultivation	Clear	1.1	Drinking Water Source	No	Light Brown	Odour Free	1.2
106	5746	CHITE LUI (<i>Perennial Stream</i>) <i>At Vairengte Village</i>	01-06-2026	2.00	A	None	None	Cultivation	Clear	2	Irrigation, Cultivation, Fishing	No	Brown	Odour Free	1.6
107	5747	CHHIMLUANG (<i>Perennial Stream</i>) <i>At Meidumvillage</i>	01-06-2026	6.00	A	None	None	Gardening	Clear	0.6	Cultivation, Fishing	No	Clear	Odour Free	1.4
108	5748	PHE PUMP HOUSE/TUIVAWL PUMP HOUSE <i>At Saitual Town</i>	18-06-2026	11.00	A	None	None	Others	Clear	3	Drinking Water Source	No	Light Brown	Odour Free	N/A
109	5749	PHAIPUI LUI (PERENNIAL STREAM) <i>At Saitual Town</i>	18-06-2026	12.05	A	Municipal Sewage	None	Cultivation, Gardening	Clear	1.6	Irrigation, Cultivation	No	Clear	Odour Free	0.7
110	5750	RUNGDIL-I (LAKE), <i>Suangpuilawn, Village</i>	24-06-2026	11.10	A	None	None	Tourism Spot	Clear	5	Fishing	No	Clear	Odour Free	N/A
111	5751	RUNGDIL-II (LAKE), <i>Suangpuilawn, Village</i>	24-06-2026	1.20	A	None	None	Tourism Spot	Clear	1.5	Fishing	No	Clear	Odour Free	N/A
112	5752	DAMDIAICHHUAH LUI (PERRENIAL STREAM) <i>Tuichang</i>	15-06-2026	8.45	A	None	None	Cultivation	Clear	0.3	Cultivation	No	Clear	Odour Free	0.7
113	5753	CHANGEL LUI (<i>Perennial Stream</i>) <i>at Chawngtlai Ram (Waterfall)</i>	13-06-2026	1.39	A	None	None	Cultivation	Clear	N/A	Drinking Water Source	No	Clear	Odour Free	N/A
114	5754	TUIMUK RIVER(<i>Perennial Stream</i>) <i>at/ Near Khawzawl Town</i>	13-06-2026	3.10	A	None	None	Cultivation	Clear	0.2	Cultivation	No	Brown	Odour Free	1.5
115	5755	PHAISEN LUI (<i>Perennialstream</i>) <i>at/ Near Khawzawl Town</i>	13-06-2026	12.14	B	None	None	Cultivation	Clear	0.2	Cultivation	No	Brown	Odour Free	1.1
116	5756	SANGTEA DIL, KEIFANG, <i>Saitual District, Mizoram</i>	18-06-2026	2.30	A	None	None	Fishing	Clear	2	Fishing	No	Light Brown	Odour Free	N/A
117	5757	PAZIKA DIL (POND), <i>Khawzawl, Khawzawl District, Mizoram</i>	16-6+-2026	11.00	B	None	None	Fishing	Clear	1.3	Fishing	No	Light Brown	Odour Free	N/A
118	5758	TUICHANG RIVER <i>at Pang Darchhuah Ram, Hnahthial Town Area</i>	08-06-2026	3.50	A	None	None	Cultivation	Clear	0.5	Fishing	No	Clear	Odour Free	0.4
119	5759	RIVER TUICHANG <i>Near Hnahthial Town</i>	08-06-2026	3.15	A	Municipal Sewage	None	Fishing, Gardening	Clear	1.1	Irrigation, Fishing, Drinking Water Source	No	Light Brown	Odour Free	0.3
120	5760	HNAHCHANG LUI, <i>Darzo Village, Hnahthial District, Mizoram</i>	08-06-2026	12.20	A	None	None	Cultivation, Gardening	Clear	1.2	Irrigation, Fishing	No	Clear	Odour Free	0.5
121	5761	TUITLAWK RIVER (<i>Perennial Stream</i>) <i>Near Saihatown</i>	05-06-2026	1.30	A	Municipal Sewage	None	Fishing	Clear	0.4	Drinking Water Source	No	Clear	Odour Free	0.5

MIZORAM WATER DATA

JUNE

2026

CORE & GENERAL PARAMETERS



MIZORAM STATE POLLUTION CONTROL BOARD

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF JUNE, 2026

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS																
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-No ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate	
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	52
1	2050	21	6.5	7.51	93.6	2.4	6.27	0.06	210	920	150		241	58	2.04			0.07	24.72	10	5.6	6.8	60	367	0.14	1.27	2.4	3.23	
2	2051	21	5	7.54	94	2.3	7.73	0.08	220	540	170		228.7	50	1.02			0.03	21	8.33	5.1	6.8	63	335	0.19	0.88	2	2.8	
3	2052	21	6.3	7.12	209	0.3	11.47	0.11	170	920	150		53.93	112	10.2			0.08	76.22	16.67	8.6	19.6	126	98	0.31	1.22	2.8	2.56	
4	2053	22	5.2	6.89	211	0.3	11.44	0.11	170	540	140		64.18	152	10.2			0.06	70.04	16.67	7.1	18.8	129	80	0.28	1.32	3.2	2.07	
5	2054	<i>This station is underground source of water which required to analyze during April and October only</i>																											
6	2055																												
7	3709	24	6.3	7.42	127.6	0.7	6.57	0.07	240	920	210		82.09	66	4.08			0.07	43	14.03	2.1	9.2	101	91	0.2	1.27	2	2.74	
8	3710	21	5.4	7.08	175.2	1	10.68	0.03					47.35	72	10.2			0.01	35	14.17	8.1	14.4	125	19	0.17	1.22	2.4	2.44	
9	3711	21	5.1	7.3	175.2	2.9	10.35	0.05					34.7	74	9.18			0.02	37	15	6.6	14	128	13	0.12	0.19	2	2.31	
10	3712	21	5.5	7.53	93.9	2.5	6.34	0.06	150	920	130		263.5	344	2.04			0.03	21	8.33	6.6	6.8	65	310	0.17	1.42	2	2.56	
11	3713	20	6	6.53	433	0.3	39.07	0.05					1.36	16	46.9			0.04	98.88	20.64	11.8	45.6	65	1	0.26	1.22	5.2	2.56	
12	3714	21	7.9	6.8	55	0.8	2.626	0.009					1	76	2			0.005	60	7	10.6	2			0.243	0.83	0.4	2.62	
13	3715	22	8.5	7.16	221	0.3	8.47	0.068					66	102	4			0.068	73	17	7.6	16.8		1.27	0.256	1.37	3.2	2.86	
14	3716	22	5.3	7.14	701	1	9.343	0.018					50.4	166	72			0.813	229	64	17.1	36.8			0.471	1.17	16	3.23	
15	3717	22	6.8	7.25	272	0.2	13.89	0.16					15.8	114	16			0.206	108	23	12.7	20.4		1.32	0.437	1.47	4.4	2.99	
16	3718	21	3.4	7.31	557	14.5	43.2	0.86	280	920	240		3.28	158	56.1	24		1.28	129.8	50.01	1.6	52.4	335	2	0.76	1.52	8	4.14	
17	3719	21	8.9	7.6	110	0.8	2.285	0.01					3.1	112	4			0.026	88	9	15.7	12			0.116	1.22	2.4	2.44	
18	3720	21	8.4	6.7	111	0.8	2.421	0.011					2.9	88	3			0.012	54	8	8.6	11.2			0.225	1.03	1.6	2.31	
19	3721	21	4.5	6.86	370	5	35.34	4.92	540	1600	280		4.89	80	57.1	32		1.61	86.52	16.51	11.3	54.8	322	1	0.91	1.61	8	3.66	
20	3722	22	6.3	7.19	535	2.1	32.84	0.26					28.53	120	33.7			0.063	125.7	35.5	9.4	42	245	36	0.31	1.52	7.2	3.78	

**WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF JUNE, 2026**

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS																
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate	
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
21	3723	22	8.5	6.6	83	0.8	1.5	0.030					2.1	70	5			0.054	50	7	8.1	8			0.14	1.2	1.2	2.56	
22	3724	21	6.6	7.52	113	1.1	3.29	0.02					4.5	62	3.06			0.05	43	7.4	6.1	10	68	1	0.14	1	0.8	2.56	
23	3725	This station is underground (source of water which required to analyze during April and October only)																											
24	3726																												
25	3727																												
26	3728																												
27	3729																												
28	3730																												
29	3731	This station is underground (source of water which required to analyze during April and October only)																											
30	3732	21	1.1	6.59	767	0.8	3.8	0.03					456	310	84.7			1.79	171	39	35	42	338	176	0.41	1.1	8	2.62	
31	3733	This station is underground (source of water which required to analyze during April and October only)																											
32	3734	15	8.5	6.7	215	0.8	1.89	0.02					1.9	70	1			0.054	50	7	8.1	8			0.14	1.2	1.2	2.5	
33	3735	16	8.56	6.7	141	0.7	4.38	0.060					102	93	6			0.036	65	9	10	10			0.32	1.3	2.4	3.35	
34	3736	15	7.83	6.9	162	0.7	2	0.005					5.4	67	20			0.022	48	7	7.6	17			0.12	1	1.6	3.41	
35	3737	This station is underground (source of water which required to analyze during April and October only)																											
36	3738																												
37	3739																												
38	3740	23	5.75	6.5	331	1	67.85	5.120					0.4	59	32			0.036	102	13	17	32			1.41	0.5	10	3.17	
39	3741	This station is underground source of water which required to analyze during April and October only																											
40	3742																												

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF JUNE, 2026

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS															
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
41	3743	18	6.8	6.8	85	0.7	0.19	0.001					0.8	78	3			0.05	42	8	5.6	6			0.22	0.93	0.4	2.07
42	3744	21	8.43	6.6	134	0.8	1.93	0.008					51.2	135	4			0.04	60	12	7.7	11.6			0.147	1.07	2	3.05
43	3745	This station is underground source of water which required to analyze during April and October only																										
44	3746	19	8	6.6	78.6	0.8	0.43	0.002					2.6	62	2			0.07	44	8	5.6	5.6			0.178	1.12	0.8	3.47
45	3747	17	8.2	6.5	77.8	0.8	0.27	0.004					3.3	60	1			0.05	42	15	1	6			0.133	1.22	1.2	3.05
46	3748	This station is underground source of water which required to analyze during April and October only																										
47	3749	19	7.1	7.2	265	0.8	1.18	0.02					0.5	134	10			0.01	119	20	16.7	19.2			0.198	1.03	2	2.01
48	3750	22	7.3	6.7	146	0.9	2.97	0.014					18.6	144	3			0.01	81	14	11.1	10			0.205	1.22	2.4	2.74
49	3751	20	6.6	7	40	1	2.37	0.11					9.3	40	2			0.02	38	5	6.1	3.6			0.338	1.12	0.8	3.66
50	3752	15	7.96	6.6	58	0.8	6.17	0.023					14.2	26	3			0.01	35	3	6.6	4			0.229	1.32	1.2	3.23
51	3753	This station is underground source of water which required to analyze during April and October only																										
52	3754	17	7.8	6.6	133	0.6	4.14	0.023					202	76	4			0.07	67	13	8.6	7.6			0.366	1.17	2.4	2.8
53	3755	21	7.4	6.8	274	0.7	3.21	0.519					19	154	8			0.13	131	31	13.2	10			0.307	1.22	5.6	4.33
54	3756	18	5.51	6.7	125	1.1	0.53	0.009					84	102	4			0.01	90	8	16.7	10.8			0.243	1.27	2	3.6
55	3757	18	5.28	6.8	67	1.2	1.21	0.003					28	56	3			0.02	50	4	9.6	7.2			0.413	1.03	1.6	2.56
56	3758	This station is underground source of water which required to analyze during April and October only																										
57	4114	21	3.6	7.2	555	10	5.46	0.96	540	1600	350		1.43	334	58.2	16		0	138	38.3	11.7	50.4	336	2	0.87	1.47	8	3.96
58	4115	22	2.9	7.3	748	18.5	15.7	0.13	430	1600	240		58.9	374	78.8	72		0.63	105.1	42.5	9.2	60.4	450	79	1.39	1.52	17.6	3.96
59	4116	23	6.2	7.3	223	1.4	6.54	0.04				BDL	1.8	58	8.16			0.06	51.5	11.6	5.6	8.8	130	1	0.24	0.88	1.6	2.13
60	4117	21	8.4	6.9	106	0.8	2.81	0.002					1.2	78	5			0.01	58	18	3.7	7.6			0.147	1.03	1.2	2.8

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF JUNE, 2026

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS															
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
61	4118	23	8.1	6.8	91	0.4	1.211	0.042					1.2	76	3			0.054	60	7	10.6	7.6			0.154	1.27	1.6	2.74
62	4119	22	8.6	6.7	94	0.4	1.211	0.009					1.3	90	2			0.011	46	4	8.6	6			0.184	1.17	2	2.44
63	4120	21	8	6.6	129	0.8	4.484	0.011					80	70	3			0.051	63	8	10.2	8.4			0.157	1.37	2	3.05
64	4121	20	8.4	6.8	130	0.8	4.211	0.02					124	76	4			0.018	65	9	10.2	8			0.581	0.98	2	3.41
65	4122	20	8.5	6.9	136	0.9	5.712	0.075					125	86.6	2			0.06	108	16	16.8	8.8			0.321	1.12	3.2	2.38
66	4123	26	7.84	6.9	192	1	2.455	0.012					51.3	90	3			0.058	88	18	10.1	14			0.219	1.32	1.6	2.68
67	4124	This station is underground source of water which required to analyze during April and October only																										
68	4125	18	5.6	6.8	197	1	1.211	0.003					33.6	102	18			0.028	79	16	9.6	21.2			0.488	1.27	4	2.38
69	4126	This station is underground source of water which required to analyze during April and October only																										
70	4127																											
71	4128																											
72	4129																											
73	4130	23	6.2	6.5	109	1	3.581	0.032					8.5	95	4			0.036	44	8	6.1	9.6			0.277	1.37	2	3.78
74	4131	23	6.7	7.1	345	0.9	1.483	0.009					1	114	2			0.005	129	30	13.2	33.6			0.041	1.22	2.4	3.35
75	4132	23	6.8	6.5	51	1	3.001	0.007					1.9	40	2			0.013	29	5	4.1	3.6			0.161	0.88	7.2	3.23
76	4133	This station is underground source of water which required to analyze during April and October only																										
77	5513	26	7.6	6.7	99	1	0.818	0.005					0.7	62	3			0.203	69	13	9.1	8.4			1.404	1.22		3.11
78	5718	22	7.3	7.82	124.9	0.5	2.52	0.02					9.28	94	2.04			0.05	51.5	12.38	5.1	10.8	75	11	0.014	1.07	1.6	2.62
79	5719	19	6.8	6.7	347	0.8	54.52	0.03					0.72	48	39			0.054	73	18	6.6	38.4			0.208	1.07	6.4	2.56
80	5720	21	6	7.65	178.6	0.6	2.51	0				BDL	1.79	52	8.16			0.04	55.62	12.38	4.2	13.6	125	1	0.38		2	2.68

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF JUNE, 2026

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS																
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate	
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
81	5721	21	6.2	7.56	180.7	0.5	2.42	0				BDL	1.45	48	9.18			0.07	55.62	15.68	4.2	17.6	124	1	0.53	1.12	2	2.07	
82	5722	23	5.6	6.7	52	1.1	3.19	0.407					1	20	1			0.005	17	4	1.5	2.4			0.304	1.07	0.4	3.11	
83	5723	23	6.6	7.4	219	0.3	6.73	0.05					11.1	94	14.3			0.05	61.8	17.33	4.7	19.6	135	14	0.17	0.98	3.2	3.05	
84	5724	26	6.6	6.6	118	0.9	4.35	0.034					33.8	56	3			0.069	50	10	6.1	8.4			0.13	1.22	8	2.8	
85	5725	27	6.6	6.5	92.6	0.9	0.82	0.004					3	51	2			0.028	38	7	5.1	8.8			0.147	1.07	4.8	3.35	
86	5726	19	6.9	6.5	199	0.8	0.87	0.001					1.2	56	3			0.064	104	18	14.3	8.8			0.775	1.17	4.8	2.44	
87	5727	19	8	6.7	78	0.8	0.17	0.001					2.4	44	2			0.064	52	8	7.7	5.2			0.14	1.03	0.8	2.19	
88	5728	27	5.1	6.5	37	1	3	0.002					4.9	20	4			0.134	27	6	3.1	3.2			0.061	1.42	8.4	2.74	
89	5729	26	6.3	6.5	31	0.9	4.14	0.01					5.2	20	3			0.144	17	3	2.5	2.8			0.133	1.42	9.6	4.33	
90	5730	25	5.2	6.5	50	1	3.12	0.01					13.3	30	4			0.152	29	6	3.6	5.6			0.082	1.27	5.2	3.66	
91	5731	16	7.3	6.6	23.4	1	3.07	0.011					2	73	1			0.050	17	4	1.5	2.4			0.195	1.12	2	3.6	
92	5732	23	5.8	6.5	36	1	1.52	0.029					6.7	26	2			0.125	29	5	4	3.2			0.109	0.93	6.4	4.27	
93	5733	22	8.1	6.8	200	0.6	11.8	0.189					257	100	4			0.124	125	17	20.4	12			0.762	1.12	4.8	2.99	
94	5734	21	7.2	6.6	77	0.9	3.43	0.02					20.3	60	6			0.016	44	6	7.1	6.8			0.157	1.17	1.6	3.47	
95	5735	19	6.2	6.7	100	0.9	2.76	0.018					5	90	1			0.030	58	9	8.6	6			0.171	1.22	0.8	2.8	
96	5736	23	6.5	6.7	120	1.2	1.52	0.006					20.7	94	6			0.012	60	11	8.1	6.4			0.301	0.63	2.8	4.21	
97	5737	21	5.8	6.7	83.7	0.9	2.76	0.011					9.4	70	3			0.020	52	9	7.1	4.8			0.198	1.37	2.4	3.9	
98	5738	23	7.4	6.7	146	0.9	2.81	0.013					15.6	136	2			0.036	77	13	10.6	9.6			0.266	1.22	2	2.8	
99	5739	18	5.9	6.6	86	1.2	5.32	0.009					42	80	2			0.059	35	6	5.1	21.2			0.375	0.83	4	2.86	
100	5740	17.5	5.70	7.5	9.23	1.73	0.31	0.002					1	140	2			0.054	44	6	7.1	6.8			0.14	0.93	0	2.38	

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF JUNE, 2026

Sl. No	Station Code	B. CORE PARAMETERS											C. GENERAL PARAMETERS															
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrate (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Faecal Streptococcus MPN	E.Coli MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Nitrogen (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	TDS (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)	Boron (mg/L)	K (mg/L)	Sulphate
		14	15	16	17	18	20	21	22	23	24	25	26	27	28	29	30	31	31	32	33	34	35	36	37	38	39	40
101	5741	18	6	7.2	36	1.3	0.136	0.012					22	30	4			0.05	27	7	2.5	3.2			0.6	1.12	1.2	2.01
102	5742	16	8	6.5	53.8	0.9	5.32	0.009					8.4	28	3			0.03	29	8	2.5	4.4			0.11	1.22	0.8	3.78
103	5743	25	8.4	6.7	128	0.8	5.592	0.02					2.5	86	3			0.04	65	14	7.2	4.4			0.23	0.93	3.6	2.56
104	5744	17	8.3	6.6	52	1	4.143	0.018					4.2	24	4			0.04	40	9	4.1	4.4			0.25	1.32	0.8	3.35
105	5745	15	8.6	6.5	58	0.7	6.223	0.026					22.3	28	4			0.03	46	7	7.1	4.4			0.44	0.78	3.2	2.13
106	5746	25	7.2	6.7	61	1	16.62	0.176					513	44	2			0.09	29	5	4	4.8			0.46	1.07	2.4	3.05
107	5747	26	8.4	6.9	161	0.8	2.114	0.004					1.6	84	5			0.04	75	13	10.7	11.6			0.98	1.42	1.6	3.94
108	5748	22	7.5	6.5	138	0.9	2.012	0.012					26	90	2			0.09	65	11	9.1	10.4			0.35	0.73	3.2	2.92
109	5749	23	8.2	7	62	0.9	3.274	0.009					13	42	2			0.02	33	6	4.6	6.4			0.32	1.22	1.2	3.11
110	5750	25	7.5	6.5	137	0.8	2.575	0.009					2.6	120	1			0.11	65	12	8.6	6			0.28	1.37	2.8	3.66
111	5751	25	6.5	6.6	122	0.5	1.712	0.008					2	131	4			0.24	75	13	10.7	6			0.29	1.42	1.6	3.41
112	5752	25	7.5	6.6	188	1	2.779	0.013					12.4	56	1			0.07	94	22	9.6	9.2			0.23	1.32	1.6	3.6
113	5753	21	7.4	6.7	83.9	1	0.358	0.001					9.1	30	1			0.07	40	8	4.6	6.4			0.16	1.32	0.4	2.92
114	5754	25	6.8	6.8	79	1.1	14.31	0.117					445	48	2			0.1	29	9	1.5	8.4			0.35	0.68	3.2	2.56
115	5755	26	5.4	6.7	106	1.1	14.56	0.104					516	56	5			0.13	46	8	6.6	10.4			0.36	1.42	3.6	2.8
116	5756	23	6.8	6.9	95	1.2	1.978	0.011					13.3	80	3			0.03	44	6	7.1	8.4			0.21	0.93	1.2	2.56
117	5757	25	7.3	7.3	42	1	1.79	0.009					26.5	30	3			0.15	33	3	6.1	3.2			1	0.88	1.2	3.47
118	5758	22	7.02	6.5	128	0.9	0.102	0.003					1.7	84	1			0.05	50	10	6.1	13.2			0.27	1.32	1.2	3.47
119	5759	26	7.6	6.7	118	0.9	1.552	0.007					15.3	50	2			0.05	50	16	2.6	10.8			0.26	1.22	1.6	2.38
120	5760	24	6.4	6.5	96	0.9	0.631	0.005					2.6	66	2			0.1	50	7	8.1	9.6			0.14	1.12	1.2	2.98
121	5761	19	7.2	6.7	87	1	0.068	0.013					1.2	116	1			0.05	38	8	4	9.6			0.21	0.88	0.8	2.38

MIZORAM WATER DATA

2026

LIST OF OLD AND NEW NWMP STATIONS FOR MIZORAM



MIZORAM STATE POLLUTION CONTROL BOARD

Sl. No	STATION CODE	NAME OF MONITORING STATION	<i>f</i>	District	Type of Water Body
1	2050	TLAWNG RIVER, <i>Mid Stream, Reiek Kai, Aizawl, U/S Of Tlawng Bridge</i>	M	Aizawl	Surface Water
2	2051	TLAWNG RIVER, <i>Mid Stream, Reiek Kai, Aizawl, D/S Of Tlawng Bridge</i>	M	Aizawl	Surface Water
3	2052	TUIRIAL RIVER, <i>Mid Stream, Tuirial Village, U/S Of Tuirial Bridge</i>	M	Aizawl	Surface Water
4	2053	TUIRIAL RIVER, <i>Mid Stream, Tuirial Village, D/S Of Tuirial Bridge</i>	M	Aizawl	Surface Water
5	2054	RAMHLUN 'N' SPRING WATER, <i>Aizawl</i>	H	Aizawl	Ground Water
6	2055	MISSION VENGTHLANG SPRING WATER, <i>Aizawl</i>	H	Aizawl	Ground Water
7	3709	TLAWNG RIVER, <i>Sairang</i>	M	Aizawl	Surface Water
8	3710	SERLUI STREAM, <i>Reiek Kai, Near Phe Water Treatment Plant, Aizawl</i>	M	Aizawl	Surface Water
9	3711	VAIPUANPHO STREAM, <i>Ailawng, Mamit Dist.</i>	M	Aizawl	Surface Water
10	3712	TUIKUAL STREAM, <i>D/S, Reiek Kai, Near Phe Water Treatment Plant, Aizawl</i>	M	Aizawl	Surface Water
11	3713	SAKHISIH STREAM, <i>Mission Vengthlang, Aizawl</i>	M	Aizawl	Surface Water
12	3714	TUIRIAL RIVER, <i>UPSTREAM, Sumsuih, Aizawl Dist</i>	M	Aizawl	Surface Water
13	3715	TUIRIAL RIVER, <i>MID STREAM, Airfield, U/S Of Tuirial Waste Management Centre, Aizawl</i>	M	Aizawl	Surface Water
14	3716	DAMDIAI STREAM, <i>AIRFIELD, Near Tuirial Waste Management Centre, Aizawl Dist</i>	M	Aizawl	Surface Water
15	3717	TUIRIAL RIVER, <i>MID STREAM, AIRFIELD, D/S Of Tuirial Waste Management Centre, Aizawl</i>	M	Aizawl	Surface Water
16	3718	CHITE STREAM, <i>Armed Veng, Near Mini Sports Complex, Aizawl</i>	M	Aizawl	Surface Water
17	3719	TUIRINI RIVER, <i>Seling, Saitual Dist</i>	M	Saitual	Surface Water
18	3720	TUIVAWL RIVER, <i>Keifang Village, Near Tuivawl Bridge, Saitual Dist</i>	M	Saitual	Surface Water
19	3721	LAWIBUAL STREAM, <i>I.T.I Veng, Aizawl</i>	M	Aizawl	Surface Water
20	3722	LAWIBUAL FISHPOND, <i>I.T.I Veng, Aizawl</i>	M	Aizawl	Surface Water
21	3723	TAMDIL LAKE, <i>Saitual</i>	M	Saitual	Surface Water
22	3724	CHALLUI STREAM, <i>LENGPUI, Aizawl Dist</i>	M	Aizawl	Surface Water
23	3725	LUNGLI SPRING WATER, <i>Republic Veng, Aizawl</i>	H	Aizawl	Ground Water
24	3726	RAMHLUN 'S' SPRING WATER, <i>Near Community Hall, Aizawl</i>	H	Aizawl	Ground Water

25	3727	TUITHIANG VENG SPRING WATER, <i>Aizawl</i>	H	Aizawl	Ground Water
26	3728	KHURPUI SPRING WATER, <i>South Hlimen, Aizawl</i>	H	Aizawl	Ground Water
27	3729	CHAWNPUI HAND PUMP, <i>Aizawl</i>	H	Aizawl	Ground Water
28	3730	SELESIH HAND PUMP, <i>Aizawl</i>	H	Aizawl	Ground Water
29	3731	TUIKUAL HAND PUMP, <i>Aizawl</i>	H	Aizawl	Ground Water
30	3732	CHALTLANG HAND PUMP, <i>Near Remi Tyre Works, Aizawl</i>	H	Aizawl	Ground Water
31	3733	SOUTH HLIMEN HAND PUMP, <i>Aizawl</i>	H	Aizawl	Ground Water
32	3734	TLAWNG RIVER, U/S, ZOBARK VILLAGE, <i>Lunglei Dist.</i>	M	Lunglei	<i>Surface Water</i>
33	3735	MAT RIVER, <i>Dawn Village, Near Mat Bridge,Lunglei Dist.</i>	M	Lunglei	<i>Surface Water</i>
34	3736	TLAWNG RIVER, U/S, <i>Pialthleng Zotlang, Lunglei</i>	M	Lunglei	<i>Surface Water</i>
35	3737	VAITUI SPRING WATER, <i>Theiriat , Lungei</i>	H	Lunglei	Ground Water
36	3738	SAP TUIKHUR SPRING WATER, <i>Serkawn, Lunglei</i>	H	Lunglei	Ground Water
37	3739	ZOBARK VENG HAND PUMP, <i>Lunglei</i>	H	Lunglei	Ground Water
38	3740	SAIKAH STREAM, <i>Lawngtlai</i>	M	Lawngtlai	<i>Surface Water</i>
39	3741	KHURPUI SPRING WATER, <i>Lawngtlai</i>	H	Lawngtlai	Ground Water
40	3742	CHANMARI HAND PUMP, <i>Lawngtlai</i>	H	Lawngtlai	Ground Water
41	3743	PHE RESERVOIR (ZOTLANG STREAM), <i>Helipad, New Saiha</i>	M	Saiha	<i>Surface Water</i>
42	3744	CHHIMTUIPUI RIVER, KAWLCHAW, <i>Near Chhimtupui Bridge, Saiha Dist.</i>	M	Saiha	<i>Surface Water</i>
43	3745	CHHOCHHOPA SPRING WATER, <i>New Colony, Saiha</i>	H	Saiha	Ground Water
44	3746	TUIKUM RIVER, NEAR PHE WATER TREATMENT PLANT, <i>Serchhip</i>	M	Serchhip	<i>Surface Water</i>
45	3747	SESAH STREAM, DINTHAR, <i>Serchhip</i>	M	Serchhip	<i>Surface Water</i>
46	3748	SIHPHIR VENG SPRING WATER, <i>Serchhip</i>	H	Serchhip	Ground Water
47	3749	PHE RESERVIOR (LAHMUN RIVER), <i>Mizo Veng, Mamit</i>	M	Mamit	<i>Surface Water</i>
48	3750	TEIREI RIVER, BAWNGVA, <i>Mamit Dist.</i>	M	Mamit	<i>Surface Water</i>
49	3751	TUT RIVER, DAPCHHUAH, <i>Mamit Dist.</i>	M	Mamit	<i>Surface Water</i>
50	3752	TUICHHUAHEN STREAM, <i>Near Phe Water Treatment Plant, Kolasib</i>	M	Kolasib	<i>Surface Water</i>

51	3753	HMAR VENG SPRING WATER, <i>Kolasib</i>	H	Kolasib	Ground Water
52	3754	TLAWNG RIVER, <i>D/S, Rimawi Veng, Bairabi, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
53	3755	FISHPOND, RAIL CROSSING, <i>Near Thermal Power Plant, Bairabi, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
54	3756	TIAU RIVER, ZOKHAWTHAR, <i>Near Tiau Bridge, Champhai Dist.</i>	M	Champhai	<i>Surface Water</i>
55	3757	TUIPUI RIVER, <i>Near Phe Water Treatment Plant, Champhai Dist.</i>	M	Champhai	<i>Surface Water</i>
56	3758	BETHEL VENG HAND PUMP, <i>Champhai</i>	H	Champhai	Ground Water
57	4114	CHITE STREAM, <i>Near Sipmiu's Stp, Bethlehem Vengthlang, Aizawl</i>	M	Aizawl	<i>Surface Water</i>
58	4115	TUIKUAL STREAM, <i>U/S, Mizoram New Capital Complex , Dinthar, Aizawl</i>	M	Aizawl	<i>Surface Water</i>
59	4116	PHE RESERVOIR (TLAWNG RIVER), <i>Tuikhuahtlang, Aizawl</i>	M	Aizawl	<i>Surface Water</i>
60	4117	PHE RESERVOIR (TAWIZO STREAM), <i>Rulchawm, Saitual Dist.</i>	M	Aizawl	<i>Surface Water</i>
61	4118	TUIRIAL RIVER <i>D/S, Hepp Dam, Saipum, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
62	4119	SERLUI RIVER <i>D/S, Serlui 'B' Hepp Dam, Bilkhawthlir, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
63	4120	TEIREI RIVER <i>D/S Nr Confluence Pt With Tlawng River, Sapmara, Bairabi, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
64	4121	TLAWNG RIVER <i>D/S, Suarpui, Bairabi Hepp Dam Site, Bairabi, Kolasib Dist.</i>	M	Kolasib	<i>Surface Water</i>
65	4122	KHAWTHLANGTUIPUI RIVER, <i>Tlabung, Lunglei Dist.</i>	M	Lunglei	<i>Surface Water</i>
66	4123	TUIPUI D RIVER, <i>Darzokai, Hnahthial Dist.</i>	M	Hnahthial	<i>Surface Water</i>
67	4124	ELECTRIC VENG SPRING WATER, <i>Lunglei</i>	H	Lunglei	Ground Water
68	4125	TUIPUI RIVER <i>U/S, Nr Confluence Pt Keihungliah Stream, Vengthar, Champhai</i>	M	Champhai	<i>Surface Water</i>
69	4126	PAWHHAWN SPRING WATER, <i>Nr Gm Hss, Vengsang, Champhai</i>	H	Champhai	Ground Water
70	4127	KHURPUI SPRING WATER, <i>New Colony, Saiha</i>	H	Saiha	Ground Water
71	4128	F LALLAWMAWMA WELL, <i>New Saiha, Saiha Dist.</i>	H	Saiha	Ground Water
72	4129	TUIVAMIT SPRING WATER, AOC VENG, <i>Lawngtlai</i>	H	Lawngtlai	Ground Water
73	4130	NGENGPUI STREAM, <i>Nr Kaladan Multi Modal Rd, Lawngtlai Dist.</i>	M	Lawngtlai	<i>Surface Water</i>
74	4131	PHE RESERVOIR (CHENGKAWL LUI), <i>Chawnhu Village, Lawngtlai Dist.</i>	M	Lawngtlai	<i>Surface Water</i>
75	4132	VANTAWNG WATER FALL, <i>Thenzawl, Serchhip Dist.</i>	M	Serchhip	<i>Surface Water</i>
76	4133	NGHARPET VENG SPRING WATER, <i>Lungsir, Mamit</i>	H	Mamit	Ground Water

77	5513	PALAK LAKE, <i>Phura Village, Siaha</i>	M	Siaha	Surface Water
78	5718	RIVER DIALDAWK (Perennial Stream) <i>At/ Near Lengpui Village</i>	M	Aizawl	Surface Water
79	5719	RIVER TUIRIAL <i>At/Near Muallungthu Village Area (Upper Stretches Of River Tuirial)</i>	M	Aizawl	Surface Water
80	5720	P.H.E WATER RESERVOIR (TLAWNG RIVER WATER) <i>At Laipuitlang</i>	M	Aizawl	Surface Water
81	5721	P.H.E WATER RESERVOIR (TLAWNG RIVER WATER) <i>At Durtlang</i>	M	Aizawl	Surface Water
82	5722	KHAWTLANGDIL/KHUAHPUIDIL (POND) <i>At Sialsuk Village</i>	M	Aizawl	Surface Water
83	5723	KURUNG LUI (PERENNIAL STREAM) <i>At Sairang Village, Before Confluencing With River Tlawng</i>	M	Aizawl	Surface Water
84	5724	RIVER TLAWNG AT/NEAR BUARPUI VILLAGE <i>Area (Upper Stream Of Buarpui Village)</i>	M	Serchhip	Surface Water
85	5725	RIVER MAT, NEAR SERCHHIP TOWN (L/S of SERCHHIP), <i>Before Confluencing With River Kolodyne</i>	M	Serchhip	Surface Water
86	5726	PHE RESERVIOR (ZOTE AND BAWITE RIVER WATER) <i>Vengsang, Thenzawl Village</i>	M	Serchhip	Surface Water
87	5727	HMAWNGAWN LUI (PERENNIALSTREAM), <i>Before Confluencing With River Mat, Hmar Veng, Serchhip Town</i>	M	Serchhip	Surface Water
88	5728	LAKE AT NEC PARK, <i>Thenzawl Village, Serchhip District, Mizoram</i>	M	Serchhip	Surface Water
89	5729	POND AT BUARPUI ROAD, <i>Thenzawl Village</i>	M	Serchhip	Surface Water
90	5730	LAU LUI (PERENNIAL STREAM) <i>At Thenzawl Village, Before Confluencing With River Tlawng</i>	M	Serchhip	Surface Water
91	5731	POND -I, ZOBAWK VILLAGE,	M	Lunglei	Surface Water
92	5732	BUALSENDIL (POND) <i>AT RAMLAITUI</i>	M	Lunglei	Surface Water
93	5733	RIVER TUICHAWNG <i>At Tuichawng Village Area, Before Confluencing With River Khawthlangtuipui</i>	M	Lunglei	Surface Water
94	5734	TUIDAISTREAM (PERENNIAL STREAM) <i>Near Mamit Town, Before Confluencing With Tlawng River</i>	M	Mamit	Surface Water
95	5735	RIVER DAMPUI (PERENNIAL STREAM) <i>At Dampui Village, Before Confluencing With River Tlawng</i>	M	Mamit	Surface Water
96	5736	POND-Z5 AT VENGPUI, ZAWLNUAM VILLAGE	M	Mamit	Surface Water
97	5737	RENGDIL AT ZAMUANG VILLAGE	M	Mamit	Surface Water
98	5738	BAWRAI STREAM (PERENNIAL STREAM) <i>At Bawrai Village, Before Confluence With River Tlawng</i>	M	Mamit	Surface Water
99	5739	FALLUI (PERENNIAL STREAM) <i>At Boundary Betwwen Champhai Town And Neihdawn Village, Before Confluencing With River Tuipui</i>	M	Champhai	Surface Water
100	5740	PHE RESERVIOR AT VENGsang, <i>Below Helipad, Champhai Town</i>	M	Champhai	Surface Water
101	5741	SIHZAUDIL (POND) ZOTLANG	M	Champhai	Surface Water
102	5742	STORAGE POND <i>At Kolasib Town</i>	M	Kolasib	Surface Water

103	5743	POND <i>At Buhchangphai Village</i>	M	Kolasib	<i>Surface Water</i>
104	5744	STORAGE POND <i>At Chemphai Village</i>	M	Kolasib	<i>Surface Water</i>
105	5745	CHEMLUI (PERENNIAL STREAM) <i>At Chemphai, Near Phe Pump House, Bilkhawthlir Village, Before Confluence With River Serlui</i>	M	Kolasib	<i>Surface Water</i>
106	5746	CHITE LUI (PERENNIAL STREAM) <i>At Vairengte Village, Before Confluencing With River Serlui</i>	M	Kolasib	<i>Surface Water</i>
107	5747	CHHIMLUANG (PERENNIAL STREAM) <i>At Meidumvillage, Before Confluencing With River Tlawng</i>	M	Kolasib	<i>Surface Water</i>
108	5748	PHE PUMP HOUSE/TUIVAWL PUMP HOUSE <i>At Saitual Town</i>	M	Saitual	<i>Surface Water</i>
109	5749	PHAIPUI LUI (PERENNIAL STREAM) <i>At Saitual Town, Before Confluencing With River Tuivawl</i>	M	Saitual	<i>Surface Water</i>
110	5750	RUNGDI-I (LAKE), <i>Suangpuilawn Village</i>	M	Saitual	<i>Surface Water</i>
111	5751	RUNGDI-II (LAKE), <i>Suangpuilawn Village</i>	M	Saitual	<i>Surface Water</i>
112	5752	DAMDIAICHHUAH LUI (PERRENIAL STREAM) <i>At Damdiai Chhuah, Before Confuencing With River Tuichang</i>	M	Khawzawl	<i>Surface Water</i>
113	5753	CHANGEL LUI (PERENNIAL STREAM) <i>At Chawngtlai Ram, Before Confluencing With River Tuichang</i>	M	Khawzawl	<i>Surface Water</i>
114	5754	TUIMUK RIVER(PERENNIAL STREAM) <i>At/ Near Khawzawl Town, Before Confluencing With River Tuipui</i>	M	Khawzawl	<i>Surface Water</i>
115	5755	PHAISEN LUI (PERENNIALSTREAM) <i>At/ Near Khawzawl Town, Before Confluencing With River Tuichang</i>	M	Khawzawl	<i>Surface Water</i>
116	5756	TUIKHAWHTHLA HNAR DAM <i>At Ngopa Village</i>	M	Khawzawl	<i>Surface Water</i>
117	5757	TLANGDIL <i>At Khawhai Village</i>	M	Khawzawl	<i>Surface Water</i>
118	5758	TUICHANG RIVER <i>At Pang Darchhuah Ram, Hnahthial Town Area, Before Confluencing With River Kolodyne</i>	M	Hnahthial	<i>Surface Water</i>
119	5759	RIVER TUICHANG <i>Near Hnahthial Town, Before Confluencing With River Kolodyne</i>	M	Hnahthial	<i>Surface Water</i>
120	5760	DILLUITUI (PERENNIAL STREAM) <i>At Darzo Village, Before Confluencing With River Mat</i>	M	Hnahthial	<i>Surface Water</i>
121	5761	TUITLAWK RIVER (PERENNIAL STREAM) <i>Near Saihatown, Before Confluencing With River Kolodyne</i>	M	Saiha	<i>Surface Water</i>