

MIZORAM POLLUTION CONTROL BOARD

Ambient Air Quality Data from NAMP Stations in Mizoram - FEBRUARY 2013

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM				
450	Khatla	Residential	Aizawl	Mizoram	5.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	10.9	9	6.4	2.6	BDL	BDL	60	55	42	122	112	87				
					7.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	11.6	12.8	9.6	5.8	BDL	BDL	62	57	45	120	115	93				
					12.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	10.9	10.2	9.6	4.5	1.3	BDL	BDL	58	57	55	122	115	108			
					14.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	13.4	10.2	7	3.2	BDL	BDL	64	55	52	126	113	108				
					19.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	6.4	3.8	1.9	BDL	BDL	BDL	58	56	55	115	114	108				
					21.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	10.9	9.6	2.6	BDL	BDL	BDL	60	61	41	123	119	96				
					26.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	10.2	9	8.3	3.8	BDL	BDL	62	60	48	128	120	100				
					28.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	11.8	10.2	9	8.3	1.3	BDL	64	57	55	127	115	105				
451	Lapuitlang	Residential	Aizawl	Mizoram	5.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	56	58	46	109	113	94			
					7.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	54	56	45	106	110	89	
					12.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	55	62	50	108	121	95
					14.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	52	58	45	102	113	88
					19.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	56	64	49	111	124	100
					21.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	53	60	49	105	116	92
					26.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	53	56	50	108	115	101
					28.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	54	56	50	107	114	98
452	Bawngkawn	Commercial/Residential	Aizawl	Mizoram	5.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	14.1	12.8	BDL	BDL	BDL	BDL	BDL	62	59	49	121	117	100			
					7.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	11.6	10.8	BDL	BDL	BDL	BDL	BDL	BDL	60	57	50	122	119	116		
					12.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	13	10.8	9.6	BDL	BDL	BDL	BDL	BDL	62	60	49	124	122	102		
					14.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	14.7	12.1	9.6	BDL	BDL	BDL	BDL	BDL	64	60	47	127	121	101		
					19.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	16	10.8	BDL	BDL	BDL	BDL	BDL	64	60	63	124	118	94			
					21.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	17.2	14.7	12.1	BDL	BDL	BDL	BDL	62	58	51	124	116	105			
					26.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	17.2	13.4	12.8	10.8	BDL	BDL	BDL	62	60	45	126	118	98			
					28.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	17.9	12.8	12.8	9.6	BDL	BDL	BDL	58	60	48	118	118	101			
731	Kahrawt veng	Residential	Champhai	Mizoram	5.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17	19	9	38	40	22			
					7.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19	22	15	40	46	32	
					12.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15	21	12	49	44	36	
					14.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24	24	16	60	50	36
					19.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	25	27	17	61	50	36
					21.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	26	20	13	58	44	30
					26.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	40	37	26	71	49	46
					28.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	44	51	52	93	84	71

contd./-

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM				
732	Vengthlang	Residential	Champhai	Mizoram	5.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	64	142	104	328	223	250			
					7.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	169	82	104	338	326	204	
					12.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	188	120	106	397	261	254
					14.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	121	58	40	383	154	164
					19.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	158	118	96	316	255	192
					21.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	88	116	70	154	255	186
					26.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	58	102	61	136	245	143
					28.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	139	141	101	313	241	243
733	Project Veng	Residential	Kolasib District	Mizoram	5.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	56	48	24	117	102	52			
					7.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	61	45	20	127	102	45	
					12.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	69	52	33	141	113	73
					14.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	83	61	45	175	130	93
					19.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	69	51	29	144	111	64
					21.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	69	54	32	143	115	69
					26.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	59	50	30	128	105	64
					28.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	60	43	26	125	95	59
734	Diakkawn	Residential	Kolasib District	Mizoram	5.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	66	48	37	144	112	72		
					7.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	65	55	49	134	105	104	
					12.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	47	40	28	109	78	65
					14.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	56	44	28	127	105	72
					19.2.2013	BDL	BDL	4.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	60	41	36	118	93	78
					21.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	50	47	26	108	105	60
					26.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	51	34	29	113	87	67
					28.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	57	48	33	126	93	70
735	Farm Veng	Residential	Lunglei	Mizoram	5.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	56	53	30	83	80	40		
					7.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	52	57	33	82	81	40	
					12.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	54	56	30	80	77	39
					14.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	55	54	30	84	76	38
					19.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	49	42	31	76	55	38
					21.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	48	49	27	77	60	40
					26.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	50	45	28	70	69	37
					28.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	54	55	31	79	79	39

contd./-

Station Code	Name of monitoring station	Area class	City/District	State Name	Sampling date	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of SO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	4-Hourly Value of NO ₂	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM				
736	Chanmari I	Residential	Lunglei	Mizoram	5.2.2013	BDL	4.77	4.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	38	61	21	57	79	34				
					7.2.2013	BDL	4.82	4.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	41	65	20	59	84	31	
					12.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	33	55	16	49	66	22
					14.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	37	50	12	45	63	20
					19.2.2013	BDL	4.71	4.82	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	44	63	27	62	79	38
					21.2.2013	BDL	4.63	4.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	43	63	25	60	81	34
					26.2.2013	BDL	4.45	4.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	40	61	22	64	84	39
					28.2.2013	BDL	4.38	4.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	41	65	24	64	85	36
737	Dawrpui Veng	Residential	Aizawl	Mizoram	5.2.2013	6.4	6	5.2	5.6	4.8	4	38.4	37.7	32.2	32.6	11.5	10.2	118	121	63	372	344	195				
					7.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	36.5	37.7	25	25.6	BDL	BDL	155	139	66	344	459	210				
					12.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	36.8	35.1	40.6	39	21	20	120	100	64	279	245	205				
					14.2.2013	5.2	4.8	6	5.6	3.6	3.2	41.6	41	23	24.3	BDL	BDL	183	179	100	457	452	230				
					19.2.2013	BDL	BDL	6.3	7.8	BDL	BDL	26.5	27.3	26.8	32.3	14.3	14.5	72	76	52	332	245	169				
					21.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	27.6	28.6	24.5	29.6	14.5	14.5	79	82	53	282	245	150				
					26.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	26.8	24.5	27.3	26.8	BDL	BDL	68	67	44	263	222	121				
					28.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	25.2	22	24.4	26.6	12	9.4	72	76	43	251	240	125				
738	Lengpui	Residential	Aizawl	Mizoram	5.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	98	63	37	117	82	53			
					7.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9	BDL	BDL	BDL	47	74	44	64	156	71				
					12.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	13.5	BDL	BDL	64	63	29	97	117	51				
					14.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	38	49	15	56	96	26				
					19.2.2013	BDL	BDL	BDL	4.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9	14	62	40	42	156	88				
					21.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.1	BDL	10.9	9.6	63	79	49	93	166	72				
					26.2.2013	8	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9	9.6	49	121	64	110	337	124				
					28.2.2013	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	9.6	80	128	50	143	191	83				