

MIZORAM WATER DATA

February

2019

STATION DETAILS



MIZORAM STATE POLLUTION CONTROL BOARD

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF FEBRUARY YEAR 2019

Sl. No.	Station Code	A. STATIONS DETAILS												
		Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream (irrigation, industrial, domestic, drinking water source, organised water source, cultivation, fishing, bathing ghat, others)	Weather	Depth of Water Body (m)	Human activities (Bathing, Washing, Cultivation, Fishing, Boating, Gardening, Tourist spot, cattle wedding, others)	Floating matter	Colour	Odour	Flow (m/s)
		1	2	3		5	6	7	8	9	10	11	12	13
1	2050	13.02.2019	11:20		Agriculture		Drinking Water Source	Clear	0.3			Clear	Odour free	0.4
2	2051	13.02.2019	11:35		Agriculture		WTP located at nearby	Clear	0.5	Fishing		Clear	Odour free	0.3
3	2052	11.02.2019	11:35		Agriculture			Clear	0.2	Fishing		Clear	Odour free	0.3
4	2053	11.02.2019	11:55		Agriculture			Clear	0.4	Fishing		Clear	Odour free	0.3
5	2054	04.02.2019	11:40		Domestic			Clear	0.7	Washing		Clear	Odour free	N/A
6	2055	13.02.2019	10:30		Domestic			Clear	0.8	Washing		Clear	Odour free	N/A
7	3709	06.02.2019	11:40		Agriculture			Clear	0.5	Sand collection		Clear	Odour free	1.1
8	3710	13.02.2019	11:05		Agriculture		Drinking Water Source	Clear	0.4			Clear	Odour free	0.3
9	3711	13.02.2019	11:10		Agriculture		Drinking Water Source	Clear	0.4			Clear	Odour free	0.2
10	3712	13.02.2019	11:50		Domestic			Clear	0.3			Clear	Odour free	0.2
11	3713	13.02.2019	1:35		Domestic			Clear	0.3	Washing		Clear	Odour free	0.4
12	3714	14.02.2019	3:00		Agriculture			Clear	0.1	Washing		Clear	Odour free	1.1
13	3715	11.02.2019	12:25		Agriculture			Clear	0.3	Fishing		Clear	Odour free	0.3
14	3716	11.02.2019	12:35		Agriculture			Clear	0.3	Fishing		Clear	Odour free	0.4
15	3717	11.02.2019	12:55		Agriculture			Clear	0.4	Fishing		Clear	Odour free	0.4
16	3718	04.02.2019	10:25		Domestic			Clear	0.2			Clear	Odour free	0.3
17	3719	18.02.2019	10:00		Agriculture			Clear	0.3	Washing		Clear	Odour free	0.2

**WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF FEBRUARY YEAR 2019**

Sl. No.	Station Code	A. STATIONS DETAILS												
		Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream (irrigation, industrial, domestic, drinking water source, organised water source, cultivation, fishing, bathing ghat, others)	Weather	Depth of Water Body (m)	Human activities (Bathing, Washing, Cultivation, Fishing, Boating, Gardening, Tourist spot, cattle wedding, others)	Floating matter	Colour	Odour	Flow (m/s)
		1	2	3	4	5	6	7	8	9	10	11	12	13
18	3720	18.02.2019	12:15		Agriculture			Clear	0.3	Washing & Bathing		Clear	Odour free	0.3
19	3721	05.02.2019	11:30		Domestic			Clear	0.1			Clear	Odour free	N/A
20	3722	05.02.2019	11:45		Domestic		Fish Pond	Clear	1.3			Brown	Odour free	N/A
21	3723	18.02.2019	3:30		Agriculture		Fish Pond	Clear	1.5			Clear	Odourfree	N/A
22	3724	06.02.2019	1:20		Agriculture			Clear	0.2	Fishing		Clear	Odourless	1.4
23	3725	05.02.2019	11:00		Domestic			Clear	0.7	Washing		Clear	Odour free	N/A
24	3726	04.02.2019	11:20		Domestic			Clear	0.7	Washing		Clear	Odour free	N/A
25	3727	05.02.2019	12:10		Domestic			Clear	0.3	Washing		Clear	Odour free	N/A
26	3728	12.02.2019	12:30		Domestic			Clear	0.8	Washing		Clear	Odourless	N/A
27	3729	These 5 stations are underground (Hand Pump) source of water which required to analyze during April and October only												
28	3730													
29	3731													
30	3732													
31	3733													
32	3734	05.02.2019	2:10		Agriculture			Clear	1	Fishing		Clear	Odour free	1
33	3735	05.02.2019	11:10		Agriculture			Clear	2.1	Fishing		Clear	Odour free	1.3
34	3736	18.02.2019	10:30		Agriculture		Drinking Water Source	Clear	3.6	Fishing		Clear	Odour free	0.2

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF FEBRUARY YEAR 2019

Sl. No.	Station Code	A. STATIONS DETAILS												
		Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream (irrigation, industrial, domestic, drinking water source, organised water source, cultivation, fishing, bathing ghat, others)	Weather	Depth of Water Body (m)	Human activities (Bathing, Washing, Cultivation, Fishing, Boating, Gardening, Tourist spot, cattle wedding, others)	Floating matter	Colour	Odour	Flow (m/s)
		1	2	3	4	5	6	7	8	9	10	11	12	13
35	3737	18.02.2019	9:00				Drinking Water Source	Clear	N/A			Clear	Odour free	N/A
36	3738	05.02.2019	2:55		Domestic			Clear	N/A	Washing		Clear	Odour free	N/A
37	3739	This station is underground (Hand Pump) source of water which required to analyze during April and October only												
38	3740	18.02.2019	12:00		Agriculture		Drinking Water Source	Clear	0.2			Clear	Odour free	0.3
39	3741	18.02.2019	2:35		Domestic			Clear	0.6	Washing		Clear	Odour free	N/A
40	3742	This station is underground (Hand Pump) source of water which required to analyze during April and October only												
41	3743	20.02.2019	1:00		Agriculture		Drinking Water Source	Clear	5			Clear	Odour free	N/A
42	3744	20.02.2019	10:00		Agriculture			Clear	2	Fishing		Clear	Odour free	1
43	3745	20.02.2019	10:30		Domestic			Clear	0.3	Washing		Clear	Odour free	N/A
44	3746	12.02.2019	9:30		Agriculture		Drinking Water Source	Clear	1			Clear	Odour free	0.2
45	3747	12.02.2019	1:15		Domestic			Clear	0.1	Washing		Clear	Odour free	0.3
46	3748	12.02.2019	12:20		Domestic			Clear	0.2	Washing		Clear	Odour free	N/A
47	3749	06.02.2019	10:11		Agriculture		Drinking Water Source	Clear	0.7			Clear	Odour free	1.1
48	3750	06.02.2019	1:20		Agriculture			Clear	0.8	Washing		Clear	Odour free	1.2
49	3751	06.02.2019	3:25		Agriculture			Clear	0.7	Washing & Fishing		Clear	Odour free	0.9
50	3752	15.02.2019	11:10		Agriculture		Drinking Water Source	Clear	0.3			Clear	Odour free	1.2
51	3753	15.02.2019	2:10		Domestic			Clear	0.8	Washing		Clear	Odour free	N/A

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF FEBRUARY YEAR 2019

Sl. No.	Station Code	A. STATIONS DETAILS												
		Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream (irrigation, industrial, domestic, drinking water source, organised water source, cultivation, fishing, bathing ghat, others)	Weather	Depth of Water Body (m)	Human activities (Bathing, Washing, Cultivation, Fishing, Boating, Gardening, Tourist spot, cattle wedding, others)	Floating matter	Colour	Odour	Flow (m/s)
		1	2	3	4	5	6	7	8	9	10	11	12	13
52	3754	03.02.2019	12:00		Agriculture			Clear	2.3	Fishing		Clear	Odour free	1.5
53	3755	03.02.2019	1:30		Domestic		Fish Pond	Clear	2.5			Brown	Odour free	N/A
54	3756	01.02.2019	9:30		Domestic			Clear	0.08	Washing		Clear	Odour free	0.51
55	3757	01.02.2019	11:00		Agriculture		Drinking Water Source	Clear	0.2			Clear	Odour free	0.67
56	3758	This station is underground (Hand Pump) source of water which required to analyze during April and October only												
57	4114	04.02.2019	10:55		Domestic			Clear	0.3			Clear	Odour free	0.4
58	4115	06.02.2019	2:55		Domestic			Clear	0.2			Brown	Odour free	1.1
59	4116	19.02.2019	11:30		Agriculture		Drinking Water Source	Clear	1.2			Clear	Odour free	N/A
60	4117	18.02.2019	4:25		Agriculture		Drinking Water Source	Clear	4			Clear	Odour free	N/A
61	4118	<i>Monitoring not yet started</i>												
62	4119	<i>Monitoring not yet started</i>												
63	4120	03.02.2019	1:00		Agriculture			Clear	1.7			Clear	Odour free	2.2
64	4121	03.02.2019	12:30		Agriculture		Drinking Water Source	Clear	2.5			Clear	Odour free	0.5
65	4122	25.02.2019	12:15		Agriculture		Fishing	Clear	6.1	Washing		Clear	Odour free	1.3
66	4123	18.02.2019	7:20		Agriculture		Fishing	Clear	3	Washing		Clear	Odour free	1
67	4124	18.02.2019	10:40		Domestic			Clear	0.7	Washing		Clear	Odour free	N/A
68	4125	01.02.2019	10:30		Agriculture			Clear	0.05			Clear	Odour free	0.45

**WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF FEBRUARY YEAR 2019**

A. STATIONS DETAILS														
Sl. No.	Station Code	Sampling Date	Sampling Time	Used Based Class	Major Polluting Sources	Visibility Effluent Discharge	Use of water in Down Stream (irrigation, industrial, domestic, drinking water source, organised water source, cultivation, fishing, bathing ghat, others)	Weather	Depth of Water Body (m)	Human activities (Bathing, Washing, Cultivation, Fishing, Boating, Gardening, Tourist spot, cattle wedding, others)	Floating matter	Colour	Odour	Flow (m/s)
		1	2	3	4	5	6	7	8	9	10	11	12	13
69	4126	01.02.2019	12:00		Domestic			Clear	0.6	Washing		Clear	Odour free	N/A
70	4127	20.02.2019	10:00		Domestic			Clear	0.6	Washing		Clear	Odour free	N/A
71	4128	This station is underground (Hand Pump) source of water which required to analyze during April and October only												
72	4129	26.02.2019	9:30		Domestic			Clear	1	Washing		Clear	Odour free	N/A
73	4130	26.02.2019	11:15		Agriculture			Clear	0.3	Washing		Clear	Odour free	0.9
74	4131	26.02.2019	2:12		Agriculture		Drinking water source	Clear	2.1			Clear	Odour free	N/A
75	4132	11.02.2019	9:24		Agriculture			Clear	N/A			Clear	Odour free	N/A
76	4133	06.02.2019	11:10		Domestic			Clear	0.2	Washing		Clear	Odour free	N/A

MIZORAM WATER DATA

February

2019

CORE & GENERAL PARAMETERS



MIZORAM STATE POLLUTION CONTROL BOARD

**WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF FEBRUARY YEAR 2019**

Sl. No.	Station Code	B. CORE PARAMETERS								C. GENERAL PARAMETERS										
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrite (N-No ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	K (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
1	2050	22	8.2	7.13			0.169	0	2400	0.1	87.5	8.7	2.732	40	10.4	3.4	5	1.5		0.011
2	2051	22	7.9	6.94			0.206	0	2400	0.3	87.5	5.8	3.488	42	9.6	4.3	15.5	2		0.03
3	2052	21	8.7	7.13			0.056	0	2400	0.2	106.6	18.3	0.289	90	24	7.2	5	2		0.206
4	2053	21	8.9	7.24			0.024	0	210	0.1	114.6	18.3	0.483	94	25.6	7.2	7	2.5		0.171
5	2054	18	6	6.53			0.18			0	47.9	39.2	3.561	60	14.4	5.8	24.5	6.5		0.852
6	2055	18	6.9	6.82			0.17			0.2	85.4	5.8	3.466	46	11.2	4.3	6	0.5		0.025
7	3709	21	7.6	7.18			0.04	0	460	0	33.3	20	0.372	64	16.8	5.3	5.5	1		0.111
8	3710	21	8.2	7.08			0.153			0.1	83.3	6.7	2.295	46	10.4	4.8	3	2		0.016
9	3711	20	7.9	7.41			0.147			0.2	91.7	9.2	3.447	52	12	5.3	7	0.5		0.127
10	3712	22	7.8	7.04			0.171			0.2	20.8	6.7	3.086	62	16	5.3	4.5	1		0.099
11	3713	17	4.1	6.98			0.087			0.1	118.8	71.6	0.263	122	33.6	9.1	20.5	5		0.312
12	3714	9	6.8	9.42			0.044			0.2	25	6.7	3.443	18	4.8	1.4	0.5	0		0.852
13	3715	20	8.6	8.41			0.044			0.1	114.6	20.8	0.289	96	24.8	8.2	6	0.5		0.028
14	3716	20	7.3	7.21			0.048			0.3	125	9.2	0.319	104	28	8.2	9.5	1		0.1
15	3717	20	8.4	7.03			0.044			0.1	114.6	19.1	0.346	86	21.6	7.7	5.5	0.5		0.038
16	3718	21	7.9	8.11			0.408	0	2400	0.1	322.9	97.5	3.792	184	54.4	11.5	35	12		0.891
17	3719	13	8	7.6			0.028			0.1	56.3	7.5	0.581	42	10.4	3.8	8.5	0.5		0.003

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF FEBRUARY YEAR 2019

Sl. No.	Station Code	B. CORE PARAMETERS								C. GENERAL PARAMETERS										
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	K (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
18	3720	13	8	7.6			0.026			0.1	50	5.8	0.581	34	8	3.4	6.5	0.5		0.006
19	3721	17	6.5	7.59			0.361			1.7	31.3	50.8	1.623	142	44	7.7	31.5	8.5		0.048
20	3722	19	7.5	7.26			0.222			3.4	54.2	51.7	0.73	54	12.8	5.3	17.5	1.5		0.085
21	3723	12	8.5	7.34			0.03			0.1	79.2	10	0.813	62	16	5.3	5	0.5		0.037
22	3724	20	7.9	7.24			0.045			0	158.2	30.8	0.927	90	25.6	6.2	7	0.5		0.677
23	3725	18	7.8	6.64			0.204			0.1	41.7	30.8	0.186	64	16.8	5.3	14.5	1		0.014
24	3726	19	5.9	6.94			0.194			0	27.1	31.7	3.458	66	16	6.2	21.5	0.5		0.854
25	3727	15	3.2	5.75			0.235			0.3	43.8	42.5	0.217	46	11.2	4.3	17.5	1		0.018
26	3728	16	5.1	7.14			0.036			0.2	56.3	9.2	1.771	54	12.8	5.3	10.5	2.5		0.763
27	3729	These 5 stations are underground (Hand Pump) source of water which required to analyze during April and October only																		
28	3730																			
29	3731																			
30	3732																			
31	3733																			
32	3734	17	6.9	6.92			0.09			0.1	29.2	6.7	1.201	18	4.8	1.4	2.5	0		0.149
33	3735	20	7.1	6.99			0.127			0.1	31.3	6.7	1.3	20	5.6	1.4	2.5	0.5		0.157
34	3736	19	7.2	7.34			0.021			0.1	54.2	7.5	0.574	36	8	3.8	4.5	0.5		0.001

**WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF FEBRUARY YEAR 2019**

Sl. No.	Station Code	B. CORE PARAMETERS								C. GENERAL PARAMETERS										
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity (µs/cm)	B.O.D (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	K (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
35	3737	18	7.1	6.98			0.023			0.2	27.1	35.8	0.532	74	20	5.8	20	5		0.001
36	3738	14	6.7	7.07			0.152			0.1	29.2	9.2	1.349	34	8	3.4	4	0.5		0.152
37	3739	This station is underground (Hand Pump) source of water which required to analyze during April and October only																		
38	3740	20	7.1				0.032			0.1	30.2	6.7	0.288	40	8.1	4.3	3	1		0.1117
39	3741	20	7.2				0.024			0.2	28.3	23.5	0.254	31	7.7	3.4	2.5	2		0.096
40	3742	This station is underground (Hand Pump) source of water which required to analyze during April and October only																		
41	3743	17	7.9	7.23			0.052			0.2	47.9	8.7	1.182	28	8	1.9	6	3.5		0.252
42	3744	17	7.3	7.14			0.056			0.1	87.5	7.8	0.954	86	22.4	7.2	5.5	0.5		0.2
43	3745	16	7.6	7.11			0.048			0.1	37.5	6.1	0.92	42	11.2	3.4	4.5	1		0.365
44	3746	12	6.9	7.42			0.023			0.1	56.3	6.7	3.477	44	10.4	4.3	5	0.5		0.042
45	3747	12	6.7	7.38			0.025			0.1	58.3	7.5	3.545	46	11.2	4.3	4.5	0.5		0.085
46	3748	13	7.1	7.45			0.044			0.1	47.9	6.7	2.402	34	8.8	2.9	4.5	0.5		0.127
47	3749	15	6.4	8.15			0.04			0.1	125	39.2	0.122	84	22.4	6.7	8	0.5		0.114
48	3750	16	6.3	7.95			0.044			0.1	120.8	28.3	0.08	64	16	5.8	8.5	1		0.21
49	3751	14	6.3	7.81			0.071			0.1	100	26.7	0.524	62	16	5.3	7.5	1		0.123
50	3752	17	6.7	6.92			0.004			0.2	114.6	53.3	3.682	114	32	8.2	11	6		0.071
51	3753	15	6.3	7.11			0.026			0.3	31.3	9.2	3.507	28	7.2	2.4	3	0.5		0.099

WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF FEBRUARY YEAR 2019

Sl. No.	Station Code	B. CORE PARAMETERS								C. GENERAL PARAMETERS										
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	K (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
52	3754	15	7.5	8.11			0.149			0.3	31.3	19.2	0.328	94	25.6	7.2	10.5	2		0.863
53	3755	25	7.3	8.04			0.144			0.2	97.9	22.5	3.219	112	32	7.7	9.5	2.5		0.843
54	3756	15	6.7	8.2			0.098			0.5	108.3	9.2	1.265	90	24.8	6.7	9.5	0.5		0.305
55	3757	16	6.6	7.35			0.065			0	112.5	17.5	1.676	52	12	5.3	13.5	1		0.279
56	3758	This station is underground (Hand Pump) source of water which required to analyze during April and October only																		
57	4114	21	6.5	8.12			0.483			0.1	281	93.3	3.887	174	55.2	8.6	35	11		0.884
58	4115	19	7.3	7.03			0.092			4.1	118.8	26.7	1.68	100	27.2	7.7	15.5	2		0.917
59	4116	20	7.3	7.63			0.045			0.1	47.9	6.7	3.371	50	11.2	5.3	8	1		0.846
60	4117	13	9	7.8			0.025			0.1	41.7	6.7	0.448	26	6.4	2.4	5.5	0.5		0.01
61	4118	<i>Monitoring not yet started</i>																		
62	4119	<i>Monitoring not yet started</i>																		
63	4120	18	8.7	8.16			0.181			0.6	89.6	26.7	3.401	100	28	7.2	9	1.5		0.876
64	4121	16	8.2	8.07			0.169			0.1	116.7	34.2	3.412	74	19.2	6.2	8.5	1		0.852
65	4122	20	6.7	7.3			0.122			0.2	67.4	22.8	0.345	104	11.2	5.3	6.5	3		0.768
66	4123	18	7.3	7.27			0.028			0.2	41.7	7.5	0.562	26	7.2	1.9	4.5	0.5		0.007
67	4124	18	7.5	6.92			0.028			0.1	35.4	43.3	0.733	70	19.2	5.3	20.5	5		0.01
68	4125	15	6.8	7.18			0.105			1	8.5	20	1.6	66	16	6.2	12.5	1.5		0.341

**WATER QUALITY DATA UNDER NWMP, MIZORAM
MONITORING PERIOD FOR THE MONTH OF FEBRUARY YEAR 2019**

Sl. No.	Station Code	B. CORE PARAMETERS							C. GENERAL PARAMETERS											
		Water Temp (°C)	D.O (mg/L)	pH	Conductivity µs/cm	B.O.D (mg/L)	Nitrogen Nitrite (N-NO ₂) (mg/L)	Faecal Coliform MPN	Total Coliform MPN	Turbidity NTU	Total Alkalinity (mg/L)	Chlorides (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	K (mg/L)	TSS (mg/L)	Total Phosphate (mg/L)
		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
69	4126	14	6.1	5.9			0.077			0.1	43.8	10	1.569	60	16	4.8	7.5	0.5		0.22
70	4127	16	7.9								47.9	18.3		92	24.8	7.2				
71	4128	This station is underground (Hand Pump) source of water which required to analyze during April and October only																		
72	4129	20	6.7	7.2			0.091			0.1	67	5.1	0.453	48	8.6	4.8	6	2		0.288
73	4130	19	6.6	7.3			0.052			0.1	44.2	6.2	0.334	54	7.2	2.6	8.5	4.5		0.256
74	4131	20	6.8	7.4			0.062			0.2	61.8	6.9	0.393	42	8.8	4.8	4	3.5		0.0432
75	4132	18	6.9	7.1			0.082			0.2	24.3	4.4	0.531	34	4.2	1.4	2.5	1		0.154
76	4133	15	6.2	7.5			0.051			0.1	95.8	29.2	0.182	54	12.8	5.3	9.5	0.5		0.142

MIZORAM WATER DATA

February

2019

LIST OF OLD AND NEW NWMP STATIONS FOR MIZORAM



MIZORAM STATE POLLUTION CONTROL BOARD

LIST OF 76 NWMP STATIONS

Mizoram Pollution Control Board

Sl. No.	Station Code	Station Name	Address
Aizawl		Mizoram Pollution Control Board	
1	2050	Tlawng Upper Stream	Aizawl
2	2051	Tlawng Lower stream	Aizawl
3	2052	Tuirial Upper Stream	Aizawl
4	2053	Tuirial Lower Stream	Aizawl
5	2054	Ramhlun North Tuikhur	Ramhlun North Tuikhur
6	2055	Mission Vengthlang North Tuikhur	Mission Vengthlang North
7	3709	Tlawng River	Sairang
8	3710	Serlui Stream	Reiek Kai, Near PHE Water Treatment Plant
9	3711	Vaipuanpho Stream	Reiek Kai
10	3712	Tuikual Stream	Reiek Kai
11	3713	Sakhisih Stream	Mission Vengthlang
12	3714	Tuirial River Upstream	Near Sumsuih Village
13	3715	Tuirial River	Airfield before dumping ground
14	3716	Damdiai Stream	Airfield near dumping ground
15	3717	Tuirial River	Airfield after dumping ground
16	3718	Chite Stream	Armed Veng Near Mini Sports Complex
17	3719	Tuirni River	Seling
18	3720	Tuivawl River	Near Tuivawl Bridge, Keifang
19	3721	Lawibual Stream	Lawibual Village
20	3722	Lawibual Fish Pond	Lawibual Village
21	3723	Tamdil Lake	Saitual
22	3724	Challui	Lengpui
23	3725	Lungli Tuikhur	Republic Veng
24	3726	Ramhlun South Tuikhur	Ramhlun South Near Community Hall
25	3727	Tuithiang Veng Tuikhur	Tuithiang
26	3728	Khurpui Tuikhur	South Hlimen
27	3729	Bawngkawn Hand Pump	Near HB Petrol Pump

28	3730	Selesih Hand Pump	Selesih
29	3731	Tuikual Hand Pump	Tuikual
30	3732	Chaltlang Hand Pump	Chaltlang near Remi Tyre Works
31	3733	South Hlimen Hand Pump	South Hlimen
Lunglei		Mizoram Pollution Control Board	
32	3734	Tlawng River Upstream	Zobawk, Lunglei
33	3735	Mat River	Mat
34	3736	Tlawng River	Pialthleng Zotlang, Lunglei
35	3737	Vaitui Tuikhur	Theiriat, Lunglei
36	3738	Sap Tuikhur	Serkawn, Lunglei
37	3739	Zobawk Veng Hand Pump	Lunglei
Lawngtlai		Mizoram Pollution Control Board	
38	3740	Saikah Stream	Lawngtlai
39	3741	Khurpui Tuikhur	Lawngtlai
40	3742	Chanmari Hand Pump	Lawngtlai
Saiha		Mizoram Pollution Control Board	
41	3743	PHE Reservoir (Tanks)	Halipad New Saiha
42	3744	Chhimtui River	Kawlchaw
43	3745	Chhochhopa Tuikhur	Saiha
Serchhip		Mizoram Pollution Control Board	
44	3746	Tuikum River	Serchhip
45	3747	Sesah Stream	Serchhip
46	3748	Project Veng Hand Pump	Serchhip
Mamit		Mizoram Pollution Control Board	
47	3749	Lahmun River	Phaizau, Mamit
48	3750	Teirei River	Near Bawngva Village, Mamit
49	3751	Tut River	Near Dapchhuah Village

Kolasib		Mizoram Pollution Control Board	
50	3752	Tuichhuahen Stream	Kolasib
51	3753	Hmar Veng Tuikhur	Kolasib
52	3754	Tlawng River Down Stream	Bairabi
53	3755	Pond	Near Thermal Power Plant Bairabi
Champhai		Mizoram Pollution Control Board	
54	3756	Tiau River	Champhai
55	3757	Tuipui River	Champhai
56	3758	Bethel Veng Hand Pump	Champhai

LIST OF NEW 20 NWMP STATIONS FOR MIZORAM

Sl. No.		Stations Name	Address
Aizawl		Mizoram Pollution Control Board	
57	4114	Chite stream,	Near SIPMUI's STP, Bethlehem Vengthlang, Aizawl
58	4115	Tuikual stream (U/S)	Near New Secretariat Complex, Dinthar, Aizawl
59	4116	P.H.E Water Reservoir	Tlawng river water, Tuikhuahtlang, Aizawl
60	4117	P.H.E Water Reservoir	Tawizo stream water, Rulchawm village
Kolasib		Mizoram Pollution Control Board	
61	4118	Tuirial Dam (River)	Tuirial HEPP, Saipum village
62	4119	Serlui 'B'	Dam, Serlui 'B' HEPP site, Bilkhawthlir village
63	4120	Teirei river	(d/s) Near confluencing point with Tlawng river Sapmara village
64	4121	Tlawng River	Suarpui, Bairabi HEPP Dam site, Bairabi village
Lunglei		Mizoram Pollution Control Board	
65	4122	Khawthlangtuipui River	Tlabung
66	4123	Tuipui Darzokai River	Chhintuipui Tuipui D village
67	4124	Electric veng tuikhur	Lunglei

Champhai		Mizoram Pollution Control Board	
68	4125	Tuipui	(u/s) Near confluencing point with Keilungliah Stream, Vengthar, Champhai
69	4126	Pawhhawn Tuikhur	Near GM H.S.S, Vengsang, Champhai
Saiha		Mizoram Pollution Control Board	
70	4127	Khurpui Tuikhur	New Colony, Saiha
71	4128	Hand-pump	New Saiha Bazar
Lawngtlai		Mizoram Pollution Control Board	
72	4129	Tuivamit Tuikhur	AOC Veng, Lawngtlai
73	4130	Ngengpui stream	Near Kaladan Multi Modal Road Ngengpui village
74	4131	P.H.E Reservoir	(Chengkawl lui & Chengpawng li) Chawnhu village
Serchhip		Mizoram Pollution Control Board	
75	4132	Vantawng waterfall (River)	Buangpui Ram, Near Thenzawl town
Mamit		Mizoram Pollution Control Board	
76	4133	Ngharpet veng tuikhur	Lungsir, Mamit