

**Ambient Air Quality Data from two NAMP Stations in Mizoram -January, 2014**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	Daily Average Temperature
450	Khatla	Residential	Aizawl	Mizoram	2/1/2014	0.8	1.2	0.4	0	0	0	0.4	7	9.6	8.3	5.7	4.4	2.5	6.3	60	54	45	53	123	112	93	109	Clear	
					7/1/2014	0.8	1.2	1.6	0	0	0	0.6	8.3	10.2	9.6	7	4.4	1.9	6.9	59	52	46	52	122	108	96	109	Clear	
					9/1/2014	1.2	0.8	0.8	0	0	0	0.5	7.6	11.5	10.2	7	4.4	2.8	7.3	61	57	50	56	128	117	105	117	Clear	
					14/1/2014	0	0.8	1.2	0	0	0	0.3	7.6	10.8	9.6	5.7	4.4	2.5	6.8	60	54	48	54	123	112	100	112	Clear	
					16/1/2014	0.8	1.6	0	0	0	0	0.4	6.4	9.6	8.9	7.6	3.8	1.9	6.4	63	59	52	58	130	120	108	119	Clear	
					21/1/2014	0.8	1.2	0	0	0	0	0.3	7.6	10.8	9.6	6.4	3.8	2.5	6.8	65	58	51	58	132	118	107	119	Clear	
					23/1/2014	1.2	0.8	1.2	0	0	0	0.5	7	10.2	8.3	5.7	3.8	1.9	6.2	65	59	54	59	133	120	110	121	Clear	
					28/1/2014	0.8	1.2	0	0	0	0	0.3	8.3	10.2	11.5	7	3.8	2.5	7.2	62	60	54	59	137	121	111	123	Clear	
					30/1/2014	0.8	0.8	0	0	0	0	0.3	5.7	9.6	10.2	6.4	3.2	1.9	6.2	65	61	55	60	133	125	115	124	Clear	
					451	Lapuitang	Residential	Aizawl	Mizoram	2/1/2014	0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	53	49	45	49	105	98
7/1/2014	0	0	0	0						0	0	0.0	0	0	0	0	0	0	0.0	50	48	31	43	113	100	92	102	Clear	
9/1/2014	0	0	0	0						0	0	0.0	0	0	0	0	0	0	0.0	76	73	42	64	143	133	82	119	Clear	
14/1/2014	0	0	0	0						0	0	0.0	0	0	0	0	0	0	0.0	56	69	60	62	106	121	106	111	Clear	
16/1/2014	0	0	0	0						0	0	0.0	0	0	0	0	0	0	0.0	77	90	37	68	118	145	88	117	Clear	
21/1/2014	0	0	0	0						0	0	0.0	0	0	0	0	0	0	0.0	42	73	56	57	88	109	82	93	Clear	
23/1/2014	0	0	0	0						0	0	0.0	0	0	0	0	0	0	0.0	79	61	41	60	122	100	69	97	Clear	
28/1/2014	0	0	0	0						0	0	0.0	0	0	0	0	0	0	0.0	35	53	73	54	78	106	110	98	Clear	
30/1/2014	0	0	0	0						0	0	0.0	0	0	0	0	0	0	0.0	52	41	28	40	86	69	52	69	Clear	
452	Bawngkawn	Residential	Aizawl	Mizoram						2/1/2014	0	0	0	0	0	0	0.0	14	13.4	10.8	7.6	5.7	5.7	9.5	51	39	32	41	94
					7/1/2014	0	0	0	0	0	0	0.0	14.7	12.8	12.1	7.6	3.8	3.8	9.1	45	43	35	41	77	65	52	65	Clear	
					9/1/2014	0	0	0	0	0	0	0.0	15.3	13.4	12.1	11.5	4.4	4.1	10.1	39	35	26	33	61	57	46	55	Clear	
					14/1/2014	0	0	0	0	0	0	0.0	15.3	13.4	11.5	7.6	3.8	3.8	9.2	60	45	39	48	95	77	51	74	Clear	
					16/1/2014	0	0	0	0	0	0	0.0	13.4	11.5	8.9	7.6	3.8	3.8	8.2	54	45	37	45	93	77	59	76	Clear	
					21/1/2014	0	0	0	0	0	0	0.0	15.3	13.4	12.1	10.8	3.8	3.8	9.9	54	45	35	45	93	80	61	78	Clear	
					23/1/2014	0	0	0	0	0	0	0.0	13.4	13.4	12.1	10.8	4.4	4.4	9.8	60	54	45	53	111	93	80	95	Clear	
					28/1/2014	0	0	0	0	0	0	0.0	15.3	13.4	12.1	10.8	3.8	3.8	9.9	54	45	39	46	93	77	61	77	Clear	
					30/1/2014	0	0	0	0	0	0	0.0	15.3	13.4	12.1	8.9	5.7	5.7	10.2	54	39	32	42	99	76	58	78	Clear	

**Ambient Air Quality Data from two NAMP Stations in Mizoram -January, 2014**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	Daily Average Temperature	
731	Champhai Kahrawt	Residential	Champhai	Mizoram	2/1/2014	0	1.2	2	0.4	0	0.8	0.7	1.3	0.6	2.5	0	0	1.9	1.1	25	33	19	26	48	62	42	51	Clear		
					7/1/2014	1.5	0.5	0.4	0	0	0	0.4	4	2.5	6.3	1.3	0	0.6	2.5	37	26	20	28	82	60	44	62	Clear		
					9/1/2014	0.9	0.8	0	0	0	1.1	0.5	2.9	1.3	2.1	1.3	0	0	1.3	27	33	26	29	63	72	55	63	Clear		
					14/1/2014	0	0	1.2	0.5	0	0.9	0.4	0	0	2.7	0	1.5	2.1	1.1	21	24	20	22	47	58	42	49	Clear		
					16/1/2014	0	0.4	1.2	0.4	0	0	0.3	0	0	1.3	1.5	0	0	0.5	25	27	23	25	55	62	51	56	Clear		
					21/1/2014	0	1.6	2.8	0.8	0	0	0.9	2.6	1.3	3.9	0	0	1.3	1.5	20	21	13	18	46	52	32	43	Clear		
					23/1/2014	1.6	0	2.4	0	0	0	0.7	0.6	2.5	1.3	0	0	1.3	1.0	27	23	15	22	61	52	34	49	Clear		
					28/1/2014	0	0	0.8	0	0	0.4	0.2	0	2.6	0.6	0	0	0	6	1.5	18	25	12	18	40	56	33	43	Clear	
					30/1/2014	0.8	0.4	0.8	0	0	0.8	0.5	2.1	1.3	3.3	0	0	0.6	1.2	27	23	18	23	60	50	38	49	Clear		
					732	Champhai Vengthlang	Commercial	Champhai	Mizoram	2/1/2014	0	1.2	0.8	0	1.2	2	0.9	2.6	3.9	0	0	2.5	3.9	2.2	108	81	36	75	243	189
7/1/2014	2	3.2	0	0						0	0	0.9	5.2	4.5	4.1	1.9	3.4	5.8	4.2	158	117	27	101	261	206	67	178	Clear		
9/1/2014	2.8	3.3	2.1	0						0	2	1.7	5.9	4.6	4	3.5	1.9	5.2	4.2	124	150	73	116	224	251	129	201	Clear		
14/1/2014	2.5	2	2.2	0						0	1.6	1.4	6	5.1	5.8	3.4	2.5	3.8	4.4	83	89	42	71	199	229	156	195	Clear		
16/1/2014	4.1	2.9	3.4	1.3						0.8	2.4	2.5	7.3	5.4	3.4	2.8	2.5	3.8	4.2	67	87	27	60	177	186	108	157	Clear		
21/1/2014	3.4	4	3.8	2.6						1.4	2.4	2.9	7.6	6.4	4.1	2.8	3.9	3.8	4.8	121	125	43	96	325	292	66	228	Clear		
23/1/2014	3.7	3.3	3.6	2.1						1.6	2	2.7	6	5.4	4.3	3.4	1.9	2.6	3.9	146	131	131	136	235	319	154	236	Clear		
28/1/2014	6.5	6.2	3.2	4						2	1.9	4.0	5.3	4.5	3.4	2.2	2.6	1.4	3.2	133	23	24	60	342	108	67	172	Clear		
30/1/2014	3.2	2.8	2	1.6						0.8	0.8	1.9	6.5	5.2	3.2	4	2	1.9	3.8	81	108	273	154	172	236	327	245	Clear		

**Ambient Air Quality Data from two NAMP Stations in Mizoram -January, 2014**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	Daily Average Temperature
733	Kolasib Project Veng	Residential	Kolasib	Mizoram	2/1/2014	2.28	3.02	2.04	0.83	0.47	0.46	1.5	4.46	5.98	3.92	1.9	2.15	1.48	3.3	66	39	15	40	136	85	33	85	Cold	
					7/1/2014	2.79	2.99	2.22	1.23	0.83	0.46	1.8	6.03	7.26	4.35	3.14	2	2.1	4.1	66	47	25	46	139	95	54	96	Cold	
					9/1/2014	2.79	0	0.67	1.31	0.81	1	1.1	6.04	0	2.17	3.33	2.2	2.55	2.7	37	34	23	31	82	75	50	69	Cold	
					14/1/2014	2.32	3.04	2.43	1.24	1.31	0.97	1.9	5.57	6.38	4.32	2.79	2.1	2.2	3.9	69	48	26	48	141	99	56	99	Cold	
					16/1/2014	2.39	3.16	2.04	1.24	0.92	0.48	1.7	5.76	7.31	4.58	3.32	2.35	1.54	4.1	65	45	23	44	134	94	50	92	Cold	
					21/1/2014	2.64	2.99	2.48	1.62	0.85	0.83	1.9	6.33	7.18	5.05	3.25	2.58	2	4.4	68	51	26	48	138	101	55	98	Cold	
					23/1/2014	2.66	3.02	1.95	1.18	0.82	0.84	1.7	6.09	7.6	5	2.65	2.51	1.35	4.2	64	48	23	45	131	100	50	94	Cold	
					28/1/2014	2.6	2.99	2.3	1.54	0.81	0.8	1.8	5.95	7.54	4.3	2.59	1.94	1.93	4.0	64	45	21	43	132	93	45	90	Cold	
					30/1/2014	2.26	2.92	2.02	1.19	0.78	0.85	1.7	5.68	7.07	4.31	2.67	1.97	2.04	4.0	63	39	18	40	129	80	41	83	Cold	
					734	Kolasib Diakkawn	Commercial	Kolasib	Mizoram	2/1/2014																			
7/1/2014	1.89	3.23	3.19	0.98						0	1	1.7	4.53	6.9	7.3	3.15	1.48	3.2	4.4	55	48	35	46	60	52	24	45	Cold	
9/1/2014	2.04	2.96	3.01	1.91						0	0.92	1.8	4.89	7.9	6.42	3.06	1.42	2.94	4.4	60	49	19	42	55	58	31	48	Cold	
14/1/2014	2	2.68	1.76	0.93						0	0.94	1.4	4.8	5.01	4.22	2.97	1.62	3.02	3.6	56	37	31	41	60	33	40	45	Cold	
16/1/2014	2.45	2.71	1.89	1.77						0	1.73	1.8	4.71	5.79	6.82	4.26	1.48	2.76	4.3	60	38	25	41	58	44	29	44	Cold	
21/1/2014	2	2.68	2.64	0.93						1.01	1.89	1.9	4.8	5.72	4.22	2.97	1.62	3.02	3.7	52	37	36	42	60	47	31	46	Cold	
23/1/2014	0.98	2.71	2.84	1.77						0	1.73	1.7	3.14	5.79	4.55	4.26	1.48	2.76	3.7	54	54	25	44	62	44	29	45	Cold	
28/1/2014	1.86	3.01	2.66	0.00						0.00	1.00	1.4	4.45	6.42	2.84	2.91	1.56	3.20	3.6	59	43	34	45	62	47	36	48	Cold	
30/1/2014	1.98	2.76	1.90	0.90						0.00	1.03	1.4	4.74	5.89	4.56	2.87	1.40	3.28	3.8	57	44	39	47	67	40	37	48	Cold	

**Ambient Air Quality Data from two NAMP Stations in Mizoram -January, 2014**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	Daily Average Temperature
735	Lunglei Farm Veng	Residential	Lunglei	Mizoram	2/1/2014	3.6	3.2	3	2.1	0.9	1.1	2.3	5.6	5.1	4.2	3	1.9	2.1	3.7	56	50	19	42	68	64	29	54	Sunny	
					7/1/2014	6.7	3.4	2.8	2.1	0.9	1.1	2.8	5.8	5	4.6	3.2	1.8	2.2	3.8	58	53	20	44	65	60	28	51	Sunny	
					9/1/2014	3.6	3.3	3	2.1	0.6	1.2	2.3	5.8	5.2	4.4	3.2	1.8	2.1	3.8	56	51	20	42	69	66	25	54	Sunny	
					14/1/2014	3.6	3.4	3	2.2	0.6	1.1	2.3	5.7	5.4	4.5	3	1.6	2.1	3.7	55	50	19	41	68	62	26	52	Sunny	
					16/1/2014	3.8	3.2	2.8	1.9	0.7	1.2	2.3	5.6	5.4	4.6	3.2	1.6	2.2	3.8	53	49	19	41	66	51	25	48	Sunny	
					21/1/2014	3.4	3.2	2.6	1.6	0.6	0.9	2.1	5.6	5	4.2	2.4	1.1	1.6	3.3	54	50	19	41	69	61	27	53	Sunny	
					23/1/2014	3.6	3.2	2.6	1.4	0.6	0.9	2.1	5.4	5	4.2	2.4	1.3	1.8	3.4	57	51	20	42	69	62	28	53	Sunny	
					28/1/2014	3.6	3	2.4	1.4	0.5	0.8	2.0	5	4.4	4	2.2	1.4	1.9	3.2	50	47	18	38	61	56	25	47	Sunny	
					30/1/2014	3.6	3.1	2.6	1.6	0.6	0.9	2.1	5.6	5.2	4.2	2.2	1.8	2	3.5	54	51	19	42	69	61	27	52	Sunny	
					736	Lunglei Chamhari	Commercial	Lunglei	Mizoram	2/1/2014	3.5	3.5	3.2	3.1	2.9	3.0	3.2	8.6	8.5	8.1	8.2	8.0	8.0	8.2	67	66	29	54	77
7/1/2014	3.6	3.5	3.2	3.1						2.9	3.0	3.2	8.6	8.5	8.2	8.2	7.9	8.0	8.2	68	67	30	55	79	75	39	65	Sunny	
9/1/2014	3.4	3.4	3.2	3.1						2.8	3.0	3.2	8.6	8.5	8.2	8.2	7.9	8.0	8.2	67	65	29	54	75	73	39	63	Sunny	
14/1/2014	3.5	3.5	3.2	3.2						2.8	3.0	3.2	8.6	8.6	8.1	8.1	8.0	8.0	8.2	69	67	30	56	78	77	41	65	Sunny	
16/1/2014	3.5	3.4	3.2	3.1						2.8	3.0	3.2	8.6	8.5	8.2	8.1	8.0	8.0	8.2	65	64	26	52	76	75	39	63	Sunny	
21/1/2014	3.3	3.2	3.1	3.0						2.9	3.0	3.1	8.3	8.3	8.3	8.1	7.6	8.0	8.1	63	63	23	50	73	73	35	60	Sunny	
23/1/2014	3.4	3.3	3.2	3.1						2.5	2.9	3.1	8.3	8.3	8.2	8.1	8.0	8.0	8.1	62	62	23	49	73	73	33	60	Sunny	
28/1/2014	3.5	3.5	3.3	3.2						3.0	3.0	3.3	8.4	8.3	8.2	8.0	7.8	8.0	8.1	64	63	25	51	75	75	36	62	Sunny	
30/1/2014	3.3	3.2	3.1	3.1						2.7	2.9	3.0	8.5	8.3	8.3	8.0	7.9	8.0	8.2	65	64	25	51	75	75	35	62	Sunny	

**Ambient Air Quality Data from two NAMP Stations in Mizoram -January, 2014**

Station Code	Name of monitoring station	Area class	City	State Name	Sampling date	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	4-Hourly Value of SO <sub>2</sub>	24 Hrs. Average	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	4-Hourly Value of NO <sub>2</sub>	24 Hrs. Average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	24 Hrs. Average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	24 Hrs. Average	Weather Condition	Daily Average Temperature
737	Dawrpui	Commercial	Aizawl	Mizoram	2/1/2014	3.2	1.6	0.8	1.2	0	0	1.1	19.2	20.5	21.1	22	6.4	5.1	15.7	96	93	44	78	224	259	94	192	Clear	
					7/1/2014	0	0	0	0	0	0	0.0	19.8	20.5	19.2	21.1	13	10.2	17.3	92	95	38	75	228	218	92	179	Clear	
					9/1/2014	1.6	0.4	0.8	1.2	0	0	0.7	21.1	20.5	19.2	21.1	8.2	0	15.0	102	93	40	78	263	259	97	206	Clear	
					14/1/2014	7.2	8	6.4	8	3.6	2.4	5.9	21.1	20.4	20.4	22	0	0	14.0	91	95	45	77	224	295	68	196	Clear	
					16/1/2014	3.6	3.2	0.4	0.8	0	0	1.3	27	26.2	19.2	20.4	3.2	0	16.0	125	105	89	106	295	272	185	251	Clear	
					21/1/2014	1.6	2.4	0.8	1.2	0	0	1.0	26	26.2	18	19.2	5.1	1.3	16.0	103	95	66	88	270	257	147	225	Clear	
					23/1/2014	0	0	0	0	0	0	0.0	26	24.3	20.5	23	11.5	6	18.6	135	110	62	102	308	272	141	240	Clear	
					28/1/2014	0	0	0	0	0	0	0.0	26.2	25.6	23	24.3	11	5.1	19.2	136	109	61	102	314	273	142	243	Clear	
					30/1/2014	0	0	0	0	0	0	0.0	24.3	25	23	25.6	11	6	19.2	134	134	70	113	309	327	163	266	Clear	
					738	Lengpui	Residential	Aizawl	Mizoram	2/1/2014	0	0	0	0	0	0	0.0	3.2	3.8	2.6	2.6	1.3	1.3	2.5	41	53	18	37	62
7/1/2014	0.8	0	0	0.8						1.6	2	0.9	9	9.6	3.9	2.6	6.4	3.2	5.8	66	68	36	57	120	101	52	91	Clear	
9/1/2014	1.2	0.4	0.4	0						0.8	1.2	0.7	2.6	3.2	1.9	1.3	1.3	0.6	1.8	43	28	35	35	52	40	47	46	Clear	
14/1/2014	0	0	1.2	1.2						0.8	1.2	0.7	1.9	2.6	2.6	2.6	1.3	0	1.8	49	45	14	36	98	60	38	65	Clear	
16/1/2014	0	0.8	1.6	1.2						1.2	1.6	1.1	1.5	2.6	1.3	1.3	1.3	0	1.3	51	45	44	47	80	65	64	70	Clear	
21/1/2014	0.4	0.4	0.4	0						0.4	0.8	0.4	1.3	1.3	1.3	0	1.9	0.6	1.1	52	40	28	40	82	57	45	61	Clear	
23/1/2014	0.4	0	0	0						0.4	0.4	0.2	0	1.3	2.6	1	2.6	1.3	1.5	32	24	19	25	51	36	33	40	Clear	
28/1/2014	0	0	0	0						0	0	0.0	1.8	3.2	3.2	2.6	2.6	1.9	2.6	45	51	42	46	63	73	55	64	Clear	
30/1/2014	0	0	0	0						0	0	0.0	1.9	2.6	2.6	3.2	2.6	0.6	2.3	29	19	19	22	50	33	37	40	Clear	